

*File*

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-296-2  
Relating to Certification of New Motor Vehicles

LAFORZA AUTOMOBILES INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Laforza Automobiles Inc. exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: WLAXTO5.050S Displacement: 5.0 Liters (302 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Dual Three Way Catalytic Converters (two)
- Dual Heated Oxygen Sensors (two)
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>	<u>Carbon</u> <u>Monoxide (20°F)</u>
5751-8500	50,000	0.39	5.0	1.1	12.5
	120,000	0.56	7.3	1.53	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>	<u>Carbon</u> <u>Monoxide (20°F)</u>
5751-8500	50,000	0.15	2.3	0.1	3.6
	120,000	0.22	3.4	0.14	n/a

BE IT FURTHER RESOLVED: That the manufacturer shall not be subject to the phase-in requirement specified in Title 13, California Code of Regulations, Section 1960.1(h)(2) Endnotes (10)(d) and (16) applicable to small-volume manufacturers of medium-duty vehicles.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," pursuant to provisions in said standards and test procedures applicable to ultra-small volume manufacturers.


BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7<sup>th</sup> day of July 1998.



R. B. Summerfield, Chief  
Mobile Source Operations Division

1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Laforza Automobiles Inc. Exh Eng Fam: WLAXT05.050S Evap Fam: WLAXT012050S  
 All Engine Codes in Engine Family: CA 49S 50S  AB965, ORVR: YES NO   
 Exh Std: CA Tier-1  TLEV LEV ULEV SULEV, US EPA Tier-1   
 Veh Class(es): PC LDT1 LDT2 MDV1 MDV2 MDV3  MDV4 MDV5  
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Fuel Type(s): Dedicated  Flex-Fuel Dual-Fuel Bi-Fuel Gasoline  Diesel CNG LNG LPG M85 Other (specify) \_\_\_\_\_  
 Exh Emiss Test Fuel(s): Indo  CBG CNG LPG M85 Other (specify) \_\_\_\_\_  
 Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94  
 Evaporative Emission Test Procedure: California \_\_\_\_\_ Federal \_\_\_\_\_ 50k evap std.  
 Service Accum: Std AMA \_\_\_\_\_ Mod AMA \_\_\_\_\_ Mfr ADP \_\_\_\_\_ Other (specify) assigned dfs  
 NMOG Test Procedure: N/A  Std \_\_\_\_\_ Equiv \_\_\_\_\_ R/L Test Proc: SHED N/A Pt Source N/A  
 Engine Configuration: V8 Displacement: \_\_\_\_\_ / 5.0 Liters \_\_\_\_\_ / 302 Cubic Inches  
 Valves per Cylinder: 2 Rated HP: 215 @ 4200 RPM  
 Engine: Front  Mid \_\_\_\_\_ Rear \_\_\_\_\_ Drive: FWD \_\_\_\_\_ RWD \_\_\_\_\_ 4WD-FT  4WD-PT \_\_\_\_\_  
 Exhaust ECS (e.g., MFI, EGR, TC, CAC): 2TWC(2)HO2S(2)/EGR/SET/OBDII  
 (use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. (M5, A4 etc.)	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
98 EXPCO (50S)	Laforza Prima 4x4	L4	6000	18.2	PCM F87F-12A650- AVB	F55E-9D475- AA	F67A-RE(UB1-RH F67A-BB(UB1-LH F67A-ED(UB2-R/ LH)
98 EXPCO (50S)	"	"	5500	"	"	"	"