//// (Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-18-91 Relating to Certification of New Motor Vehicles

VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WVVXV2.92EVA Displacement: 2.9 Liters (178 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Three Way Catalytic Converter Heated Oxygen Sensors (Two) Secondary Air Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

| Mile | Non-Methane | Carbon | Nitrogen | Carbon | |
|---------|---------------------|-----------------|---------------|------------------------|--|
| | <u>Hydrocarbons</u> | <u>Monoxide</u> | <u>Oxides</u> | <u>Monoxide (20°F)</u> | |
| 50,000 | 0.25 | 3.4 | 0.4 | 10.0 | |
| 100,000 | 0.31 | 4.2 | 0.6 | n/a | |

The certification exhaust emission values for this engine family in grams per mile are:

| Mile | Non-Methane | Carbon | Nitrogen | Carbon | |
|---------|---------------------|-----------------|---------------|------------------------|--|
| | <u>Hydrocarbons</u> | <u>Monoxide</u> | <u>Oxides</u> | <u>Monoxide (20°F)</u> | |
| 50,000 | 0.13 | 1.8 | 0.1 | 6.1 | |
| 100,000 | 0.13 | 2.0 | 0.1 | n/a | |

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3 day of June 1997.

R. B. Summerfield/Chief

Mobile Source Operations Division

E.O. # A-18-91

1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

| Manufacture | E: VOLVO CAR | CORP. | Exh Eng | Fam: W | VVXV2.92EV/ | PEvap Fam: | NVVXE0124EV |
|-------------------------|----------------------|------------|-------------------|----------------|--------------------|-------------|---------------|
| All Engine | Codes in Engine 1 | Familiy: | CA495 | 5 50: | S X AB965 . | ORVP. | YES NO_X |
| Exh Std: C | A Tier-l_A_ TI | LEV | LEV_ | ULEV | SULEV | . 179 1 | PDA Trion-1 X |
| Veh Class(e | s): PC_X_ LDT1 | LLDT | MD |)V1 | MDV2 MD1 | 73 MD374 | l muze |
| Single Cert | Std for Multi-Cl | lass Eng F | 'am: /// (| specify | /: N/A, LDT1, | MDV1, MDV2 | . MDV3. MDV4) |
| Fuel Type(s |): Dedicated 🔨 | Flex-Fue | lPua | l-Fuel_ | Bi-Fuel | Gasoline | X Diesel_ |
| Exh Emiss Te | est Fuel(s): Ind | _XLPG | . M85 | Other | (specify) | | • • |
| | Die | sel: 13 | CCR 2282 | BFG | CFR 86.113-90 | other (spe | Cliy) |
| Evaporative | Emission Test Pr | ocedure: | Californ | 40 ia | Federal | Y 40 CFR | 86.113-94 |
| Service Accu | m: Std AMAX | Mod AMA_ | Mfr | ADP | Other (spe | | |
| NMOG Test Pr | ocedure: N/AX | _ Std | Equiv | | R/I Test Proc | · chau | Pt. Cause Y |
| Engine Confi | guration: <u>I-6</u> | Displace | ement: 2 | <u>.</u> 9 , ' | Liters) | 78 | Cubic Took |
| Valves per C | ylinder: 4 | • | Rated | i HP: | 181 | e 5200 | \ |
| Engine: Fro | nt_X Mid | Rear | Drive | : FWD | PWD X | 4WD_PT | RPM RPM |
| Exhaust ECS | (e.g., MFI, EGR, | TC, CAC): | SFI. | TWC | . HO25 (| 2) ATA | ? 4WD-PT |
| ī | | • | (ds | e abbre | viations per | SAE J1930 J | UN93) |
| Engine Code | Vehicle Models | Trans. | ETW | DPA | ! Ignition | EGR | Catalytic |
| (also list CA/49ST/50ST | (if coded see) | (H5, A4 | or Test Wt. | or | (ECM/PCM) | System | Converter |
| W96:2 | 5 90 | 114 | 297C | | 1270417 | Part No. | Part No. |
| 50 ST | 3 70 | AW30-40 | 3013 | 67 | 12 10717 | NIA | 19.161835 |
| | ! | 11-00-70 | 7 | 0.0 | İ | ! | ! |
| | | | | | į | İ | İ |
| | • | ! ! | i ! | i ! | | <u> </u> | - |
| v96:2 | V90 | 14 | 3875 | 22 | 1270417 | NIA | 9161835 |
| | | NW30-40 | | i | ! | 10/// | 110100 |
| 50 57 | 1 | 7450-70 | | 9.4 | | ! ! ! | • |
| | | | | | ! | | • |
| | ! | | | | | | |
| | i } | | | ; ! | | | į |
| | 1 | | į | ! ! | 1 | | i ! |
| | j t 1 | | | į | ! ! | | |
| | | | i | ; | | | 1 |
| | | | - | | į | | į |
| | | | | į | | |] ! |
| | | | ļ | į | į | | • |
| | | | i | į | į | | ! |
| | | | į | į | į | | 1 |
| | <u> </u> | <u> </u> | <u>i</u> | | | | i |
| ate Issued: | Revis | ions: | | | | 3-18 | - 97 |
| | | | | | | 3-10 | - // |