State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-254-53 Relating to Certification of New Motor Vehicles

HYUNDAI MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Hyundai Motor Company exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WHYXV03.01UM Displacement: 3.0 Liters (181.4 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon .	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	.Oxides	<u>Monoxide (20⁰F)</u>
50,000	0.15	0.9	0.2	6.7
100,000	0.17	0.9	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

a springer

Mobile Source Operations Division

Summerfield, Chief

E.O.#	A	- <u>25</u>	/-5	3
Page	_1	of	3	

1998 MODEL-YEAR AIR RESOURCES SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

	Manufacturer	: HYUNDAI M	OTOR CO.	Exh Eng	g Fam:	WHYXV03.01UM	1 Evap Fam	: WHYXV009221S	5
	Manufacturer: <u>HYUNDAI MOTOR CO.</u> Exh Eng Fam: <u>WHYXV03.01UM</u> Evap Fam: <u>WHYXV009221S</u> All Eng Codes in Eng Fam: CA <u>X</u> 49S 50S AB965 ORVR: <u>YES NO_X</u>						-		
	Exh Std:	CA Tier-1_X	TLEV	LEV	ULE	V ZEV	; US	EPA Tier-1	_
	Evap Std:	100K X Us	seful life w	ith R/L_X	<u> I'n−</u>	Use Exh Std: 1	Full In Use X	_ Alt In Use_	_
								DV4 MDV5_	
								2, MDV3, MDV4	
	Fuel Type(s)	: Dedicated	Flex-F	uel I	Dual-Fu	el Bi-Fuel	Gasolina	V Diagol	
		CNG	' LNG	LPG	M85	Other (specia	fv)		
	Emiss Test I	Fuel(s) : Indo_	<u>Y</u> PH2	CNG	_ LPG_	M85 Otl	ner (specify)		_
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94_									
Evaporative Emission Test Procedure : California Federal Y									
	Service Accu	m: Std AMA_	X Mod Al	MA	Mfr AI	OVOTHI	ER (SPECIFY))	
	NMOG Test	procedure : N/	A_X St	d Equ	iv	R/L Test F	Proc : SHED	x Pt Source	_
Hybrid: Type A B C, APU Cycle (e.g., Otto, Diesel, Turbine) Engine Configuration: V-6 Displacement: 3.0 / Liters 181.4 / Cubic Inches									
Valves Per Cylinder: 2 Rated HP: 142 @ 5,000 RPM						r			
Engine: Front X Mid_ Rear_ Drive: FWD_X RWD_ 4WD-FT_ 4WD-PT_					Ĺ				
Exhaust ECS (e.g., MFI EGR., TC, CAC, : HO2S(2) +EGR + TWC + SFI + OBD II					•				
			, 10, 01						-
	(use abbreviations per SAE J1930 JUN 93)								
	Eng. Code	Veh. Models	Trans.	Equiv.	DPA	Ign. Sys.	EGR		
	(list CA/	(If Coded see	Type: L-Auto.	Test	or	(ECM/PCM)	_	Catalyst	
	49ST/50ST)	Attachment)	M-Man.	Weight	RLHP	part No.	Part No.	Part No.	,
			111 (11411.				1 44 7 1 10 1		
	ACL4-T								
	/CL4-T	SONATA	L4	3375	7.7	39110~35981	39461-35530	28950-35650	
	(CA)					(CLVM3)		<u> </u>	

Issued : 6-1-97

Revised: