State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-259-63 Relating to Certification of New Motor Vehicles

SUZUKI MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Suzuki Motor Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WSKXV1.59CMC Displacement: 1.6 Liters (97 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Three Way Catalytic Converter
Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>
50,000	0.08	1.0	0.1	4.9
100,000	0.08	1.1	0.1	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seg.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this May 1997.

*S*ummerfield, Chief

Mobile Source Operations Division

E.O.# A-259-63 Page 1 of 1

1998 MODEL YEAR AIR RESOURCE BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

All Engine Codes in Eng Fam: CA X 498 X 50S	Manufacturer: SUZU	KI MOTOR CORP	Ex	h Eng Fa	am: <u>WSK</u>	XV1.59CMC	EVAP Fam: WS	KXE00892JA
Veh Class(es): PC	All Engine Codes in E	ing Fam: CA <u>X</u> 49	S <u>X</u> 505	S A	B965	ORVR: Y	ESNO	<u> </u>
Veh Class(es): PC	Exh Std: Tier 0 T	ier 1_X_TLEV	LEV	ULEV_	ZEV _	; US E	EPA Tie	r1X
Single Cert Std for Mutti-Class Eng Fam:								
Fuel Type (s): Dedicated	Veh Class(es): PC	<u>X_</u> LDT1LD ⁻	Γ2	_ MDV1	MD	V2MDV3 _	MDV4 MI	DV5
Fuel Type (s): Dedicated	Single Cert Std for Mi	ulti-Class Eng Fam:	(sp	ecify: N/	A, LDT1,	LDT2,MDV1,MD\	/2,MDV3,MDV4,N	IDV5)
CNGLNGLNGLPGM85Cther (specify) LNGLPGM85Cther (specify) Emiss Test Fuel (s): IndoPh2X_CNGLPGM85Cther (specify) AUCFR 86.113-9040CFR 86.113-94	Fuel Type (s): Dedica	ited Flex-Fi	uel	Dual-F	uel	Bi-Fuel Ga	soline X Dies	sel
Emiss Test Fuel (s): Indo	CNG	LNG	LPG	M85	Oth	er (specify)		
Diesel: 13CCR 2282	Emiss Test Fuel (s): Ir	ndo Ph2X	_ CNG _	LPG	M	85Other (s	pecify)	
EVAP Emission Test Procedure: California. ★ Federal X Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify) NMOG Test Procedure: N/A Std Equiv R/L Test Proc: SHED Pt Source X Hybrid: Type A B C APU Cycle (e.g. Otto, Diesel, Turbine) Engine configuration: L4 (in line) Displacement: 1.6 Liters or 97 cubic inches Valves per Cyinder: 4 Rated HP 95 @ 5.600 RPM Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT X Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI / HO2S(2) / TWC / EGR (per SAE J1930 SEP91) Engine Code (also list CA/49ST/SOST) (re: p.21.00) Type Or (ECMPCM) Part No. Converter Part No. CVCGM (CA,NY,MA) CVCGM (CA,NY,MA) X-90 A4 2875 12.7 33920-79EF0 (Federal) FVCGM (Federal)								
Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify) Other (specify) NMOG Test Procedure: N/A Std Equiv R. TR. Test Proc: SHED Pt Source X Hybrid: Type A B C APU Cycle (e.g., Chto, Diesel, Turbine) APU Cycle (e.g., Chto, Diesel, Turbine) Engine configuration: L4 (In line) Displacement: 1.6 Liters or 97 cubic inches Valves per Cylinder: 4 Rated HP 95 Ø 5.600 RPM Engine: Front X Mid Rear Drive: FWD X WWD-FT 4WD-FT X Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI / HOZS(2) / TWC / EGR (per SAE J1930 SEP91) Engine Code (slos list CAMST/SOST) (re: p.21.00) (re: p.21.00) Trans (pre Nath Port No.) CVCGM (CA,NY,MA) M5 2875 12.7 33920-79EF0 CVCGB (CA,NY,MA) M5 2875 12.7 33920-79EF0 (Federal) FVCGB (Federal) FVCGB (Federal) A4 2875 12.7 33920-79EG0 (Federal) FVCGB (Federal) Part No. 14250-58B72 PST 12.7 33920-79EG0 PST 12.7 33920-79	EVAP Emission Test	Procedure: Californ	nia	类	_ Fed	leral X		
NMOG Test Procedure : N/A Std Equiv R/L Test Proc: SHED Pt Source X Hybrid: Type A B C APU Cycle (e.g. Otto, Diesel, Turbine) Use per Cylinder: L4 (in line) Displacement: 1.6 Liters or 97 cubic inches Cubic inches Valves per Cylinder: L4 (in line) Rated HP 95 @ 5,600 RPM RPM Engine: Tent X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT X X Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI / HO2S(2) / TWC / EGR (per SAE J1930 SEP91) CEGR Catalytic (per SAE J1930 SEP91) Engine Code (also list CA/493T/SOST) Vehicle Models (re: p.21.00) Trans type ETW DPA (ECM/PCM) Part No. Converter Part No. Converter Part No. CVCGM (CA,NY,MA) X-90 A4 2875 12.7 33920-79EF0 18111-58B40 14250-58B72 FVCGM (Federal) A4 2875 12.7 33920-79EG0 18111-58B40 14250-58B72 Fe Issued: 31MAR97 Application A4 2875 12.7 33920-79EG0 18111-58B40 14250-58B72								
Hybrid: Type A								Source X
Engine configuration: L4 (in line) Displacement: 1.6 Liters or 97 cubic inches Valves per Cylinder: 4 Rated HIP 95 @ 5,600 RPM Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT X Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI / HO2S(2) / TWC / EGR (per SAE J1930 SEP91) Engine Code (also list (re: p.21.00) Trans (PAR) (EGM/PCM) Part No. Converter Part No. Converter Part No. No. CVCGM (CA,NY,MA) X-90 A4 2875 12.7 33920-79EF0 CVCGB (CA,NY,MA) X-90 M5 2875 12.7 33920-79EF0 FVCGB A4 2875 12.7 33920-79EF0 FVCGB FPCGM (Federal) A4 2875 12.7 33920-79EF0 FVCGB FPCGM (FPCGM) FPCGM (FPCG								
Valves per Cylinder: 4 Rated HP 95 6 5,600 RPM Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT X Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI / HO2S(2) / TWC / EGR (Der SAE J1930 SEP91) (Der SAE J1								· · · · · · · · · · · · · · · · · · ·
Engine Code (also list (re: p.21.00)							800 RPM	
Exhaust ECS (eg., EGR, MFI, TC, CAC): SFI / HO2S(2) / TWC / EGR Lengine Code (also list CA/49ST/50ST) Vehicle Models (re: p.21.00) Trans type ETW DPA or (ECM/PCM) Part No. EGR System Converter Part No. CVCGM (CA,NY,MA) M5 2875 12.7 33920-79EF0 Length (ECM,PCM) Part No. Part No. Converter Part No. EVCGM (CA,NY,MA) X-90 A4 2875 12.7 33920-79EG0 18111-58B40 14250-58B72 FVCGM (Federal) FVCGB (Eaderal) A4 2875 12.7 33920-79EG0 Is 111-58B40 14250-58B72 FVCGB (Eaderal) A4 2875 12.7 33920-79EG0 Is 111-58B40 14250-58B72 FVCGB (Eaderal) A4 2875 12.7 33920-79EG0 Is 111-58B40 14250-58B72 Is Indicated the colspan="4">Is Indicated the co	Engine: Front X	Mid Rear	Driv	e: FWC) R1	WD X 4WD-F	T AWD-PT	¥
Engine Code							·	
Engine Code (also list CA/49ST/50ST)	/-3·1 ma							
(also list CA/49ST/50ST) (re: p.21.00) type 0 or RLHP Part No. Part No. Converter Part No. CVCGM (CA,NY,MA)				·				
(also list (re: p.21.00) type of RLHP (ECM/PCM) Part No. Part No. Convertor Part No. CVCGM (CA,NY,MA) M5 2875 12.7 33920-79EF0 33920-79EG0 18111-58B40 14250-58B72 FVCGM (Federal) M5 2875 12.7 33920-79EF0 18111-58B40 14250-58B72 FVCGB (Federal) A4 2875 12.7 33920-79EF0 FVCGB FVCGB A4 2875 12.7 33920-79EG0 FVCGB		Vehicle Models	Trans	ETW	(DPA)	Ignition	EGR System	Catalytic
CVCGM (CA,NY,MA) CVCGB (CA,NY,MA) X-90 M5 2875 12.7 33920-79EG0 (CA,NY,MA) X-90 M5 2875 12.7 33920-79EG0 FVCGM (Federal) FVCGB (Fadoral) A4 2875 12.7 33920-79EG0 FVCGB (Fadoral) A5 2875 12.7 33920-79EG0 FVCGB (Fadoral) A6 2875 12.7 33920-79EG0 FVCGB (Fadoral) A7 2875 12.7 33920-79EG0 A8 2875 12.7 33920-79EG0 FVCGB (Fadoral) A8 2875 12.7 33920-79EG0		(re: p.21.00)	type		Or	(ECM/PCM)	Part No.	
(CA,NY,MA) CVCGB (CA,NY,MA) FVCGM (Federal) FVCGB (Endorsh) A4 2875 12.7 33920-79EG0 18111-58B40 14250-58B72 1827 33920-79EG0 18111-58B40 14250-58B72	CAV49S1/50S1)			ļ	RLHP	Part No.		No.
(CA,NY,MA) CVCGB (CA,NY,MA) FVCGM (Federal) FVCGB (Endorsh) A4 2875 12.7 33920-79EG0 18111-58B40 14250-58B72 1827 33920-79EG0 18111-58B40 14250-58B72	CVCCM		145	0075	40-	*****		
CVCGB (CA,NY,MA) X-90 A4 2875 12.7 33920-79EG0 18111-58B40 14250-58B72 FVCGM (Federal) A4 2875 12.7 33920-79EF0 FVCGB (Federal) A4 2875 12.7 33920-79EG0 (Federal) A4 2875 12.7 3200-79EG0 (Federal) A4 2875 12.7 3200-79EG0 (Federal) A4 2875 12.7 3200-79EG0 (Feder			MIS	28/5	12./	33920-79EF0		
(CA,NY,MA) X-90 M5 2875 12.7 33920-79EF0 (Federal) FVCGB (Federal) A4 2875 12.7 33920-79EG0 (Federal)	(OA,ITT,IMA)							
(CA,NY,MA) X-90	CVCGB		A4	2875	127	33920-79EG0		
FVCGM (Federal) FVCGB (Federal) A4 2875 12.7 33920-79EG0 (Federal) E Issued: 31MAR97 Application	(CA,NY,MA)	X-90	, , ,		''	00020 70200	18111-58B40	14250-58B72
(Federal) FVCGB (Federal) A4 2875 12.7 33920-79EG0 (Federal) ie Issued: 31MAR97 Application								'
FVCGB (Federal) A4 2875 12.7 33920-79EG0 (Federal) A5 18 18 18 18 18 18 18 18 18 18 18 18 18	FVCGM		M5	2875	12.7-	33920-79EF0		,
(Fedoral) ie Issued: 31MAR97 Application	_(Federal)							
(Fedoral) ie Issued: 31MAR97 Application	E140.00							
e Issued: 31MAR97 Application			A4	2875	12.1	33920-79EG0		
Application	(Feogral)							
Application								
Application								
Application								
Application								
Application								
Application								
Application							•	
Application								
Application								
Application	e Issued: 31MA⊒O	7						-
	io losaca. O HVIARS	•						
	A 27 (5							
date: Reviewed by:						_		
	riocesseu by:			~	date:	F	eviewed by:	