(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-273-18 Relating to Certification of New Motor Vehicles

AUTOMOBILI LAMBORGHINI S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Automobili Lamborghini S.p.A. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WNLXV05.7DB8 Displacement: 5.7 Liters (348 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection
Dual Heated Oxygen Sensors (two)
Dual Warm Up Three Way Catalytic Converters
Dual Three Way Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	Carbon <u>Monoxide (20⁰F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

	Non-Methane	Carbon	Nitrogen	Carbon	
Miles	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	Monoxide (20°F)	
50,000	0.14	1.3	0.2	5.7	
100,000	0.17	1.8	0.2	n/a	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of September 1997.

R. B. Summerfield, Chief Mobile Source Operations Division

E.O. # A-273-18

1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1

Manufacturer	LAMBORGHINI,	SpA	Exh Eng	Fam: WN	LXV05.7DB8	Evap Fam:WN	LXE0130DBI
All Engine Co	odes in Engine Far	niliy: (CA 498	50\$	XX AB965 .	ORVR• v	TE NO.
EXT Std: CA	Tier-1 AA TLE	<i>7</i> 1	LEV	ULEV	SULEV	. াবে চচ	A Tion 1 XX
Aeu Crass(es)	: PC <u>X</u> LDT1	LDT:	2 MD	V1	MDV2 MDV	3 MDV4	MDME
single Cert S	itd for Multi-Clas	ss Eng Fa	am: <u>N/A</u> (specify	: N/A, LDT1,	MDV1, MDV2.	MDU3 MDUA
Fuel Type(s):	Dedicated <u>XX</u> I	lex-Fue	L Dua	l-Fuel_	Bi-Fuel	Gasoline	X Diesel
	CNGLNG	LPG	м85	Other	(specify)		
Exh Emiss Tes	t Fuel(s): Indo	XX CBG_	CNG_	LPG	M85	Other (spec	i fy)
	Diese	1: 13 0	CR 2282_	40 (CFR 86.113-90	47 07	86 113-04
Evaporative E	mission Test Proc	edure:	Californ	ia	Federal	+0 OFK	00.113-94
Service Accum	: Std AMA_X M	AMA bo	Mfr	מחג	0+50= (===		-
NMOG Test Pro	cedure: N/A_X	Std	Four		Other (spec	erry) AD.	<u> </u>
Engine Confia	uration: V-12	Displace	mont.		.7	SHED]	et Source X
Valves per Cu	linder: 4	prabrace	menr: —-		Liters	/ 346	Cubic Inches
Engine: From	linder: 4		Rated	1 НР:	530	@ <u>7100</u>	RPM
Exhaust Pos /	t Mid_XX R	ear	Drive	FWD_	RWD	4WD-FT	4WD-PT <u>XX</u>
DAHAUSE ECS (e.g., MFI, EGR, T	C, CAC):					
-				- appre	viations per	SAE J1930 JU	N93)
ne Code	Vehicle Models (if coded see	Trans.	ETW	DPA	Ignition	EGR	Catalytic
CA/49ST/50ST)	attachment)	etc.)	; or !Test Wt.	RLHP	(ECM/PCM)	System	Converter
			! !	1	1	Part No.	Part No.
ENG 98	DB132/144	M_5	1 4000	110 0			
L522-V	Diablo	M-5	1 4000 	110.8	1 522-20-		132-44-
(50)			 	}	!	1	31149
(50 ST)				į	(ECM)	1	1
ė i 1				į	1	1	!
į					<u> </u>		į
				! (i 	! !	! !
	<u> </u>			1			! ! !
j	1 	i		i !		_	
}		į				1 	i !
	i	į		! !			
į		ļ					
j	į	ļ					
!	į	į					
	į						
i	}	}			 		
i	i !	i !					
	į	İ			i !		
	į	1.	 	i	İ	i	
			!	i !		į	

Date Issued:

Revisions: