(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-328-3 Relating to Certification of New Motor Vehicles

IMPCO TECHNOLOGIES, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Impco Technologies, Inc. exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Dual-Fuel Compressed Natural Gas (CNG) or Gasoline (Indolene)

Engine Family: WTJXV02.2023 Displacement: 2.2 Liters (134 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter
Oxygen Sensor
Heated Oxygen Sensor
Exhaust Gas Recirculation
Throttle Body Fuel Injection (CNG)
Sequential Multiport Fuel Injection (Gasoline)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are: (The standards in parentheses are for gasoline.)

Miles	Non-Methane Organic Gases	_		<u>Formaldehyde</u>		Carbon Monoxide (20°F)	
50,000	0.125 (0.25)	3.4 (3.4)	0.4 (0.4)	0.015	(0.015)	n/a (10.0)	
100,000	0.156 (0.31)	4.2 (4.2)	0.6 (0.6)	0.018	(0.018)	n/a	

The CNG certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a reactivity adjustment factor (RAF) for CNG-fueled passenger car TLEVs, and the addition of the product of the methane exhaust emission value and a RAF for methane emission of CNG-fueled passenger car TLEVs.

Reactivity Adjustment Factor for NMOG Mass Emission: 1.00

Reactivity Adjustment Factor for Methane Mass Emission: 0.0043

The certification exhaust emission values for this engine family in grams per mile are: (The values in parentheses are for gasoline.)

<u>Miles</u>	Non-Methane <u>Organic Gases</u>			<u>Formaldehyde</u>	Carbon Monoxide (20°F)	
50,000	0.043 (0.09)	1.6 (1.9)		0.002 (0.002)	n/a (4.0)	
100,000	0.051 (0.09)	1.9 (2.0)		0.002 (0.002)	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______ day of April 1998.

R. B. Summerfield, Chief Mobile Source Operations Division 1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1

Afacturer: IMPCO Technologies, Inc. Exh Eng Fam: WTJXV02.2023 Evap Fam: WTJXE0095904
All Eng Codes in Eng Fam: CA 49S 50S X AB965 ORVR: YES NO X
Exh Std: CA Tier-1 TLEV X LEV ULEV ZEV ; US EPA TLEV X
Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
Single Cert Std for Multi-Class Eng Fam: N/A (specify:N/A,LDT1,MDV1,MDV2,MDV3,MDV4)
Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel X Bi-Fuel Gasoline X Diesel
CNG X LNG LPG M85 Other (specify)
Exh Emiss Test Fuel(s): Indo X CBG CNG X LPG M85 Other (specify)
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
Service Accum: Std AMA Mod AMA Mfr ADP Other (specify): ADF(CNG); C/A GM DF(GAS)
NMOG Test Procedure: N/A Std X Equiv R/L Test Proc: SHED X Pt Source
Engine Configuration: L4 Displacement: 2.2 / Liters 134 / Cubic Inches
Valves per Cylinder: 2 Rated HP 99 HP @ 4800 RPM (CNG); 104 HP @ 4400 RPM (GAS)
Engine: Front X Mid Rear Drive: FWD X RWD 4 WD-FT 4WD-PT
Exhaust ECS (e.g., MFI, EGR, TC, CAC): TWC / O2S / HO2S / EGR / SFI/ TBI
(use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/ 50ST)	Vehicle Models (if coded see attachment)	Trans. (M5, A4, etc.)	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
50ST)	Chevrolet	АЗ	3375	7.3	NG8J1021 (GAS) NG8J0515 (CAS) J980602 (CNG) J980130M (CNC)	17096100	25163086, 25317334

Date Issued

Revisions: (Per Running Change dated 6/30/98)