(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-40-43 Relating to Certification of New Motor Vehicles

FERRARI S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Ferrari S.p.A. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WFEXV03.5JEC <u>Displacement</u>: 3.5 Liters (213 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection Secondary Air Injection Dual Heated Oxygen Sensors (two) Four Three Way Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20⁰F)</u>
50,000	0.12	0.2	0.3	6.4
100,000	0.16	0.3	0.3	, n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30 day of July 1997.

 $\sim 1/1$

R. B. Summerfield, Chief

Mobile Source Operations Division

E.O.#_A-40-43

Page__1

1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer	FERRARI S.p.A		Exh Eng	Fam: WI	FEXVO3.5JEC	Firm Rom. W	EPVP00000
All Engine C	odes in Engine Fa	miliy:	CA 495	50s	X APOCE	Evap ram: w	FEXE0090355
Exh Std: CA	Tier-1_X TLE	v	LEV	503 III PV	<u>~ AB965,</u>	ORVR: Y	ESNO_X
Veh Class(es): PC X LDT1_	LDT	 2 мл	V1	SOLEY	_, US EF	PA Tier-1_X
Single Cert	Std for Multi-Clas	ss Eng F	am· N/A /	~	MUV2 MDV	3 MDV4_	MDV5
Fuel Type(s)	: Dedicated X	Flex-Fue	Due	specity	": N/A, LDT1,	MDV1, MDV2,	MDV3, MDV4)
	: Dedicated_X CNG LNG	T.P.C	vor	r_tner_	Bi-Fuel	_ Gasoline_	X_ Diesel
Exh Emiss Tes	CNGLNG	Y CPC	mos	Otner	(specify)		
	st Fuel(s): Indo	<u></u>	UNG_	LPG	м85	Other (spec	ify)
Evaporative H	Emission Test Dros	:1: 13 (CR 2282_	40	CFR 86.113-90	40 CFR	86.113-94
Service Accum	Emission Test Proc	edure:	Californ.	ia	Federal_	<u>X</u>	
NMOG Test Pro	n: Std AMA	lod AMA	Mfr	ADP	Other (spec	cify) ADFs	<u> </u>
Engine Confid	ocedure: N/A X	Std	Equiv_	1	R/L Test Proc	SHED X	Pt Source
	Juracion: 10-30-	nrabrace	ment:	<u> / 3</u>	<u>.5</u> Liters	- / 213	Cubic Inches
21			Rated	• 4	375	0000	
Engine: From	nt Mid X R	ear	Drive	FWD	~ RWD X	4WD-FT	4WD-PT
Exhaust ECS (e.g., MFI, EGR, T	C, CAC):	SF1/F	ILR/4TWO	C/2H02S(2)		
			(us	e abbre	viations per	SAE J1930 J	Л93)
Engine Code	Vehicle Models	Trans.	ETW	BPA	Ignition	EGR	I control
CA/49ST/50ST)	(if coded see attachment)	(M5, A4	or	lor	(ECM/DOW)		Catalytic Converter
		<u> </u>	#89£=#€.	RLHP	Part No.	Part No.	Part No.
	F355 berlinetta	[i		<u> </u>	
(50ST)	F355 GTS	М6	[174832	į	FERRARI
	F355 spider	! ! 	2 605		1	1	CAT 129 RO3
	355F1 berlinetta		3,625	11.1		N/A	(right) !
	355F1 GTS	S6/A6		ļ	174846	į	FERRARI
	355F1 spider			<u>i</u>		1 1 1	CAT 129 LO3
			-	ļ		; !	(left)
				1	!		FERRARI
				!	i !	! 	CAT 129 CO2
				i	; [i !	(secondary)
				!	į		(secondary /
		į		i !			
		į					! !
		j					1 1 1
İ			•				
! !	į	į			,		
! !	<u> </u>	į	 				
į	1	:	i !	!	<u> </u>	i	l
Ī			į			į	
i	i !	ļ	i 1	ļ			
		;	:	į	i	}	

Date Issued:

Revisions: