State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-215 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: WMTXV01.5G2D <u>Displacement</u>: 1.5 Liters (89.6 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Warm Up Three Way Catalytic Converter Three Way Catalytic Converter Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20⁰F)</u>
50,000	0.075	3.4	0.2	0.015	10.0
100,000	0.090	4.2		0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.94 RAF for 1998 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	Formaldehyde	Carbon <u>Monoxide (20⁰F)</u>
50,000	0.043	0.5	0.1	0.001	3.6
100,000	0.052	0.6	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23 day of July 1997.

R. B. Summerfield, Chief

Mobite Source Operations Division

17.16.02

E.O.# A-86-215

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS

Manufacturer : Mitsubishi Motors Corporation Exh Engine Family : <u>WMTXV01.5G2D(1.5C)</u> Evap Engine Family : WMTXE0090A1A All Eng Codes in Eng Fam: CA X 49S 50S : Yes___ No<u>X</u> ORVR : CA Tier-1__ TLEV__ LEV_X ULEV__ SULEV__ ; EPA Tier-0_Tier-1__ Exh Std In-Use Exh Std : Full in Use___ Alt In Use_X Veh Class(es) : PC_X LDT1__ LDT2__ Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1) Fuel Type(s) : Dedicated X Flex-Fuel __ Dual-Fuel __ Bi-Fuel __ Gasoline X Diesel__ CNG__ LNG__ LPG__ M85__ Other (specify)_____ Emis Test Fuel¹: Indo__ Ph2_X CNG__ LPG__ M85__ Other (specify)_____ Diesel: 13 CCR 2282__ or 40 CFR 86.113-90__ or -94___ Evaporative Emission Test Procedure: California___ Federal_X_ Service Accum : Std AMA__ Mod AMA_X Mfr ADP__ Other (specify)_____ NMOG Test Proc : N/A___ Std_X Equiv___ R/L Test Proc : SHED X Pt Source____ Displacement: 1.5 Liters/ 89.6 Cubric Inches Engine Configuration : IL4 Rated HP: 92 @ 5500 RPM Valves per Cylinder : 3 : Front X Mid Rear_ Engine : FWD_X RWD_ 4WD-FT_ 4WD-PT_ Drive Exhaust ECS (eg., EGR, MFI, TC, CAC): <u>EGR+HO2S(2)+TWC+WUTWC+(SFI)</u> (use abbreviations per SAE J1930 SEP91)

Note) *1: Cert. emission is tested by Phase-II Evap. emission is tested by Indolene

E.O.# A-86-215

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS

Manufacturer

: Mitsubishi Motors Corporation

Exh Engine Family : WMTXV01.5G2D(1.5C)

Evap Engine Family : WMTXE0090A1A

Engine Code (also list CAL/FED/BOTH)	Vehicle Models (if coded see attachment)	Trans. type *1	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
ACM(CAL)	Mitsubishi Mirage	М5	2625 2500		Distributor: MD326834	Valve: MD327127	Front: MR373056
CM(CAL)			2500	6.4	(T2T59471)	(K5T58993)	Rear:
ACA (CAL)		L4	2625 2500		ECM: MD346753	Solenoid: MR127520	MR188781 or
CA(CAL)			2625 2500	5.8	(E2T69271)	(K5T48271)	MR355891 (1W)*2

*1: M-Manual transmission L-Automatic transmisson with lock-up

*2: With Ni