State of California AIR RESOURCES BOARD

EXECUTIVE ORDER P-22-1 Relating to Certification of New Motor Vehicles

SAAB AUTOMOBILE AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Saab Automobile AB federally certified exhaust emission control systems are certified for sale in California as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WSAXVO2.3TC2 Displacement: 2.3 Liters (140 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (two)

Turbocharger

Sequential Multiport Fuel Injection

Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
1 00, 000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>
50,000	0.14	2.5	0.2	7.8
100,000	0.16	2.9	0.2	n/a

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate that the vehicle manufacturer has sufficient emission credits for its estimated California sales of federally certified 1998 model vehicles using the "Guidelines for Certification of 1983 and Subsequent Model-Year Federally Certified Light-Duty Motor Vehicles for Sale in California" (Title 13, California Code of Regulations, Section 1960.5).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______ day of September 1997.

R. B. Summerfield Chief

Mobile Source Operations Division

E.O.# .	P-22-1
E - U - F	. – –

Page_1

1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: SAAS Automobile AS Exh Eng Fam: WSAXV@Z.3TC2 Evap Fam: WSAXV@G3:00/C.

All Engine Codes in Engine Familiy: CA 495 x 505 AB965 x, ORVR: YES NO X

Exh Std: CA Tier-1 x TLEV LEV ULEV SULEV , US EPA Tier-1 x

Veh Class(es): PC x LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5

Single Cert Std for Multi-Class Eng Fam: W/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated x Flex-Fuel Dual-Fuel Bi-Fuel Gasoline x Diesel

CNG LNG LPG M85 Other (specify)

Exh Emiss Test Fuel(s): Indo x CBG CNG LPG M85 Other (specify)

Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94

Evaporative Emission Test Procedure: California Federal (N/A) 50 K Evap System

Service Accum: Std AMA x Mod AMA Mfr ADP Other (specify)

NMOG Test Procedure: N/A X Std Equiv R/L Test Proc: SHED Pt Source Engine Configuration: I' Displacement: 2.3 / Liters 139.7 Cubic Inches Valves per Cylinder: 4 Rated HP: 200/225 @ 5500 RPM

Engine: Front X Mid Rear Drive: FWD X RWD 4WD-FT 4WD-PT

Exhaust ECS (e.g., MFI, EGR, TC, CAC): TWC, HOZS(2) SFI, TC, CAC

(use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	1	Trans. (M5, A4 etc.)		DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
B234L4 (50 57)	9000 USE	A4	3625	6.6	47 80 250		45 26 86
	 	f 	; 	i ! ! !		N/A	1 1 1 1
8234R4 (50 ST)	9000 CSE	M 5	3 5 00	6.6	47 BO 268		1
				1 f f 1 1			
						:	
; 	į						
 	 	.i .g .g .l .l		1	! ! !		
			; ! !		}]]	

Date Issued:

Revisions: