State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-863 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year General Motors Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: XGMXA05.0182 Displacement: 5.0 Liters (305 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation Sequential Multiport Fuel Injection Three Way Catalytic Converter Dual Heated Oxygen Sensors Heated Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

| Test Weight (lbs.) | Miles | Non-Methane <u>Hydrocarbons</u> | Carbon <u>Monoxide</u> | Nitrogen <u>Oxides</u> | Carbon Monoxide (20°F) |
|--------------------|---------|------------------------------------|---------------------------|---------------------------|---------------------------|
| 3751-5750 | 50,000 | 0.32 | 4.4 | 0.7 | 12.5 |
| | 120,000 | 0.46 | 6.4 | 0.98 | n/a |

The certification exhaust emission values for this engine family in grams per mile are:

| Test Weight (lbs.) | Miles | Non-Methane <u>Hydrocarbons</u> | Carbon <u>Monoxide</u> | Nitrogen Oxides | Carbon <u>Monoxide (20⁰F)</u> |
|--------------------|---------|------------------------------------|---------------------------|--------------------|---|
| 3751-5750 | 50,000 | 0.21 | 1.9 | 0.4 | 4.5 |
| | 120,000 | 0.32 | 2.3 | 0.49 | n/a |

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

R. B. Summerfield, Chief Mobile Source Operations Division

LIGHT DUTY TRUCK MODEL NUMBER DEFINITION

(Includes California Medium Duty Trucks)

E.O. #A-6-863

Example, Pattern A: CC10703+E62 Example, Pattern B: 1UM05

Digit 1 = Marketing Division

Pattern A C = Chevrolet

T = GMCH = Oldsmobile

J = Isuzu

Pattern B

1 = Chevrolet

2 = Pontiac

3 = Oldsmobile

Note: Digit 1 is only used for Pattern A models on engine family pages or California Supplemental Data Sheets when necessary to discriminate by division model.

Digit 2 = Chassis Type (all)

U = Conventional 4x2 Front Wheel Drive

C, S, M = Conventional 4x2 Rear Wheel Drive

G = Forward Control 4x2 Rear Wheel Drive

K, T, L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

Digit 3 = Series/GVWR

Pattern A

1 = 11,15,1500/3500-7300

2 = 21,25,2500/6400-8600

3 = 31,35,3500/7100-14500

Pattern B

Letter code designates trim level rather than series/GVWR.

Digits 4 & 5

Pattern A = Dimensional Grouping

05 = Utility: Tahoe (2Dr), Yukon (2Dr),

Blazer, Jimmy, Bravada

06 = S/T Short Box

07 = C/K Short Box, Tahoe (4Dr), Yukon (4Dr)

08 = S/T Long Box & Cab-Chassis

09 = C/K Long Box, Suburban

10 = M/L Long Body

14 = G Short Wheelbase

17 = G Long Wheelbase

Pattern B = Body Style

06 = Passenger (Venture, Trans Sport, Silhouette)

16 = Passenger (Venture, Trans Sport, Silhouette)

Dual Sliding Doors

Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

03 = Conventional Cab, Cab-Chassis

05 = Cargo Van

06 = Passenger Van, 4 Door Special Purpose Vehicle

16 = 2 Door Special Purpose Vehicle

43 = Crew Cab

53 = Extended Cab

Pickup Body Codes (Optional, Used with Pattern A Only)

+E62 = Stepside, Fenderside

+E63 = Fleetside, Wideside

ISSUED: ML-XP100

REVISED:

17-XGMXA05.0182-1 (1999)

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| MFR: GENERAL M | OTORS CORP | . ENGINE FAMI | LY: XGMXA05.018 | 2 EVAP | FAMILY: XGMX | E0111908 |
|-------------------------|---------------|------------------|-------------------|---------------|------------------|-----------|
| ALL ENGINE CODE | ES IN ENGINE | FAMILY: CA(X) | 49S() 50S() | AB965 () | ORVR: YES (|) NO(X) |
| EXH STD: CA TIE | ER-1(X) TL | EV() LEV() | ULEV () SULE | √(); U.S | S. EPA TIER-1 (|) |
| VEH CLASS(ES): | PC() LD | T1() LDT2() | MDV1 () MDV2 | (X) MDV3 | () MDV4() | MDV5 () |
| SINGLE CERT STA | ANDARD FOR I | MULTI-CLASS ENGI | NE FAMILY: NA | | | |
| FUEL TYPE(S): D | EDICATED (X |) GASOLINE(X); | EXH EMIS TEST | r fuel(s): IN | NDOLENE() | CBG(X) |
| EVAP EMIS TEST | PROCEDURE: | CALIF () FE | D(X) | | | |
| SERVICE ACCUM | JLATION: ST | AMA() MFRAD | OP(X); NMOG | FEST PROCE | DURE: NA(X) |) EQUIV() |
| R/L TEST PROCE | OURE: PT SC | OURCE (X) | | | | |
| ENGINE CONFIGU | JRATION: 14 (|) V6() V8() | () DISPL | ACEMENT: 5 | 5.0 LITERS / 305 | CU. IN. |
| | VAL | VES / CYLINDER: | 2(X) 4() | RATE | D HP: 220 @ | 4600 RPM |
| ENGINE LOCATIO | N: FRONT(X |) | DRIVE: FWD() | RWD(X) | 4WD-FT() | 4WD-PT() |
| EXHAUST EMISSION | ON CONTROL | SYSTEM: TWC, 2H | 102S-H02S, EGR, 8 | SFI | | |
| RLHP / DPA VALU | ES: SECTION | 08.13.02.00 | | | | |
| ENOUS CODE | | | | EQUIV. | EGR | CATALYTIC |
| ENGINE CODE & LETTER | LOC | VEH MODELS | TRANS | TEST | | CONVERTER |
| DERIVATIVES*1 | (C/F/NW) | (SEE PAGE 1) | (M5,A4,ETC.) | WEIGHT | PART NO. | PART NO. |
| 53,54 | C | G11405 | A4 | 5500 | 17096309, | 25163811 |
| | | | | | 25312788 | |
| | | | | | | |
| | | | | | | |
| • | | | | | | |

| *1 | Base engine codes are the same as letter derivatives unless otherwise noted. | Refer to PCM/VCM part number page |
|----|--|-----------------------------------|
| | for additional engine code letter derivative information. | |

 CARLINE NAME
 CARLINE CODE

 G1500/G2500 CHEVROLET VAN 2WD
 03050

 G1500/G2500 SAVANA 2WD CARGO
 04040

ISSUED: ML-XP100

REVISED:

17-XGMXA05.0182-2 (1999)

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

EVAP FAMILY: XGMXE0111907 'FR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA05.0182 ALL ENGINE CODES IN ENGINE FAMILY: CA(X) 49S() 50S() AB965() ORVR: YES() NO(X) EXH STD: CA TIER-1 (X) TLEV() LEV() ULEV() SULEV(); U.S. EPA TIER-1 () PC() LDT1() LDT2() MDV1() MDV2(X) MDV3() MDV4() MDV5() VEH CLASS(ES): SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE () CBG (X) EVAP EMIS TEST PROCEDURE: CALIF () FED (X) SERVICE ACCUMULATION: STD AMA() MFR ADP(X); NMOG TEST PROCEDURE: NA(X) EQUIV() R/L TEST PROCEDURE: PT SOURCE (X) ENGINE CONFIGURATION: I4() V6() V8(X) DISPLACEMENT: 5.0 LITERS / 305 CU. IN. RATED HP: 230 @ 4600 RPM VALVES / CYLINDER: 2(X) 4() DRIVE: FWD() RWD(X) 4WD-FT() 4WD-PT(X) ENGINE LOCATION: FRONT (X) EXHAUST EMISSION CONTROL SYSTEM: TWC, 2HO2S-HO2S, EGR, SFI RLHP / DPA VALUES: SECTION 08.13.02.00

| ENGINE CODE & LETTER DERIVATIVES*1 | LOC (C/F/NW) | VEH MODELS (SEE PAGE 1) | TRANS (M5,A4,ETC.) | EQUIV. TEST <u>WEIGHT</u> | EGR SYSTEM PART NO. | CATALYTIC CONVERTER PART NO. |
|--|-----------------|----------------------------|-----------------------|---------------------------------|---------------------------|------------------------------------|
| 51 | С | C10753 K10753 | A4 | 5250 5500 | 17096309, 25312788 | 25163841 |
| 52 | | C10753 K10753 | | 5500 | | |

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

| CARLINE NAME | CARLINE CODE |
|------------------|--------------|
| C1500 PICKUP 2WD | 03010 |
| K1500 PICKUP 4WD | 03025 |
| • | 04010 |
| C1500 SIERRA 2WD | 04019 |
| K1500 SIERRA 4WD | 3.010 |

ISSUED: ML-XR024

REVISED:

(FOR CARB USE ONLY)

E.O. #A-6-863

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **PCM AND CALIBRATION PART NUMBERS**

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA05.0182 EVAP FAMILY: XGMXE0111908

| ENGINE CODE | PCM/VCM PART NUMBER | ENGINE CALIB | OPER CALIB | TRANS CALIB |
|-------------|------------------------|--------------|------------|-------------|
| 53,54 | 16258825/CCSD | 16249486 | 16263425PD | 16216082 |
| 53A,54A | 16251695/BZZL | 16240972 | 09360505PA | 16232733 |
| 53B,54B | 09360595/CMUC | 09360046 | 09365085PB | |

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA05.0182 EVAP FAMILY: XGMXE0111907

| ENGINE CODE | PCM/VCM PART NUMBER | ENGINE CALIB | OPER CALIB | TRANS CALIB |
|-------------|------------------------|--------------|------------|------------------------------------|
| 51,52 | 16258825/CCSD | 16249502 | 16263425PD | 16216082, 16216103, 16216104 |
| 51A,52A | 16251695/BZZL | 16240910 | 09360505PA | 16232733, 16232734, 16232735 |
| 51B,52B | 09360595/CMUC | 09364821 | 09365085PB | |