

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-874  
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year General Motors Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: XGMXA07.4201 Displacement: 7.4 Liters (454 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Secondary Air Injection
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection
- Dual Three Way Catalytic Converters
- Dual Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>
5751-8500	50,000	0.39	5.0	1.1
	120,000	0.56	7.3	1.53

The certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>
5751-8500	50,000	0.14	2.1	0.6
	120,000	0.16	2.3	0.55

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25<sup>th</sup> day of February 1998.

  
R. B. Summerfield, Chief  
Mobile Source Operations Division

# LIGHT DUTY TRUCK MODEL NUMBER DEFINITION

(Includes California Medium Duty Trucks)

E.O. #A-6-874

Example, Pattern A: CC10703+E62

Example, Pattern B: 1UM05

## Digit 1 = Marketing Division

### Pattern A

C = Chevrolet  
T = GMC  
H = Oldsmobile  
J = Isuzu

### Pattern B

1 = Chevrolet  
2 = Pontiac  
3 = Oldsmobile

Note: Digit 1 is only used for Pattern A models on engine family pages or California Supplemental Data Sheets when necessary to discriminate by division model.

## Digit 2 = Chassis Type (all)

U = Conventional 4x2 Front Wheel Drive  
C, S, M = Conventional 4x2 Rear Wheel Drive  
G = Forward Control 4x2 Rear Wheel Drive  
K, T, L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

## Digit 3 = Series/GVWR

### Pattern A

1 = 11,15,1500/3500-7300  
2 = 21,25,2500/6400-8600  
3 = 31,35,3500/7100-14500

### Pattern B

Letter code designates trim level rather than series/GVWR.

## Digits 4 & 5

### Pattern A = Dimensional Grouping

05 = Utility: Tahoe (2Dr), Yukon (2Dr),  
Blazer, Jimmy, Bravada  
06 = S/T Short Box  
07 = C/K Short Box, Tahoe (4Dr), Yukon (4Dr)  
08 = S/T Long Box & Cab-Chassis  
09 = C/K Long Box, Suburban  
10 = M/L Long Body  
14 = G Short Wheelbase  
17 = G Long Wheelbase

### Pattern B = Body Style

06 = Passenger (Venture, Trans Sport, Silhouette)  
16 = Passenger (Venture, Trans Sport, Silhouette)  
Dual Sliding Doors

## Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

03 = Conventional Cab, Cab-Chassis  
05 = Cargo Van  
06 = Passenger Van, 4 Door Special Purpose Vehicle  
16 = 2 Door Special Purpose Vehicle  
43 = Crew Cab  
53 = Extended Cab

## Pickup Body Codes (Optional, Used with Pattern A Only)

+E62 = Stepside, Fenderside  
+E63 = Fleetside, Wideside

ISSUED: ML-XP108

REVISED:

17-XGMXA07.4201-1  
(1999)

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

FR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA07.4201 EVAP FAMILY: XGMXE0111909  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 (X) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLINE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 7.4 LITERS / 454 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 290 @ 4000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT ( )  
 EXHAUST EMISSION CONTROL SYSTEM: AIR, EGR, 2HO2S(2), 2TWC, SFI  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
51	C	C20903	A4	7500	17096200,	25160620
		C20953		7000	25313711	
		C30903 *2				
		C30903 *4		7500		
		C30943 *2				
		C30943 *3		8000		
		C30943 *4				
		C30953				

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

- \*2 9000 GVWR
- \*3 9600 GVWR
- \*4 10000 GVWR

CARLINE NAME	CARLINE CODE
C2500 PICKUP 2WD	03020
C2500 SIERRA 2WD	04015
C3500 PICKUP 2WD	03021
C3500 SIERRA 2WD	04016

ISSUED: ML-XP108

REVISED: ML-XR018

## 1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

FR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA07.4201 EVAP FAMILY: XGMXE0111909  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 (X) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLINE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 7.4 LITERS / 454 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 290 @ 4000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT ( )  
 EXHAUST EMISSION CONTROL SYSTEM: AIR, EGR, 2HO2S(2), 2TWC, SFI  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
51A	C	C20903 C20743 C20953 C30903 *2 C30903 *4 C30943 *2 C30943 *3 C30943 *4 C30953 C30743	A4	7500  7000  7500  8000	17096200, 25313711	25160620

\*1 "A" derivative engine codes are the same as subsequent letter derivative codes unless otherwise noted. Refer to PCM/VCN part number page for additional engine code letter derivative information.

\*2 9000 GVWR

\*3 9600 GVWR

\*4 10000 GVWR

CARLINE NAME	CARLINE CODE
C2500 PICKUP 2WD	03020
C2500 SIERRA 2WD	04015
C3500 PICKUP 2WD	03021
C3500 SIERRA 2WD	04016

SSUED: ML-XR018

REVISED:

17-XGMXA07.4201-2.1  
(1999)

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

FR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXA07.4201

EVAP FAMILY: XGMXE0111909

<u>ENGINE CODE &amp; LETTER DERIVATIVES*1</u>	<u>LOC (C/F/NW)</u>	<u>VEH MODELS (SEE PAGE 1)</u>	<u>TRANS (M5,A4,ETC.)</u>	<u>EQUIV. TEST WEIGHT</u>	<u>EGR SYSTEM PART NO.</u>	<u>CATALYTIC CONVERTER PART NO.</u>
52	C	C20903	A4	7500	17096200,	25160620
		C20953		7000	25313711	
		C30903 *2				
		C30903 *4		7500		
		C30903 *4		8000		
		C30943 *2		7500		
		C30943 *3		8000		
		C30943 *4				
		C30953				

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

- \*2 9000 GVWR
- \*3 9600 GVWR
- \*4 10000 GVWR

<u>CARLINE NAME</u>	<u>CARLINE CODE</u>
C2500 PICKUP 2WD	03020
C2500 SIERRA 2WD	04015
C3500 PICKUP 2WD	03021
C3500 SIERRA 2WD	04016

ISSUED: ML-XP108

REVISED: ML-XR018

## 1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

FR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXA07.4201

EVAP FAMILY: XGMXE0111909

<u>ENGINE CODE &amp; LETTER DERIVATIVES*1</u>	<u>LOC (C/F/NW)</u>	<u>VEH MODELS (SEE PAGE 1)</u>	<u>TRANS (M5,A4,ETC.)</u>	<u>EQUIV. TEST WEIGHT</u>	<u>EGR SYSTEM PART NO.</u>	<u>CATALYTIC CONVERTER PART NO.</u>
52A	C	C20903 C20743 C20953 C30903 *2 C30903 *4 C30903 *4 C30943 *2 C30943 *3 C30943 *4 C30953 C30743	A4	7500  7000  7500 8000 7500 8000	17096200, 25313711	25160620

\*1 "A" derivative engine codes are the same as subsequent letter derivative codes unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

\*2 9000 GVWR

\*3 9600 GVWR

\*4 10000 GVWR

<u>CARLINE NAME</u>	<u>CARLINE CODE</u>
C2500 PICKUP 2WD	03020
C2500 SIERRA 2WD	04015
C3500 PICKUP 2WD	03021
C3500 SIERRA 2WD	04016

ISSUED: ML-XR018

REVISED:

17-XGMXA07.4201-3.1  
(1999)

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA07.4201 EVAP FAMILY: XGMXE0111909  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 (X) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 7.4 LITERS / 454 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 290 @ 4000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT (X)  
 EXHAUST EMISSION CONTROL SYSTEM: AIR, EGR, 2HO2S(2), 2TWC, SFI  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
51	C	K20903 K20753 K20953 K30903 *2 K30903 *3 K30943 *2 K30943 *3 K30953	A4	7000  7500  8000  8500 8000	17096200, 25313711	25160620

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

\*2 9200 GVWR  
\*3 10000 GVWR

CARLINE NAME	CARLINE CODE
K2500 PICKUP 4WD	03035
K2500 SIERRA 4WD	04024
K3500 PICKUP 4WD	03036
K3500 SIERRA 4WD	04026



1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

FR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA07.4201 EVAP FAMILY: XGMXE0111909  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 (X) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLINE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 7.4 LITERS / 454 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 290 @ 4000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT (X)  
 EXHAUST EMISSION CONTROL SYSTEM: AIR, EGR, 2HO2S(2), 2TWC, SFI  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
51A	C	K20903 K20753 K20953 K20743 K30903 *2 K30903 *3 K30943 *2 K30943 *3 K30953 K30743	A4	7000  7500  8000  8500 8000	17096200, 25313711	25160620

\*1 "A" derivative engine codes are the same as subsequent letter derivative codes unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

\*2 9200 GVWR

\*3 10000 GVWR

CARLINE NAME	CARLINE CODE
K2500 PICKUP 4WD	03035
K2500 SIERRA 4WD	04024
K3500 PICKUP 4WD	03036
K3500 SIERRA 4WD	04026

ISSUED: ML-XR018

REVISED:

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXA07.4201

EVAP FAMILY: XGMXE0111909

<u>ENGINE CODE &amp; LETTER DERIVATIVES*1</u>	<u>LOC (C/F/NW)</u>	<u>VEH MODELS (SEE PAGE 1)</u>	<u>TRANS (M5,A4,ETC.)</u>	<u>EQUIV. TEST WEIGHT</u>	<u>EGR SYSTEM PART NO.</u>	<u>CATALYTIC CONVERTER PART NO.</u>
52	C	K20903	A4	7000	17096200,	25160620
		K20753		7500	25313711	
		K20953				
		K30903 *2		7500		
		K30903 *3		8000		
		K30943 *2				
		K30943 *3		8500		
		K30953				

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

9200 GVWR

10000 GVWR

<u>CARLINE NAME</u>	<u>CARLINE CODE</u>
K2500 PICKUP 4WD	03035
K2500 SIERRA 4WD	04024
K3500 PICKUP 4WD	03036
K3500 SIERRA 4WD	04026

ISSUED: ML-XP108

REVISED: ML-XR018

## 1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

FR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXA07.4201

EVAP FAMILY: XGMXE0111909

<u>ENGINE CODE &amp; LETTER DERIVATIVES*1</u>	<u>LOC (C/F/NW)</u>	<u>VEH MODELS (SEE PAGE 1)</u>	<u>TRANS (M5,A4,ETC.)</u>	<u>EQUIV. TEST WEIGHT</u>	<u>EGR SYSTEM PART NO.</u>	<u>CATALYTIC CONVERTER PART NO.</u>
52A	C	K20903	A4	7000	17096200, 25313711	25160620
		K20753		7500		
		K20743				
		K20953				
		K30903 *2		7500		
		K30903 *3		8000		
		K30743				
		K30943 *2				
		K30943 *3		8500		
K30953						

\*A derivative engine codes are the same as subsequent letter derivative codes unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

\*2 9200 GVWR

\*3 10000 GVWR

<u>CARLINE NAME</u>	<u>CARLINE CODE</u>
K2500 PICKUP 4WD	03035
K2500 SIERRA 4WD	04024
K3500 PICKUP 4WD	03036
K3500 SIERRA 4WD	04026

ISSUED: ML-XR018

REVISED:

17-XGMXA07.4201-5.1  
(1999)

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA07.4201 EVAP FAMILY: XGMXE0111909  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 (X) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLINE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 7.4 LITERS / 454 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 290 @ 4000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT ( )  
 EXHAUST EMISSION CONTROL SYSTEM: AIR, EGR, 2HO2S(2), 2TWC, SFI  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
53,54	C	G31405	A4	7500	17096200,	25160620
		G31406		8000	25313711	
		G31705		7500		
		G31706		8000		

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
G3500 CHEVROLET EXPRESS 2WD	03052
G3500 CHEVROLET VAN 2WD	03056
G3500 SAVANA 2WD (CARGO)	04042
G3500 SAVANA 2WD (PASSENGER)	04046

ISSUED: ML-XP108

REVISED:

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA07.4201 EVAP FAMILY: XGMXE0133914  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 (X) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLINE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 7.4 LITERS / 454 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 290 @ 4000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT ( )  
 EXHAUST EMISSION CONTROL SYSTEM: AIR, EGR, 2HO2S(2), 2TWC, SF1  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
51,52	C	C20906	A4	7500	17096200, 25313711	25160620

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
C2500 SUBURBAN 2WD	03066
C2500 SUBURBAN 2WD	04056

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXA07.4201 EVAP FAMILY: XGMXE0133914  
 ALL ENGINE CODES IN ENGINE FAMILY: CA (X) 49S ( ) 50S ( ) AB965 ( ) ORVR: YES ( ) NO (X)  
 EXH STD: CA TIER-1 (X) TLEV ( ) LEV ( ) ULEV ( ) SULEV ( ); U.S. EPA TIER-1 ( )  
 VEH CLASS(ES): PC ( ) LDT1 ( ) LDT2 ( ) MDV1 ( ) MDV2 ( ) MDV3 (X) MDV4 ( ) MDV5 ( )  
 SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA  
 FUEL TYPE(S): DEDICATED (X) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE ( ) CBG (X)  
 EVAP EMIS TEST PROCEDURE: CALIF ( ) FED (X)  
 SERVICE ACCUMULATION: STD AMA ( ) MFR ADP (X); NMOG TEST PROCEDURE: NA (X) EQUIV ( )  
 R/L TEST PROCEDURE: PT SOURCE (X)  
 ENGINE CONFIGURATION: I4 ( ) V6 ( ) V8 (X) DISPLACEMENT: 7.4 LITERS / 454 CU. IN.  
 VALVES / CYLINDER: 2 (X) 4 ( ) RATED HP: 290 @ 4000 RPM  
 ENGINE LOCATION: FRONT (X) DRIVE: FWD ( ) RWD (X) 4WD-FT ( ) 4WD-PT (X)  
 EXHAUST EMISSION CONTROL SYSTEM: AIR, EGR, 2HO2S(2), 2TWC, SFI  
 RLHP / DPA VALUES: SECTION 08.13.02.00

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
51,52	C	K20906	A4	7500	17096200, 25313711	25160620

\*1 Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
K2500 SUBURBAN 4WD	03081
K2500 SUBURBAN 4WD	04071

(FOR CARB USE ONLY)

E.O. #A-6-874

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXA07.4201

EVAP FAMILY: XGMXE0111909  
XGMXE0133914

<u>ENGINE CODE</u>	<u>PCM/VCM PART NUMBER</u>	<u>ENGINE CALIB</u>	<u>OPER CALIB</u>	<u>TRANS CALIB</u>
51,52	16266665 (CFFS), 16258845 (CCSH)	16249523	16263425PD	16267332, 16216254 *1
51A,52A	16251725	16249582	09360505	16232743, 16232744 *1
51B,52B	9360625	9364836	9365085	
51C,52C	9355665 (CLNS)	9364773	9365095PE	16267332, 16216254 *1
53,54	16266665 (CFFS), 16258845 (CCSH)	16249494	16263425PD	16267332, 16216254 *1
53A,54A	16251725	16240989	09360505	16232743, 16232744 *1
53B,54B	9360625	9360056	9365085	
53C,54C	9355665 (CLNS)	9364742	9365095PE	16267332, 16216254 *1

\*1 Trans calibration applies to trucks with a GVWR greater than 9500 lbs.

ISSUED: ML-XP108

REVISED: ML-XR018, ML-XR027, ML-XR038, ML-XR055

17-XGMXA07.4201-9  
(1999)