State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-177-A Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: XMBXV03.2GNB Displacement: 3.2 Liters (195 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection
Secondary Air Injection
Exhaust Gas Recirculation
Dual Three Way Catalytic Converters
Dual Warm Up Three Way Catalytic Converters
Dual Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

	on-Methane Janic Gases	Carbon Monoxide	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon Monoxide (20°F)
50,000	0.075	3.4	0.2	0.015	10.0
100,000	0.090	4.2		0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane <u>Orqanic Gases</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.014	0.2	0.1	0.001	2.8
100,000	0.014		0.1	0.003	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24th day of July 1998.

R. B. Summerfield, Chief Mobile Source Operations Division

E. 0. # A-3-177-A

Page 1 of 2 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Daimler-I					
All Eng Codes in Eng Fa	im; CA	49S	50S X	AB965 ORV	R Yes X No
Exh Std:	CA Tie	r-1TLEV	_ LEV _ X ULEV	SULEVUS	EPA Her-1 NLEV
Veh Class(es): PC	X LDT1	LDT2	MDV1 MDV2	MDV3 MDV	4 MDV5
Single Cert Std for Multi-	Class Eng Far	n; <u>N/A</u>	(specify: N/A, Li	DT1, MDV1, MDV2,	MDV 3 , - MDV4)
Fuel Type(s): Dedic	cated X	Flex-Fuel	Dual-FuelB	i-Fuel Gasoline X	Diesel
				Other (specify)	
Exh. Emiss Test Fuel(s):	Indo	CBG X CNG	LPG N	185 Other (specify)	
	Diesel: 13 0	CCR 2282	40 CFR	86.113-9040 CF	FR 86,113-94
Evaporative Emission Te	est Procedure:	California _	Federal	X	
Service Accum:					
NMOG Test Procedure:	N/A	Std X Equiv	R/L Test Proc.	SHED X	Pt Source
Engine Configuration: _	V-6	Displacement:	3.2 L	ters <u>195</u>	Cubic Inches
Values per Cylinder	3		Rated HP:	217 @ 5700	RPM
Engine: Front X	Mid	Rear	Drive: FWD _	RWD X 4WD	-FT_X 4WD-PT
Exhaust ECS (eg., MFI,	EGR, TC, C	AC): SFIVAIR!	EGR / 2 HO2S(2) / 2	WU-TWC / 2 TWC	
			(use abbreviations pe		

Engine Code (also list CA/49ST/ <u>50ST)</u>	Vehicle Models (if coded sae attachment)	Trans. Type (A 4, M 5 etc)	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
M 112-32	E 320 (Sedan, RWO)	L5	3875	6.5	A 024 545 59 32 or A 025 545 86 32	A 112 140 00 60	A 210 490 25 14 (underhood) A 210 490 44 14 or A 210 490 45 14 (underfloor)
M 112-32	E 320 (Sedan,4WD-FT	L 5	4000	8.0	A 024 545 59 32 or A 025 545 86 32	A 112 140 00 60	A 210 490 25 14 (underhood) A 210 490 44 14 or A 210 490 45 14 (underfloor)

Date Issued:

Revisions:

DØ4

Page 2 of 2 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Dalmi	er-Benz		Exh. E	ng Family	: XMBX	V03.2GN	B Eva	ip. Fami	iy: XM	BXR01551	NNZ
All Eng Codes in Eng	Fam:	CA	49	s	508	X	AB98	5	ORVR	Yes X	No
Exh Std:		CA Tie	r-1	TLEV	_ LEV .	X ULE	vsu	LEV	US E	PA Tier	NLEV
Veh Class(es): PC	C X	LDT1	LO	T2	MDV1	MDV	/2 M	DV3	MDV4	MD	V5
Single Cert Std for Mu	ılti-Class	Eng Farr	n: <u>N/</u>	Α	(specify	: N/A,	LDT1	MDV1.	MDV2,	MDV3,	MDV4)
Fuel Type(s): De	edicated	_X I	Flex-Fue	l	Dual-Fu	el	. Bi-Fuel	Gas	X enilo	Dies	;el
Ci	NG		NG		LPG _	M85		Other	(specify)		
Exh. Emiss Test Fuel											
	Dies	el: 13 C	CR 228	2		40 C	FR 86.113	3-90	40 CF	R 86,113-9	94
Evaporative Emission	Test Pro	ocedure:	C	alifornia _		Fede	eral X				
Service Accum:	Std /	AMA 🔃	к М	od AMA	N	IfrADP		Other (specify)		
NMOG Test Procedure	e; N/A		Std X	Equiv	R	/L Test Pr	oc. S	HEO _	X	Pt Source	
Engine Configuration:	V-6		Displace	ment:	3.2		_Liters	19	5	Cub	old Inches
Valves per Cylinder:	3				R	ated HP:	217 @	5700			_ RPM
Engine: Front X										FT_X_4W	D-PT
Exhaust ECS (eg., M	FI, EGR	R, TC, C	AC): _S	FL/AIR/	EGR/2	HO28(2)	/ 2 WU-T	WC / 2 1	WC		
					(use ahl	reviations	nerSAF.	J1930 JU	IN93)		

Engine Code (also list CA/49ST/ <u>50ST)</u>	Vehicle Models (If coded see attachment)	Trans. Type (A 4, M 5 etc)	ETW or Test W t	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
M 112-32	E 320 (Station Wago RWD	L 5	4 000	7.4	A 024 545 59 32 or A 025 545 86 32	A 112 140 00 60	A 210 490 25 14 (underhood) A 210 490 44 14 or A 210 490 45 14 (underfloor)
M112-32	E 320 (Station Wago 4WD-FT)	L5 n	4250	9.0	A 024 545 59 32 or A 025 545 86 32	A 112 140 00 60	A 210 490 25 14 (underhood) A 210 490 44 14 or A 210 490 45 14 (underfloor)

Date Issued:

Revisions:

E. 0. # A-3-177 -A

Page 1 of 2 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Daimler-	Benz	Exh. Eng Family:	XMBXV03.2GNB	Evap. Family: X	MBXR0155LNZ
All Eng Codes in Eng Fa	am; CA	498	50S X	AB965ORV	/R Yes X No
Exh Std:	CA T	er-1TLEV	_ LEV _X ULEV _	SULEV US	EPA Tier-1 NLEV
Veh Class(es): PC	X LDT1	LDT2	MDV1 MDV2	MDV3 MOV	/4 MDV5
Single Cert Std for Multi-	Class Eng Fa	m: <u>N/A</u>	(specify: N/A, LD	T1, MDV1. MDV2	, MDV3, MDV4)
Fuel Type(s): Dedic	cated X	Flex-Fuel	Dual-Fuel Bi	Fuel Gasoline_	Diesel
CNG		LNG	LPG M85	Other (specify)
Exh. Emiss Test Fuel(s):					
	Diesel: 13	CCR 2282	40 CFR 8	6.113-9040 C	FR 86.113-94
Evaporative Emission Te			Federal X		
Service Accum:	Std AMA	X Mod AMA _	Mfr.ADP	Other (specify)
NMOG Test Procedure:	N/A	Std X Equiv	R/L Test Proc.	SHED X	Pt Source
Engine Configuration:	V-6	Displacement:	2.8 / 3.2 Li	ters 171 / 195	Cubic Inches
Valves per Cylinder:	3		Rated HP: 1	94 @ 5800 / 2 <u>15 @</u> 5	700 RPM
Engine: Front X	Mid	Rear	Drive: FWD	RWD X 4WD	-FT_X_4WD-PT
Exhaust ECS (eg., MFI,	EGR, TC, (CAC): SFI/AIR/	EGR / 2 HO2S(2) / 2	WU-TWC / 2 TWC	
			(use abbreviations per	SAE J1930 JUN93)	

Engine Code (also list CA/49ST/ <u>50ST)</u>	Vehicle Models (if coded see attachment)	Trans. Type (A 4, M 5 etc)	ETW or Test Wt	DPA of RLHP	ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
M 112-28	C 280	L.5	3 625	7.3	A 025 545 59 32	A 112 140 00 60	A 210 490 98 14 or A 202 490 99 14 (underhood) A 210 490 44 14 or A210 490 45 14 (underfloor)
M 112-32A	CLK 320	L 5	3 625	5.9	A 024 545 59 32	A 112 140 00 60	A 202 490 98 14 or A 202 490 99 14 (underhood) A 210 490 44 14 or A 210 490 45 14 (underfloor)

Date Issued:

Revisions:

14:17

E. 0. # <u>A-3-177</u> —A

Page 2 of 2 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Dalmler-E	Benz	Exh. Eng Family:	XMBXV03.2GNB	Evap. Family:	XMBXR0155LNZ
					ORVR Yes X No
					US EPA THEY
Veh Class(es): PC	X LDT1	LDT2	MDV1 MDV2	MDV3	MDV4 MDV5
Single Cert Std for Multi-	Class Eng Fa	m: <u>N/A</u>	(specify: N/A, L	.DT1, MDV1, M	IDV2, MDV3, MDV4)
Fuel Type(s): Dedic	ated _X	Flax-Fuel	Dual-Fuel 1	Bi-Fuel Gasol	ine_X Diesel
					ecify)
					ecify)
					40 CFR 86.113-94
Evaporative Emission Te	est Procedure	: California _	Federa	X	
Service Accum:	Std AMA	X Mod AMA	MfrADP	Other (sp	ecify)
					X Pt Source
Engine Configuration:	V-6	Displacement:	2.8 / 3.2	Iters <u>171 / 1</u>	195 Cubic Inches
Valves per Cylinder:	3		Rated HP:	194 @ 5800 / 21	5 @ 5700 RPM
Engine: Front X	Mid	Rear	Drive: FWD	RWD X	4WD-FT4WD-PT
Exhaust ECS (eg., MFI,	EGR, TC,	CAC): SFI/AIR/	EGR / 2 HO25(2) /	2 WU-TWC / 2 TV	/C
			(uso abbreviations p	erSAE J1930 JUN	93)

Engine Code	Vehicle Models	Trans. Type	EIW	DPA	Ignition	EGR	Catalytic
(also list	(if coded see	(A 4, M 5	or	67	(ECM/PCM)	System	Converter
CA/49ST/ <u>50ST</u>)	attachment)	etc)	TestWt	RLHP	Part No.	Part No.	Part No.
M 112-32A	CLK320 Convertible	L5	4 000	5,9	A 025 545 88 32	A 112 140 00 60	A 202 490 98 14 or A 202 490 99 14 (underhood) A 210 490 44 14 or A 210 490 45 14 (underfloor)

Date Issued:

Ravisions: