State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-835-1 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: XGMXV02.4025 Displacement: 2.4 Liters (145 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter Heated Oxygen Sensor Oxygen Sensor Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gases	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.98 RAF for 1999 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane Organic Gases	Carbon <u>Monoxide</u>	Nitrogen _Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.086	1.4	0.2	0.001	5.7
100,000	0.102		0.3	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-6-835 dated December 17, 1997, is superseded and replaced by Executive Order A-6-835-1.

Executed at El Monte, California this ________ day of October 1998.

R. B. Summerfield, Chief Mobile Source Operations Division

Raphael Susscript

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

्र ^२ : GENERAL	MOTORS COR	P. ENGINE FAM	ILY: XGMXV02.402	25 EVAP	FAMILY: XGM	XR0124912
ALENGINE COL	DES IN ENGINE	FAMILY: CA(X)	49S() 50S()	AB965 ()	ORVR: YES (X) NO()
		EV(X) LEV()				
VEH CLASS(ES):	PC(X) L	DT1() LDT2()	MDV1() MDV	2() MDV3	() MDV4 ()) MDV5()
SINGLE CERT ST	TANDARD FOR	MULTI-CLASS ENGI	NE FAMILY: NA			. ,
FUEL TYPE(S):	DEDICATED (X) GASOLINE(X);	EXH EMIS TES	T FUEL(S): II	NDOLENE ()	CBG(X)
		CALIF () FE				
SERVICE ACCUM	MULATION: STI	DAMA () MFR AC	OP(X); NMOG	TEST PROCE	DURE: NA()	EQUIV(X)
R/L TEST PROCE	DURE: PT SC	DURCE (X)				
ENGINE CONFIG	URATION: 14 (X) V6() V8() DISP	LACEMENT: 2	2.4 LITERS / 145	CU. IN.
	VAL	VES / CYLINDER:	2() 4(X)	RATE	D HP: 150 @	5600 RPM
ENGINE LOCATION	ON: FRONT(X	()	DRIVE: FWD (X) RWD()	4WD-FT()	4WD-PT()
EXHAUST EMISS	ION CONTROL	SYSTEM: EGR, 02	S, HO2S, SFI, TWO			
RLHP / DPA VALU	JES: SECTION	08.13.02.00	-			
ENGINE CODE						
ENGINE CODE & LETTER	LOC	VEH MODELS	TRANS	EQUIV. TEST		CATALYTIC CONVERTER
DERIVATIVES*1		(SEE PAGE 1)		WEIGHT	PART NO.	PART NO.
₩ 1	С	2NE37	A4	3375	17096306	25160527,
		2NE69 3NK37				25317335
		3NL37				
		3NK69 3NL69				
		JINLUS				

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
ALERO	06020
CUTLASS	06030
GRAND AM	07025

`SUED: ML-XP055

REVISED:

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **PCM AND CALIBRATION PART NUMBERS**

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXV02.4025

ENGINE CODE

EVAP FAMILY: XGMXR0124912

- PCM/VCM

PART NUMBER

ENGINE CALIB

OPER CALIB

TRANS CALIB

1 16204850

16263103

NA

NA

ISSUED: ML-XP055

REVISED: