(Page 1 of 3)

#### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-6-839 Relating to Certification of New Motor Vehicles

#### GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9:

IT IS ORDERED AND RESOLVED: That 1999 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: XGMXV03.1043 Displacement: 3.1 Liters (191 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Three Way Catalytic Converter Heated Oxygen Sensors (two) Secondary Air Injection Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.075	3.4	0.2	0.015	10.0
100,000	0.090	4.2	0.3	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.048	0.9	0.1	0.001	2.8
100,000	0.053	1.0	0.2	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

E IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30 day of March 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

## 1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

ALL ENGINE CODEXH STD: CAT VEH CLASS(ES): SINGLE CERT ST FUEL TYPE(S): IN EVAP EMIS TEST	DES IN ENGINE IER-1 ( ) TLI PC ( X ) L TANDARD FOR DEDICATED ( X TPROCEDURE:	P. ENGINE FAM FAMILY: CA(X) EV() LEV(X) DT1() LDT2() MULTI-CLASS ENG () GASOLINE(X) CALIF() FE	49S() 50S() ULEV() SULE MDV1() MDV INE FAMILY: NA ; EXH EMIS TES	AB965 ( ) V ( ); U; 2 ( ) MDV3 EVAP T FUEL(S): I	ORVR: YES ( S. EPA TIER-1 ( ) MDV4 ( STD: USEFUL NDOLENE ( )	(X) NO() () () ) MDV5() LIFE CBG(X)
		DAMA() MFRA	DP(X); NMOG	TEST PROCE	DURE: NA()	) EQUIV(X)
R/L TEST PROCE		, ,				
ENGINE CONFIG	URATION: 14 (	) V6(X) V8(	) DISPI	LACEMENT:	3.1 LITERS / 19	1 CU. IN.
	VAI	VES / CYLINDER:	2(X) 4()	RAT	ED HP: 170 @	5200 RPM
ENGINE LOCATION	N: FRONT(X	()	DRIVE: FWD (X	) RWD()	4WD-FT()	4WD-PT()
		SYSTEM: AIR-EGF				` ,
RLHP / DPA VALU	JES: SECTION	08.13.02.00	. ,			
ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW) C	VEH MODELS (SEE PAGE 1) 1ND69 1NE69 3NB69	TRANS (M5,A4,ETC.) A4/D	EQUIV. TEST <u>WEIGHT</u> 3375	EGR SYSTEM PART NO. 17096154	CATALYTIC CONVERTER PART NO. 24507564, 24508310
		3NG69				

*1	Base engine codes are the same as letter derivatives unless otherwise note	d. Refer to PCM/VCM part number page
	for additional engine code letter derivative information.	. , , ,

CARLINE NAME	CARLINE CODE
CHEVROLET MALIBU	03130
OLDSMOBILE CUTLASS	06030

ISSUED: ML-XP123

REVISED:

17-XGMXV03.1043-2 (1999)

# 1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP.

ISSUED: ML-XP123

ENGINE FAMILY: XGMXV03.1043

EVAP FAMILY: XGMXR0124912

ENGINE CODE	PCM/VCM PART NUMBER	ENGINE CALIB	OPER CALIB	TRANS CALIB
6	16200870, 09357440	09356074	NA	NA NA
6A		16242794		
6B		09366844		
6C		09369434		