State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-206 Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Volkswagen AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

.

Engine Family: XVWXV02.0227 Displacement: 2.0 Liters (121 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Secondary Air Injection Three Way Catalytic Converter Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane <u>Organic Gas</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>	
50,000	0.075	3.4	0.2	0.015	10.0	
100,000	0.090	4.2	0.3	0.018	n/a	

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane <u>Organic Gas</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>	
50,000	0.055	1.2	0.2	0.001	2.4	
100,000	0.064	1.4	0.2	0.002	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for the 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 22 day of September 1998.

meilield

R. B. Summerfield, Chief Mobile Source Operations Division

PAGE NO. 17.05. -01 E.O.# 4-7-206

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 1 of 1 PASSENCER CARS, LIGHT-DUTY TRUCKS AND MEDUM-DUTY VEHICLES

Manufacturer: VOLKSWAGEN Exh Eng Fam: XVWXV02.0227 Evap Fam: XVWXR0110234					
All Eng Codes in Eng Fam: CA 495 505 X AB965 ORVR: YES X No					
Exh Std: CA Tier-1 TLEV LEV_X_ULEV SULEV; US EPA Tier-1_X					
Veh Class(es): PC_X_LDT1LDT2MDV1MDV2MDV3MDV4MDV5					
Single Cert Std for Multi-Class Eng Fam: <u>N/A</u> (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)					
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel					
CNGLNGLPGM85Other (specify)					
Emiss Test Fuel(s): Indo CBG X CNG LPG M85 Other (specify)					
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94					
Evaporative Emission Test Procedure: California Federal X					
Service Accum: Std AMA Mod AMA Mfr ADP X Other (specify)					
NMCG Test Procedure: N/AStd_XEquivR/L Test Proc: SHED_XPt Source					
Engine Config. <u>4 / in line</u> Displacement: <u>2.0</u> Liters <u>121</u> Cubic Inches					
Valves per Cylinder: 2 Rated HP: 115 @ 5,200 RPM					
Engine: Front X Mid Rear Drive: FWD X RWD 4WD-FT 4WD-PT					
Exhaust ECS (eg., EGR, MFI, TC, CAC, etc.)					

Engine Code (also list CR/49ST/50ST)	· ·	Trans. Type A-auto M-man.	ETW or Test WT	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
AEG 5CST	Jetta / Golf	м	3,125	7.2	06A 906 018 J 06A 906 018 BJ	-	1JO 131 701 CT 1JO 178 HA CT
AEG 50ST	GII	м	3,000	7.2	06A 906 018 J 06A 906 018 BJ	-	1J0 131 701 CT 1J0 178 HA CT
AEG 50ST	New Beetle	м	3,125	8.0	06A 906 018 CR 06A 906 018 CQ	-	1JO 131 701 CT 1JO 178 HA CT
AEG 50ST	Jetta / Golf	A	3,250	7.2	06A 906 018 J 06A 906 018 BJ	-	1J0 131 701 CT 1J0 178 HA CT
AEG 50ST	GII	A	3,125	7.2	06A 906 018 J 06A 906 018 BJ	-	1J0 131 701 CT 1J0 178 HA CT
AEG 50ST	New Beetle	A	3,125	7.8	06A 906 018 CR 06A 906 018 CQ		1J0 131 701 CT 1J0 178 HA CT

· Date Issued: 04-23-98

.

Revisions:	· <u> </u>	1