(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-208 Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Volkswagen AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

<u>Fuel Type</u>: Gasoline

Engine Family: XVWXV02.8224 Displacement: 2.8 Liters (170 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Secondary Air Injection Three Way Catalytic Converter Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane <u>Organic Gas</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Formaldehyde	Carbon <u>Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1999 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.045	0.7	0.1	0.001	5.9
100,000	0.051	0.7	0.1	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

:

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_ day of December 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

PAGE NO.: 17.06. -01 E.O.# <u>A-7-208</u> Page <u>1</u> of <u>1</u>

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDUM-DUTY VEHICLES

Manufacturer	: VOLKSWAGEN	Ext	n Eng F	am: _ <u>></u>	VWXV02.8224	Evap Fam:	XVWXR0110234	
All Eng Code	es in Eng Fam:	CA	498	}	50s x	AR965 ORUZ	· VEC V NO	
Exn Sta: CA	Tier-lT	LEV X	LEV		ULEV S	III.EV · IIQ	EDN THEY	
Exh Std: CA Tier-1 TLEV X LEV ULEV SULEV; US EPA TIET 1 X Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5								
Single Celf	Std for Multi-C	iass Eng	J Fam:	N/A (s	specify: N/A,	LDT1, MDV1, M	DV2. MDV3. MDVA.	
Fuel Type(s)	: Dedicated X	Flex-Fu	iel	Dual-	Fuel Bi-Fi	uel Gasoli	ne X Diesel	
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel CNG LNG LPG M85 Other (specify)								
Exh Emiss Test Fuel(s): Indo CBG X CNG LPG M85 Other (specify)								
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94								
Evaporative :	Emission Test P	rocedure	e: Ca	alifor	nia	Federal Y	JIK 00.113-94	
Service Accu	m: Std AMA	Mod	AMA	Mfr	ADP X OH	er (specify)	-	
NMOG Test Pro	ocedure: N/A	Std	X E	ייינות עיונות	R/I. Test	er (specity)	a Pt Source X	
Hybrid: Type	A B C	APU C	vole (e		U.E 1030 Otto Diesel	Turbine	X	
Engine Confid	g. 6, V in lir	e Di	splacem	nent:	2 8 Ti+	ore : 170	Cubic Inches	
Valves per C	ylinder: 2		-F-400.		Pated F	.ers _ 170	Cubic Inches	
Engine: From	nt X Mid.	Rear		Drive	. Naced i	2570 4575 77	5,800 RPM 4WD-PT	
Exhaust ECS	(eg., EGR, MFI,	TC CAC	etc)	DITAG	· rub A r	WD 4WD=F.I	4WD-PT	
	(-3-,,,	10, and	, 410.7		SEI / AIR /	TWC / HO2S(2)	/ OBDII	
				()	rse appreviat	ions per SAE 1	930 JUN93)	
Engine Code	Vehicles	Trans.	ETW	DPA	Ignition	EGR	Catalytic	
(also list	Models	Туре	or	l or	(ECM/PCM)	System	Converter	
CA/4951/505T	(if codded see attachment)	M-man.		RLHP			1	
	000000000000000000000000000000000000000	11 1144111	44.7		Part No.	Part No.	Part No.	
AFP	Jetta GLX VR6	М	2 275	7.0	201 200			
50 ST	Oecca GLA VRO	121	3,375	1.2	021 906 018 E	3 -	1J0 178 FA CS	
AFP	Cale cor two		2 2 2 2					
50 ST	Golf GTI VR6	М	3,250	7.2	_ " _	-	- " -	
3.50	- 							
AFP 50 ST	Jetta GLX VR6	A	3,375	7.2	021 906 018 A	<u>-</u>	- " -	
		ļ					,	
AFP 50 ST	Golf GTI VR6	A	3,250	7.2	- #	_	_ "	
			1					
		1						
		Ī		-				
Patra Taranada - 00 02 00								
Date Issued: 08-21-98								
Revisions:	<u> </u>				ı	1	1	

Software the second section of the second second second

1