Trule

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-343 Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Toyota Motor Corporation new pure electric motor vehicles are certified as described below for light-duty trucks:

Emission Standard Category: Zero-Emission Vehicle (ZEV)

Fuel Type: Battery-Stored Electricity

Engine Family: XTYXT00.0ZZZ

Battery Type: Nickel Metal Hydride

Vehicle Model: RAV4 EV

BE IT FURTHER RESOLVED: That because the listed vehicle models are powered by battery-stored electricity and have no on-board systems which consume any fuel other than electricity, the vehicles produce zero exhaust or evaporative emissions of any criteria pollutant (or precursor pollutant) and therefore qualify as ZEVs according to Title 13, California Code of Regulations, Section 1960.1(g)(1), note (2.1); the listed vehicle models also meet the definition of "low-emission motor vehicle" set forth in Health and Safety Code Sections 39037.05 and 43800.

BE IT FURTHER RESOLVED: That the listed vehicle models have demonstrated, based on the specific energy of the battery, to qualify for and shall be granted 2.1 ZEV placement credits for purposes of paragraph I.D.2. of the Memorandum of Agreement between the manufacturer and the Air Resources Board.

BE IT FURTHER RESOLVED: That to the extent that the manufacturer exceeds its obligation to place new ZEVs with advanced technology batteries into service in California urban areas pursuant to said Memorandum of Agreement, the listed vehicle models have demonstrated, based on the vehicle range or on the specific energy of the battery, to qualify for and shall be granted three ZEV credits for purposes of Title 13, California Code of Regulations, Section 1960.1(g)(2), note (9)a.

BE IT FURTHER RESOLVED: That the listed vehicles models shall not be equipped with any fuel-fired auxiliary power sources or heaters.

BE IT FURTHER RESOLVED: That the listed vehicle models shall comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models shall be clearly labeled as "low-emission motor vehicles" pursuant to the requirements of Health and Safety Code Section 43802(a).

BE IT FURTHER RESOLVED: That because the vehicles certified by this executive order have no parts that affect emissions for which there is an applicable emission requirement, the manufacturer is not required to provide an emission control system warranty pursuant to Health and Safety Code Section 43205 or Title 13, California Code of Regulations, Sections 2035 et seq.

Quarterly production reports shall be submitted to the Executive Officer no later than 45 days after the end of each quarter.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order.

Executed at El Monte, California this 24^{h} da

Maymmerfuld

R. B. Summerfield, Chief Mobile Source Operations Division

day of September 1998.

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET ZEV-PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Toyota Engine Family: XTYXT00.0ZZZ
Veh Class(es): PC (LDT1) LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
No. of ZEV Credits per vehicle: 3
Fuel Type: Electro chemical Battery Fuel Cell Capacitor Other (specify):
Battery Type(s): Lead Acid Nickel Cadmium SBLA Sodium Sulfur
Sodium Nickel Chloride Nickel Metal Hydride Lithium Metal Disulfide
Zinc Air Zinc Bromine Lithium Polymer Other (specify):
Total Battery Weight: 450 kg Total Battery Volume: Battery Voltage: 12 V
No. of batteries or modules per vehicle: 24 Total Battery Voltage: 288 V
Charger(s): on-board off-board conductive inductive
Drive Motors(s): AC Induction DC Brush DC Brushless
Switched Reluctance Other (specify):
No. of Drive Motors 1 Maximum motor power 50 kW @ 3100 ~4600 rpm Max rpm: 8600
Drive: FWD RWD 4WD-FT 4WD-PT
Regenerative Braking: No (Yes)(FW) RW AW
Driver Controlled Regen Braking: (Yes) No Coast Regen Braking: (Yes) No
Air Conditioning: Yes No
Fuel Fired Heater: Yes No Fuel Type: Gas Diesel CNG LNG
LPG Other (specify): Rated Heat Power: kW

Vehicle Models (If coded see attachment)	Trans. Type M5. A4 (if applicable)	GVWR (lbs)	Curb Weight (lbs)	ETW or Test Weight (lbs)	DPA or RLHP (N)
RAV4 EV (BEA11L-AWDFSA)	A1	4.266	3,440	3.750	$F=111.8+0.05041V^{2*1}$

Note *1: on-road RLHP without air conditioning

Page : 17-1

Issued : 08/28/98 Rev. 1:09/14/98

6/10 Juli

17.02.00.00

	/
E.O.# 1-14-343Page /	f
E.U.#_/1-[-]	

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET ZEV-PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Toyota				Engine Family: XTYXT00.0ZZZ			
Veh Class(es): PC	LDT1_x_LD	T2 M	(DV1	MDV2	MDV3	MDV4	MDV5
No. of ZEV Credits p	per vehicle: 3						
Fuel Type: Electro	chemical Battery_	<u>x</u> Fuel	l Cell	Capacitor_	_ Other	(specify):	
Battery Type(s): Le	ad Acid Nic	kel Cadmi	ium S	BLA	Sodium Su	lfur	
Sodium Nic	kel Chloride	Nickel M	etal Hydrid	e_x_ Lit	hium Metal	Disulfide	
Zinc Air	Zinc Bromine_	Lithi	um Polyme	r Oth	er (specify):		
Total Battery Weight	: 450 kg T	otal Batter	y Volume:_		Battery V	oltage: 12 '	<u>v</u>
No. of batteries or me	odules per vehicle	:24	Total Batt	ery Voltage	: <u>288 V</u>	•	
Charger(s): on-bo	ard off-boar	d x co	onductive	_ inducti	vc_x_		
Drive Motors(s):				_			
	eluctanceOt						
No. of Drive Motors		· •	• •		100 -4600	mm Max	. rom. 8600
			poo. <u></u>	<u> </u>		p	
Drive: FWD_x_	RWD 4WI	O-FT	4WD-PT				
Regenerative Braking			_				
Driver Controlled Re						Yes v N	Jo
Air Conditioning:		, <u>,, </u>	· <u>·</u>	South Hogor	. Diamie.	103 <u>a</u> 1	` <u>~</u>
Fuel Fired Heater:		Fuel T	`une: Gas	Diese	ı CN	G ING	<u> </u>
	Other (specify):		••				'
LI 0 (other (specify)		Nated Tica	it I OWCI	K VV		
	Trans. Type			ETW			
Vehicle Models	M5, A4		Curb	or		DPA	
(If coded see	(if	GVWR	Weight	Test Wei	ght	OL	
attachment)	applicable)	_(lbs)	(lbs)	(lbs)		RLHP (N)
RAV4 EV	A1	4,266	3,440	3.750	F:	=111.8+0.050	41 * V ^{2*1}
(BEA11L-AWDHSA		· •			-		-
(BEA11L-AWDHSA	1)						

Note *1: on-road RLHP without air conditioning

Page :

: 17-2.1

Issued

: 99-TR-7:11/13/98

This R/C changes to off-beard inductive charging.