

*Feli*

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-843  
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Ford Motor Company exhaust emission control systems are certified as described below for medium-duty vehicles:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type (Certification Fuel): Gasoline (Indolene)

Engine Family: XFMXA04.2JGC Displacement: 4.2 Liters (256 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Dual Three Way Catalytic Converters (two)
- Dual Heated Oxygen Sensors (two)
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>NMOG</u>	<u>CO</u>	<u>NOx</u>	<u>HCHO</u>	<u>CO (20°F)</u>
5751-8500	50,000	0.195	5.0	0.6	0.022	12.5
	120,000	0.280	7.3	0.9	0.032	n/a

The LEV certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>NMOG</u>	<u>CO</u>	<u>NOx</u>	<u>HCHO</u>	<u>CO (20°F)</u>
5751-8500	50,000	0.107	1.1	0.2	0.001	1.5
	120,000	0.118	1.2	0.2	0.001	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."


BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16<sup>th</sup> day of July 1998.

A handwritten signature in cursive script, appearing to read "John Koudelis", followed by a small flourish.

R. B. Summerfield, Chief  
Mobile Source Operations Division

**1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET**  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer Ford Motor Company Exh. Eng. Fam.: XFMXA04.2JGC Evap. Fam.: XFMXE0155BAG  
 Engine Code Types: CA XXX 49S     50S     ORVR: Yes     No XXX  
 Exhaust Std: CA Tier-1     TLEV     LEV XXX ULEV     ZEV     U.S. EPA TIER-1      
 Vehicle Class(es): PC     LDT1     LDT2     MDV1     MDV2     MDV3 X MDV4     MDV5      
 Single Cert Std for Multi-Class Eng Fam:     (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Exhaust Emiss. Test Fuel: Indolene Clear XXX Fuel Type: Gasoline XXX <sup>Dedicated</sup>  
 Evaporative Emission Test Procedure: California     Federal XXX  
 Service Accumulation: Std AMA     Mod AMA     Mfr ADP XXX Other      
 NMOG Test Procedure: N/A     Std XXX Equip     R/L Test Procedure: SHED     Pt. Source XXX  
 Engine Configuration V-6 Displacement: 4.2 L (256 in<sup>3</sup>)  
 Valves/Cyl: 02 Rated HP: 205 @ 4400 RPM  
 Engine: Front XXX Mid     Rear     Drive: Fwd     RWD XXX 4WD-FT     4WD-PT      
 Exhaust Control System and Special Features 2TWC(2), 2HO2S(2), EGR, SFI  
 (Use abbreviations per SAE J1930 SEP91)

Engine Code (California)	Vehicle Models	Trans.		ETW	DPA	Ignition Part No (PCM)	EGR System Part No	Catalytic Converter Part No
		A-Auto	M-Man					
9LYABCA A/N	E-150 Van	A4		6000	16.5/17.9@	XC2F-FA	F65E-AA	XC25-5E212-BA(RH) XC25-5E214-BA(LH)
	E-150 Club Wagon	A		6000	16.5/17.9@			
9LYABEA A/N	E-250 Van	A		7000	16.4/17.8@	XC2F-GA		
	E-250 Super Van	A		7000	15.5/16.9@			
9LYABFA A/N	E-250 Chassis Cab	A		7000	26.5/27.9@	XC2F-HA		
	E-250 Strip Chassis	A		7000	26.5/27.9@			
9LYABGA A/N	E-250 Van	A		6000	15.8/17.2@	XC2F-JA		
	E-250 Super Van	A		6500	15.1/16.5@			

@ with Air Conditioning