State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-330 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Low-Emission Vehicle (LEV)

<u>Fuel Type</u>: Gasoline

Engine Family: XNSXT03.335B Displacement: 3.3 Liters (200 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters (two)

Dual Heated Oxygen Sensors (two)

Exhaust Gas Recirculation

Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	_Miles_	Non-Methane Organic Gases				Carbon Monoxide (20°F)
3751-5750	50,000	0.100	4.4	0.4	0.018	12.5
	100,000	0.130	5.5	0.5	0.023	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle		Non-Methane	Carbon	Oxides of		Carbon
Weight (lbs.)	<u>Miles</u>	Organic Gases	<u>Monoxide</u>	<u>Nitrogen</u>	<u>Formaldehyde</u>	Monoxide (20°F)
3751-5750	50.000	0.050	0.7	0.2	0.001	6.3
7.72 -/	100,000	0.051	0.7	0.2	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16 day of June 1998.

R. B. Summerfield, Chief Mobile Source Operations Division

E.O.# <u>A-15-33</u>

_			
Pa	ď	e	1

17.11.01	1999 MODEL-YEAR	AIR RESOURCES	BOARD S	UPPLEMENTAL	DATA	SHEET
	PASSENGER CARS,	LIGHT-DUTY TRI	UCKS AND	MEDIUM-DUTY	VEHI:	CLES

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: XNSXT03.335B Evap Fam: XNSXE0110MBA
All Engine Codes in Engine Fam: CA X 49S 50S AB965 , ORVR : Yes No X
Exh Std: CA Tier-1 TLEV LEV X ULEV SULEV , US EPA Tier-1
Veh Class(es): PC LDT1 LDT2 _X MDV1 MDV2 MDV3 MDV4 MDV5
Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel
CNG LNG LPG M85 Other (specify)
Exh Emiss Test Fuel(s): Indo CBG X CNG LPG M85 Other(specify)
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
Evaporative Emission Test Procedure : California Federal X
Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify)
NMOG Test Procedure: N/A Std X Equiv R/L Test Proc: SHED Pt Source X
Engine Configuration: V6 Displacement: 3.3 Litters 199.8 Cubic Inches
Valves per Cylinder: 2 Rated HP: 168 6 4800 RPM
Engine: Front X Mid Rear Drive: FWD RWD X* 4WD-FT X* 4WD-PT X* *RWD is applicable to the Pathfinder 2WD only 4WD-FT is applicable to the QX4 only
4WD-PT is applicable to the Pathfinder only Exhaust ECS (eg., EGR, MFI, TC, CAC): 2TWC(2)/2HO2S(2)/EGR/SFI (use abbreviations per SAE J1930 JUN93)

Issue Date : 05/15/98 Revision Date :

Continued on next page

17.11.01 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES (cont'd)

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: XNSXT03.335B Evap Fam: XNSXE0110MBA

Engine Code	Vehicle Models	Trans.	ETW	DPA	Ignition	EGR	Cata	lytic
(also list	(if coded see	(M5,A4	or	or	(ECM/PCM)	System	Conv	erter
CA/49ST/50ST)	attachment)	etc.)	Test Wt	RLHP	Part No.	Part No.	Part	No.
AV33ECA1	NISSAN				ECM	EGR VALVE	Fr.	
(CA)	PATHFINDER	A4	4250	14.7	MECM-W433 (4WD)	VASA005	(RH)	0W5
	2WD XE				MECM-W434 (2WD)		(LH)	0W5
	NISSAN			ļ			Rr.	
	PATHFINDER			İ			(RH)	1W6
	2WD LE						(LH)	1W6
	NISSAN							
	PATHFINDER		4500	16.1]	
	4WD XE							
	NISSAN					i		
	PATHFINDER							
	4WD LE							
	NISSAN							
	PATHFINDER			16.6				
	4WD SE				-			_
	INFINITI							·
	QX4		-	15.3				
	4WD LE					İ		
BV33ECA1	NISSAN							
(CA)	PATHFINDER		4250	13.4				
	2WD XE							
;	NISSAN							
	PATHFINDER		4500	14.6				
	4WD XE							
	NISSAN							
	PATHFINDER			15.1				
	4WD SE							

Issue Date : 05/15/98

Revision Date :

17.11.01 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES (cont'd)

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: XNSXT03.335B Evap Fam: XNSXE0110MBA

Engine Code	Vehicle Models	Trans.	ETW	DPA	Ignition	EGR	Catalytic
(also list	(if coded see	(M5,A4	or	or	(ECM/PCM)	System	Converter
CA/49ST/50ST)	attachment)	etc.)	Test Wt	RLHP	Part No.	Part No.	Part No.
AV33ECM1	NISSAN	м5			ECM	EGR VALVE	Fr.
(CA)	PATHFINDER		4000	14.7	MECM-W422	VASA005	(RH) 0W5
	2WD XE						(LH) 0W5
	NISSAN						Rr.
	PATHFINDER		4500	16.0			(RH) 1W6
	4WD XE						(LH) 1W6
	NISSAN						
	PATHFINDER			17.4			
	4WD SE						
BV33ECM1	NISSAN						
(CA)	PATHFINDER		4000	13.4			•
	2WD XE						
	NISSAN						•
	PATHFINDER		4500	14.5			
	4WD XE						
	NISSAN						
	PATHFINDER			15.8			
	4WD SE						

Issue Date : 05/15/98

Revision Date :