State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-259-69 Relating to Certification of New Motor Vehicles

SUZUKI MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Suzuki Motor Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: XSKXT2.49LHA Displacement: 2.5 Liters (152 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter
Dual Warm Up Three Way Catalytic Converters
Dual Heated Oxygen Sensors
Heated Oxygen Sensor
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gases (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle <u>Weight (lbs.)</u>	Miles	NMOG	<u></u>	<u>NOx</u>	<u>НСНО</u>	CO (20°F)	
0-3750	50,000	0.075	3.4	0.2	0.015	10.0	
	100,000	0.090	4.2	0.3	0.018	n/a	

Reactivity Adjustment factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for NMOG reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle <u>Weight (lbs.)</u>	Miles	NMOG_	<u></u>	<u>NOx</u>	<u> HCHO</u>	CO (20°F)
0-3750	50,000	0.055	1.9	0.2	0.001	4.9
	100,000	0.069	2.7	0.2	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of June 1998.

R\ B. Summerfield, Chief

Mobile Source Operations Division

Tx17mj3_25eos69.R1.doc

17-M-1 E.O.#<u>A-259-69</u>

1999 MODEL YEAR AIR RESOURCE BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

Manufacturer: SUZUKI MOTOR CORP				Exh Eng Fam: XSKXT2.49LHA			EVAP Fam: XSKXE00892JA		
Manufacturer: SUZUKI MOTOR CORP Exh Eng Fam: XSKXT2.49LHA EVAP Fam: XSKXE00892JA All Engine Codes in Eng Fam: CA 49S 50S X ORVR: YES NO X									
Fxh Std: Tier 0 Tier 1 TLEV LEV X ULEV ZEV ; US EPA Tier 1 X									
EVAP Std: 50K Useful Life with R/L X In Use Exh Std: FULL in Use X									
Veh Class(es): PC_	LDT1 X_LD	T2 MD	V1	MDV2	MDV3 MI	DV4MDV	5		
Single Cert Std for M	/ulti-Class Eng F	am: MA	(speci	fv: N/A, Li	0 T 1, LDT2,MDV1	,MDV2,MDV3,N	MDV4,MDV5)		
Fuel Type (s): Dedic	cated X Fle	x-Fuel	ם``	ual-Fuel _	Bi-Fuel	Gasoline X	Diesel		
CN	G LNG	LPG	ì	M85	Other (specity)				
Emiss Test Fuel (s):	Indo Ph2	X CNG		.PG	M85Othe	er (specify)			
	Diesel: 13CCR 2	282	40	CFR 86.1	13-90	40CFR 86.11	3-94		
EVAP Procedures:	California		Fe	ederal	_x				
Service Accum:	Std AMA	Mod A	AMA	M	If ADP X C	other (specify)_			
NMOG Test Proced	ure: N/A	Std_	X	Equi	/ R/L Test	Proc: SHED	Pt Source X		
Hybrid: Type A	в с	, A	PU Cyc	de (e.g. O	tto, Diesel, Turbir	ne)			
Engine configuration									
Valves per Cylinder:						6,500	_RPM		
Engine: Front _X_	Mid Rear	· c	rive: F	-WD	_ RWD 4WD)-FT 4'	WD-PT <u>X</u> .		
Exhaust ECS (eg., E			SFI / 2I	H025/H	028 / 2WU-TWC	/TWC/EGR			
			(pe	er SAE J1	930 SEP95)				
						, ,			
Engine Code (also list	Vehicle Models	Trans	ETW	RLHP	Ignition (ECM/PCM)	EGR System	Catalytic Converter		
CA/49ST/50ST)	(re: p.21.00)	type	-111	(VC) II	Part No.	Part No.	Part No.		
	·								
BTLMM	Grand VITARA	M5	3500	14.0	33920-67D40	18111-77E00	14250-65D20 (Under)		
(50ST)						10111-7700	14110-67D00 (Ex-R)		
BTLMB	Grand VITARA	A4	3500	14.0	33920-67D50		14110-67D10 (Ex-L)		
(50ST)						<u> </u>			
Date Issued: 31MA	700						 		
	K96 Y98 (R1)								
TOTAL OTHER	100 (111)								
Application									
Processed by:			ate	R	eviewed by:		Date		