State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-18-96-1 Relating to Certification of New Motor Vehicles

VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type (Certification Fuel): Gasoline (Indolene)

Engine Family: XVVXV2.78EN2 Displacement: 2.8 Liters (174 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Heated Oxygen Sensors (two) Three Way Catalytic Converter Turbocharger Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane <u>Organic Gas</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>	
50,000	0.125	3.4	0.4	0.015	10.0	
100,000	0.156	4.2	0.6	0.018	n/a	

The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane <u>Organic Gas</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Formaldehyde	Carbon <u>Monoxide (20°F)</u>	
50,000	0.075	1.1	0.1	0.001	2.6	
100,000	0.081	1.1	0.1	0.001	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and the Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-18-96 dated August 31, 1998, is superseded and replaced by Executive Order A-18-96-1.

Executed at El Monte, California this 3

day of December 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

×μ

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page__1

á .				V61-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	1170 EN17 -	V1(\	140W125673
ufacturer:	VOLVO CAR CORF	E:	ch Eng Fa	m: <u>X </u>	<u>V]. 70 C/V</u> Z E	vap ram: <u>XV</u>	1 <u>1</u> NO 1551 25
All Engine Cod	les in Engine Fami	iliy: CA	49\$	_ 50s <u>/</u>	<u> AB965</u> ,	ORVR: YE	s <u>~</u> no X
Exh Std: CA T	ier-1TLEV_	X LET	/	ILEV	SULEV,	US EPA	Tier- <u>incry</u>
Veh Class(es):	PC X LDT1_	LDT2	MDV1	MD	V2 MDV3_	MDV4	MDV5
Single Cert St	d for Multi-Class	Eng Fam:	: <u>^/A</u> (s <u>r</u>	ecify:	N/A, LDT1, M	DVI, MDV2,	MDV3, MDV4)
Fuel Type(s):	Dedicated X F	Lex-Fuel_	Dual-	·Fuel	Bi-Fuel	Gasoline	_ Dreser
	CNGLNG	LPG }	185 0	ther (s	pecify)		
F Emiss Test	Fuel(s): Indo	CBG	_ CNG	LPG	_ м85 с	ther (speci	E 313-84
- -					R 86.113-90		6.113-94
Evaporative Em	ission Test Proce	edure: Ca	alifornia	' ——	Federal	<u> </u>	
Service Accum:	std AMAX Mo	od AMA	_ Mfr A	.DP	Other (speci	.±y)	+ SOUTCE X
Test Proc	edure: N/A	Std_X	Equiv	R/:	L Test Proc:	SHED F	ubic Inches
Engine Configu	ration: <u>I-G</u>)isplaceme	ent: <u>∠.º</u>		Liters <u> </u>	2 (7/00)	אקק
Valves per Cyl	inder: 4		Rated	HP:	<u> </u>	4577-57	4WD=PT
Engine: Front	Mid Re	ear	Drive:	. FWD <u>.</u> ∿ 1 C √ z)	TWD	4WD=E1	440
Exhaust ECS (e	.g., MFI, EGR, TO	C, CAC):	<u>)+ </u>	abbrev	iations per S	AE J1930 JU	N93)
				DPA	Ignition	EGR	Catalytic
Engine Code	Vehicle Models (if coded see	(M5, A4)	erw or	or	(ECM/PCM)	System	Converter
(9ST/50ST)	attachment)	etc.) '			Part No.		9 202 060
X90:2 (50st)	\$8Ø	64	4000	5.9	9125601	NA	1 202 000
		<u> </u>		6.7	-		
-		i 		 			
		i		! ! ! !			1
	1			!!!			i L
	i 					1 1	! !
	; 1 1		•	¦ ¦	;	i !	1
	 			į -		1	
				i i		i 	
	1		_			1	
	!			i }	i i i	1	
	1				1 1	1	[]
	1	1		i L	Î !	-	
					1	!	
		<u>;</u>		l 	i 1 1	 	
					1	!	1
	1		i !	i 1		 	
		i	•	1	<u> </u>	1	