Prei

(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-254-56 Relating to Certification of New Motor Vehicles

HYUNDAI MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Hyundai Motor Company exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type (Certification Fuel): Gasoline (Indolene)

Engine Family: XHYXV01.52XC <u>Displacement</u>: 1.5 Liters (91.2 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gases	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gases	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon Monoxide (20°F)
50,000	0.087	1.1	0.1	0.001	6.4
100,000	0.096	1.2	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23 d

day of June 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

ACCENT

1

M5

L4

2500

2625

6.3

6.5

(9030930061)

†

E.O.#	A-25	4-56
Page	1of	3

28950-22610

(H1PP10)

†

N/A

1

1999 MODEL-YEAR AIR RESOURCES SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer : 1	YUNDAI MOTO	R CO. E	xh Eng Fan	n:XHYX	(V01.52XC For	m Eom · V	LIVEDALACTICS	
All Eng Codes i	in Eng Fam : C	A X 49	S 50S	A	R965	. •αναυ. γ Υ•ιπαι φ	HYARUIGPEX	
Exh Std : CA	Tier-l_ TL	EV X L	EV II	TEV	2EV ·	Unyn.	res <u>x</u> No	
Veh Class(es)	PCX LDT	i Lm		V1 N		OS E	PA Tier-1	
Single Cert Sta	ior Muli-Class	Eng Fam	: N/A (sn	ecify: N/	A IDTI MOU	71 1/001/0	LONG LONG	
ruer Type(s) .	CNG LN	Flex-Fuel IG L	Dual~ PG M8	·Fuel	Bi-Fuel	Gasoline X	Diesel	
Emiss Test Fuel	$l(s) : \overline{Indo} X$	PH2C	NG LP	G M	Ner(specity) 85 Other(s	necify)		
	Diesel: 13	3 CCR 228	2	40 CFR	86.113-90	ресцу/ <u> </u>	D 96 110 04	
Evaporative Emi	ission Test Proc	edure :	California	F	erleral X	40 Cr	к 86.113-94	,
Service Accum:	Std AMA_X_	Mod AM	A Mí	r ADV	Other (en	onifu)		
NMOG Test pro	cedure: N/A	Std X	Equiv	, R	/I Test Proc:	echy)	D(0	
Engine Configura	ation : I-4	Displace	ement	_ N	/L TEST FFOC .	SHED X	Pt Source	
Valves Per Cylin	nder: 3	ыылисс	Patrel III) · (Liters9	11.2 /	Cubic Inches	
Valves Per Cylin Engine : Front	X Mid Ro	ar.	Nation in	·	38@	5,500) RPM	
Engine : Front_ Exhaust FCS (e	a MELECO 1	EC CAC	Drive : F	WD <u>X</u>	RWD 4W	VD-FT	4WD-PT	
Exhaust ECS (e.g., MFI EGR., TC, CAC, : HO2S(2) + TWC+ SFI + OBD II								
			_	(use abb	reviations per (SAE J1930	JUN93)	
Eng. Code	Veh. Models	Trans.	ETW	DPA	Ignition	EGR	Catalyatia	
(also list CA/	(If coded see		OR	or	(ECU/PCM)	System	Catalystic Converter	
49ST/50ST)	Attachment)	etc,)	Test Wt	l .	Part No.	5	Part No.	
ACM5-L1	ACCENT	M5	2500	6.2	39110-22375		28950-22610	

Issued : 7-1-98

/CM5-L1(CA)

ACL4-L1

/CLA-L1(CA)

Revised: