

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-120
Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Audi AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type (Certification Fuel): Gasoline (Indolene)

Engine Family: XAD XV02.8324 Displacement: 2.8 Liters (169 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection
Dual Three Way Catalytic Converters
Dual Heated Oxygen Sensors (Two)
Secondary Air Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

The TLEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.075	0.6	0.2	0.002	2.0
100,000	0.085	0.6	0.3	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Models Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 29th day of May 1998.



R. B. Summerfield, Chief
Mobile Source Operations Division

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

XADXR0140233
XADXR0140232

Manufacturer: AUDI AG Exh Eng Fam: XADXV02.8324 Evap Fam: XADXR0140232
 All Engine Codes in Engine Family: CA 49S 50S x AB965 ORVR: Yes No
 Exh Std: CA Tier-1 TLEV LEV ULEV ZEV ; US EPA Tier-1
 Veh Class(es): PC LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Bi-Fuel Gasoline Diesel
 CNG LNG LPG M85 Other (specify) _____
 Exh Emiss Test Fuel(s): Indo CBG CNG LPG M85 Other (specify) _____
 Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
 Evaporative Emission Test Procedure: California Federal
 Service Accum: Std AMA Mod AMA Mfr ADP Other (specify) _____
 NMOG Test Procedure: N/A Std Equip R/L Test Proc: SHED Pt Source
 Engine Config. V6 Displacement: 2.8 Liters 169 Cubic Inches
 Valves per Cylinder: 5 Rated HP: 190 / 200 @ 6000 RPM
 Engine: Front Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT
 Exhaust ECS (eg., MFI, EGR, TC, CAC, etc.): SFI / 2TWC / 2HO2S(2) / AIR
 (use abbreviations per SAE 1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicles Models (if coded see attachment)	Trans. (M5, A4, ect.)	ETW or Test WT	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
AHAXH/J 50-St	A4	M5	3500	5.7	4D0 907 551 H/AH	n.a.	lf. 8D0 253 095 BB rt. 8D0 253 095 AH
"	A4	L5	3625	5.7	"	"	"
"	A4 Avant	L5	3625	5.7	"	"	"
"	A4 quattro	M5Q	3625	6.8	"	"	lf. 8D0 253 095 BB rt. 8D0 253 095 AG
"	A4 Avant quattro	M5Q	3875	6.8	"	"	"
"	A4 quattro	L5Q	3750	6.8	"	"	"
"	A4 Avant quattro	L5Q	3875	6.8	"	"	"
AHAXJ 50-St	Passat	M5	3500	6.0	4D0 907 551 AH	n.a.	lf. 8E0 253 095 AE rt. 8E0 253 096 K
"	Passat	L5	3625	5.8	"	"	lf. 8E0 253 095 T rt. 8E0 253 096 L
AHAXJ 50-St	A6	L5	3875	6.5	4D0 907 551 AH	n.a.	lf. 8E0 253 095 T rt. 8E0 253 096 L
"	A6 Avant	L5	3875	6.5	"	"	lf. 8E0 253 095 T rt. 8E0 253 096 L

Date Issued: 20 March 98

Revisions: _____

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDUM-DUTY VEHICLES

Manufacturer: AUDI AG Exh Eng Fam: XADKV02.8324 Evap Fam: XADXR0140233
 All Engine Codes in Engine Family: CA 49S 50S x AB965 ORVR: Yes X No
 Exh Std: CA Tier-1 TLEV X LEV ULEV ZEV ; US EPA Tier-1 X
 Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel
 CNG LNG LPG M85 Other (specify)
 Exh Emiss Test Fuel(s): Indo X CBG CNG LPG M85 Other (specify)
 Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
 Evaporative Emission Test Procedure: California Federal X
 Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify)
 NMOG Test Procedure: N/A Std X Equiv R/L Test Proc: SHED Pt Source X
 Engine Config. V6 Displacement: 2.8 Liters 169 Cubic Inches
 Valves per Cylinder: 5 Rated HP: 190 / 200 @ 6000 RPM
 Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT X 4WD-PT
 Exhaust ECS (eg., MFI, EGR, TC, CAC, etc.): SFI / 2TWC / 2HO2S(2) / AIR
 (use abbreviations per SAE 1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicles Models (if coded see attachment)	Trans. (M5, A4, ect.)	ETW or Test WT	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
AHAXJ 50-St	Passat Syncro	L5Q	3875	7.9	4D0 907 551 AH	n.a.	lf. 8E0 253 095 T rt. 8E0 253 096 L
"	Passat Syncro Wagon	L5Q	4000	7.9	4D0 907 551 AH	n.a.	lf. 8E0 253 095 T rt. 8E0 253 096 L
AHAXJ 50-St	A6 quattro	L5Q	4000	7.7	4D0 907 551 AH	n.a.	lf. 8E0 253 095 T rt. 8E0 253 096 L
"	A6 Avant quattro	L5Q	4250	7.7	"	"	lf. 8E0 253 095 T rt. 8E0 253 096 L

Date Issued: 20 March 98

Revisions: _____