File

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-40-48 Relating to Certification of New Motor Vehicles

FERRARI S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Ferrari S.p.A. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XFEXV05.5KFK <u>Displacement</u>: 5.5 Liters (334 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection Secondary Air Injection

Dual Heated Oxygen Sensors (two) Dual Three Way Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31		0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	Hydrocarbons	<u>Monoxide</u>	Oxides	<u>Monoxide (20°F)</u>
50,000	0.17	1.2	0.3	6.9
100,000	0.22	1.7	0.3	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 13 day of August 1998.

R.)B. Summerfield, Chief Mobile Source Operations Division

E.O. # A-40-48

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Exh Std: CA Veh Class(es) Single Cert S Fuel Type(s): Exh Emiss Tes Evaporative E Service Accum NMOG Test Pro	.: Std AMA	LPGX CBG	CA 49s LEV 2 MD am: N/A (1 Dua M85 CNG CCR 2282_ Californi Mfr Equiv	JOS ULEV_ V1 specify 1-Fuel_ Other LPG 40 ADP	MDV2 MDV N/A, LDT1, Bi-Fuel (specify) N85 CFR 86.113-90 Federal Other (specify)	ORVR: , US ET 3 MDV4 MDV1, MDV2, Gasoline Other (spec 40 CFR X Sify) ADFs	YESNO_X PA Tier-1XMDV5 , MDV3, MDV4) _XDiesel :ify) 86.113-94
Valves per Cy Engine: From Exhaust ECS (Engine Code / 'so list	t_X Mid_ R e.g., MFI, EGR, T	earC, CAC):	Rated Drive SFI/A (us	- /5.9 HP: FWD_ IR/2TWO e abbre	A75 RWD X C/2HO2S(2) Eviations per Ignition	- / 334 @ 7000 4WD-FT	Cubic Inches RPM 4WD-PT UN93) Catalytic
SFI/EI/4/XROO1	Ferrari 550 maranello	į	, 	!	<u> </u>	N/A	FERRARI (CAT-133-RO2 (right) FERRARI CAT-133-LO2 (left)

Date Issued:

Revisions: