(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-48-39 Relating to Certification of New Motor Vehicles

ROLLS-ROYCE MOTOR CARS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Rolls-Royce Motor Cars Limited exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XRRXV05.4NAT <u>Displacement</u>: 5.4 Liters (328.2 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters Dual Heated Oxygen Sensors (two) Secondary Air Injection Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	Monoxide (20°F)
50,000	0.16	1.7	0.2	5.0
100,000	0.20	2.4	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model- Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this __/6 day of March 1998.

R\ B. Summerfield, Chief Mobile Source Operations Division



ROLLS-ROYCE MOTOR CARS & BENTLEY MOTOR CARS



17 - 13

E.O.	# 4	A -	48	-3	0
Page		10-	FT		

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Rolls-Royce Motor Cars Ltd Exh Eng Fam : XRRXV05.4NAT Evap Fam : XRRXE0133E96
All Engine Codes in Engine Family: CA 49S 50S X AB965 ORVR: YES NO X
Exh Std: CA Tier-1 X TLEV LEV ULEV SULEV US EPA Tier-1 X
Veh Class(es): PC_X LDT1MDV1MDV2MDV3MDV4MDV5
Single Cerl Std for Multi-Class Eng Farn:N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel
CNG LNG LPG M85 Other (specify)
Exh Emiss Test Fuel(s): Indo X CBG CNG LPG M85 Other (specify)
Diesel: 13 CCR 2282
Evaporative Emission Test Procedure: California Federal X
Service Accum: Std AMA Mod AMA Mfr ADP Other (specific) ADS
Service Accum: Std AMA Mod AMA Mfr ADP Other (specify) ADE
NMOG Test Procedure: N/A N/A Std Equiv R/L Test Proc: SHED Pt Source V
Service Accum: Std AMA Mod AMA Mfr ADP Other (specify) ADF NMOG Test Procedure: N/A N/A Std Equiv R/L Test Proc: SHED Pt Source X Hybrid: Type A B C APU Cycle (e.g., Otto, Diesel, Turbine)
NMOG Test Procedure: N/A N/A Std Equiv R/L Test Proc: SHED Pt Source X Hybrid: Type A B C APU Cycle (e.g., Otto, Diesel, Turbine) Engine Configuration: V-12 Displacement: 5 / 4 Liters 328 / 2 Cubic Inches Valves per Cylinder: 2 Rated HP: 322 Ø 5000 RPM
Service Accum: Std AMA Mod AMA Mfr ADP Other (specify) ADF NMOG Test Procedure: N/A N/A Std Equiv R/L Test Proc: SHED Pt Source X Hybrid: Type A B C APU Cycle (e.g., Otto, Diesel, Turbine)

Engine Code	Vehicle Models	Trans.	ETW	DPA	Ignition	EGR	Catalytic
(Also list	(if coded see	(M5,A4	or	or	(ECM/PCM)	System	Converter
CA/49ST/50ST)	attachment)	etc)	Test Wt.	RLHP	Part No.	Part No.	Part No.
54 12 RA/50ST	Rolls-Royce Silver Seraph	L5	5250	14.1	PB 20359	N/A	TWC PJ 20469 PJ 20470

XRR54N17.lwp	Issue Date	20.01.98	Revision Date	XRR54N17.lwp
--------------	------------	----------	---------------	--------------