

*Juli*

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-325-14  
Relating to Certification of New Motor Vehicles

GFI CONTROL SYSTEMS, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year GFI Control Systems, Inc. exhaust emission control systems are certified as described below for medium-duty vehicles:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Dual-Fuel Liquefied Petroleum Gas (LPG) or Gasoline (Indolene)

Engine Family: XG9XA05.4JGP Displacement: 5.4 Liters (330 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

- Three Way Catalytic Converter
- Dual Heated Oxygen Sensors
- Heated Oxygen Sensor
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gases (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are: (The standards in parentheses are for gasoline.)

Test Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
5751-8500	50,000	0.195 (0.39)	5.0 (5.0)	0.6 (0.6)	0.022 (0.022)	12.5 (12.5)
	120,000	0.280 (0.56)	7.3 (7.3)	0.9 (0.9)	0.032 (0.032)	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.50 (LPG)  
1.00 (Indolene)

The certification exhaust emission values set forth for NMOG reflect application of a 0.50 or 1.00 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are: (The values in parentheses are for gasoline.)

Test Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
5751-8500	50,000	0.109 (0.32)	2.8 (1.4)	0.4 (0.4)	0.0003 (0.001)	6.0 (4.5)
	120,000	0.127 (0.34)	3.2 (1.5)	0.5 (0.5)	0.0003 (0.001)	n/a

BE IT FURTHER RESOLVED: That the manufacturer shall not be subject to the phase-in requirement as specified in Title 13, California Code of Regulations, Section 1960.1(h)(2) Endnote (10)(d) applicable to small-volume manufacturers of medium-duty vehicles.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

GFI CONTROL SYSTEMS, INC.

EXECUTIVE ORDER A-325-14  
(Page 3 of 3)

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 17<sup>th</sup> day of December 1998.



R. B. Summerfield, Chief  
Mobile Source Operations Division

**Air Resources Board Supplemental Data Sheet**     *A-325-14*  
**Passenger Cars, Light Duty Trucks and Medium Duty Vehicles**  
**Model Year 1999**

Manufacturer: GFI CONTROL SYSTEMS INC Exh Eng Fam: XG9XA05.4JGP EvapFam: XFMXE0155BOG  
 All Engine Codes in Engine Family: CA  49s  50s  AB965  ,ORVR: Yes  No   
 Exh Std: CA Tier-1 TLEV  LEV  ULEV  SULEV  , US EPA Tier-1   
 Veh Class(es): PC  LDT1  LDT2  MDV1  MDV2  MDV3  MDV4  MDV5   
 Single Cert Standard for Multi-Class Eng Family: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Fuel Type(s): Dedicated  Flex Fuel  Dual Fuel  Bi-Fuel  Gasoline  Diesel   
                   CNG  LNG  LPG  M85  Other (specify) \_\_\_\_\_  
 Exh Emiss Test Fuel(s): Indo  CBG  CNG  LPG  M85  Other (specify) \_\_\_\_\_  
                                   Diesel: 13 CCR 2282  40 CFR 86.113-90  40 CFR 86.113-90   
 Evaporative Emissions Test Procedure: California  Federal  *Gas: Clo from Ford*  
 Service Accum: Std AMA  Mod AMA  Mfr ADP  Other (specify) LPA: Assigned dfs  
 NMOG Test Procedure: N/A  Std  Equip  R/L Test Proc: SHED  Pt Source   
 Engine Configuration: V8 Displacement: 5.4 Liters 330 Cubic Inches  
 Valves Per Cylinder: 2 Rated HP 235 @ 4250 RPM  
 Engine: Front  Mid  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT   
 Exhaust ECS (e.g., MFI, EGR, TC, CAC): TWC, 2HO2S, EGR, SFI, HO2S

(use abbreviations per SAE J1930 Jun93)

Engine Code (also list CA/49st/50st)	Vehicle Models (if coded see attachment)	Trans. (M5, A4 etc.)	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
MAAF1/8-46M GFI025FA-E250 MAAF1/8-74R GFI025FA-E350	E-250/350 Van GVWR 8050	A4	8000 lbm	17 hp	See attached Parts List <i>F7TA-12A366 -BA</i>	See attached Parts List <i>F7SE-D475 -CA</i>	See attached Parts List <i>F7UA-5E212 -KC</i>