(Page 1 of 2)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-324-6 Relating to Certification of New Motor Vehicles

## SALEEN PERFORMANCE, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Saleen Performance, Inc. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XS3XV04.6ABA Displacement: 4.6 Liters (281 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters (two) Dual Heated Oxygen Sensors (two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection Supercharger Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20<sup>0</sup>F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20<sup>0</sup>F)</u>
50,000	0.14	1.6	0.1	2.8
100,000	0.19	2.4	0.1	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235.)

## SALEEN PERFORMANCE, INC.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965.)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1.)

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_ day of October 1999.

John Hunder

R. B. Summerfield, Chief Mobile Source Operations Division

	. · · · ·						
					E	.o.#A3.	24-6
·	1999 HODEL-YEAR PASSENGER CARS, I	AIR RES	OURCES BOA	RD SUPPI		SHEET	Page <u>1</u>
 •	PASSENGER CARS, 1	FIGUT. DC.		VC2 VI	NU ( AR A Dur	- Fam. X53)	<u>X RO105A</u> BA / NO
All Engine Code	es in Engine Family	LEV	ULI	ev	SULEY	US EFR 11	MDV5
Veh Class(es): Single Cert Std	PC_A_LDTI d for Multi-Class	Eng Fam:	NA (sper	cify: N wel	N/A, LDT1, MD Bi-Fuel (	V1, MDV2, MDV Gasoline <u>X</u>	J3, MDV4) Diesel
	CNG LNG I	LPG M	M85 Ot	her (spe	ecify)	ther (specify	)
- 1	Ulesci ingion Test Proces	dure: Ca	alifornia_	·····	Federal_/	Assigned	DF
Service Accum:	std AMA NO	std	Equiv	- R/L - 47	. Test Proc:	SHED PC	Source bic Inches RPM
Valves per Cyl	Linder:		0-1-0-1	FWD	RWD_A	4HD-FT (7) /EGR	ISFI SC
Exhaust ECS (e	a.g., MFI, EGR, 10	C, CAC):_	(иве	DPA	Ignition	EGR	Catalytic
(also list CA/49ST/50ST)	attachment)	(M5, A4) etc.)	or    Test Wt.]	or   RLHP	(ECM/PCM)   Part No.   	Part No.	Part_NO.
	Saleen 528150 Coupe	M5	3875	7.7	Ford	Ford	Ford
52815(-99-01	Coupe				* Not Modified	*Not Modified	* Not MIGG . MEA
Conce - 99.01	Saleen 52815 Convertible	M5	3875	ר.ר	Ford	Ford * Not Modified	Ford *Not Modifie
528156-17-01	Convertible				TUITIO		
		- 			          		
		1					
		isions:		Ma	del: Saleen	S281 Superc	charged

.

- · · ·