## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-324-7 Relating to Certification of New Motor Vehicles

## SALEEN PERFORMANCE, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Saleen Performance, Inc. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: XS3XV05.8CBD Displacement: 5.8 Liters (351 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters (two)
Dual Oxidation Catalytic Converters
Dual Heated Oxygen Sensors
Heated Oxygen Sensor
Secondary Air Injection
Sequential Multiport Fuel Injection
Supercharger

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen Oxides	Carbon <u>Monoxide (20<sup>0</sup>F)</u>	
50,000	0.21	1.7	0.3	6.0	
100,000	0.27	2.4	0.4	n/a	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235.)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965.)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines.")

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_\_ day of October 1999.

Mobile Source Operations Division

1999 HODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND HEDIUM-DUTY VEHICLES

Manufacturer	: Saleen Perform	AHC E	Exh Eng 1	ram: <u>15</u>	<u>3x V05.8C</u> BD	Evap Fam: XS	3XE0133C8D
	odes in Engine Fam					i i	- 1 · .
Exh Std: CA	Tier-1 X TLEV	<u></u>	.EV	ULEV	SULEV	, US EPA	Tiez-1
Veh Class(es)	): PC_X_LDT1_	LDT2	MDV	'1 }	DV2 KDV3	HDV4	XDV5
Single Cort :	Std for Multi-Clas	s Eng Fa	m: <u>M/A</u> (s	pecify:	N/A, LDT1,	MDV1, MDV2,	HDV3, HDV4)
Fuel Type(s):	Dedicated X F	lex-Fuel	Dual	-Fuel	Bi-Fuel	Gasoline_/	X Dissel
	CNG LNG						
Exh Emiss Ter	et Fuel(s): Indo_						
					FR 96.113-90_		36.113-94
	Emission Test Proc						1.00
	s std AMA M						
	ocedure: N/A X						
	Juration: V8						
	linder: 2				500		
Engine: From	e.g., MFI, EGR, T	ear	Orive	CH3	RWD X	4WD-FT	4WD-PT_
exuguer eca (	e.g., MFI, EGR, T	C, CAC):	21WC	( <u>Z</u> ) -	viations per	<u>43, 14025, 14</u>	1R, SF1, SC
Engine Code	1 37-1-1-1						
(also list	Vehicle Hodels (if coded see	1 (MS. A4	l or	DPA	Ignition (ECM/PCM)		Catalytic   Converter
<u>CA/495T/505T)</u>	attachment)	eta-)	Tost Wt.	ALH2	Part No.		
<i>C</i> 2	Saleen S351	An /	2875	24	Salaen		Saleen
8-2351-01	meev ? 221	1116	7017	1.8	172-112	N/A	073-300
	Coupe			İ	12-112		10/3-300
	0			•			•
				~			Sween
8-5351-01	Saleen S351	M6	3875	8.9	Jaleen	N/A	<u> </u>
0-3001-01	Convertible	ĺ			172-112		073-300
	Convertible						} •
•	t :					i	
							1
				ļ		ļ	
		ļ					
		ļ					
				l l			
		,	[		į	į	
į	•	} }	i I E	į	,	1	
		!		į	ļ	į	
	į	{	į	1	i		
					<u> </u>		<del></del>
Date Issued:	Revisi	ons:			Model	: Saleen S	351