## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-9-461 Relating to Certification of New Motor Vehicles

## DAIMLERCHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year DaimlerChrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Emission Standard Category: Ultra-Low-Emission Vehicle (ULEV)

Fuel Type: Gasoline

Engine Family: YCRXA0287H41 Displacement: 4.7 Liters (287 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Dual Heated Oxygen Sensors (two) Sequential Multiport Fuel Injection Dual Warm Up Oxidation Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) ULEV certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	<u>Miles</u>	NMOG	_CO_	<u>N0x</u>	нсно_	CO (20°F)
3751-5750	50,000	0.100	4.4	0.4	0.009	12.5
	120,000	0.143	6.4	0.6	0.013	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for NMOG reflect application of a 0.94 RAF for 2000 model-year ULEVs. The ULEV certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	Miles	<u>NMOG</u>	_CO_	<u>NOx</u>	нсно	CO (20°F)
3751-5750	50,000	0.072	3.7	0.1	0.001	10.1
	120,000	0.072	4.6	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model- Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27 day of July 1999.

R. B. Summerfield, Chief

Mobile Source Operations Division

## 2000 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

E.O.# <u>A-9-461</u> Page \_1\_ of \_1

Manufacturer: DaimlerChrysler Exh Eng Fam: YCRXA0287H41 Evap Fam: YCRXE0101G3H
All Eng Codes in Eng Fam: CA X 49S 50S AB965 ORVR: YES NO X
Exh Std: CA Tier-1 TLEV LEV ULEV _X_ SULEV US: EPA Tier-1 NLEV
Exh Std: CA Tier-1 LEV LEV A SOLEV A SOLEV MDVA MDVA
Veh Class(es): PCLDT1LDT2MDV1MDV2 _X MDV3MDV4MDV5
Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Level Gasoline _X Diesel
CNG ING LPG M85 E85 Other(specify)
Emis Test Fuel(s): Indo CBG _X CNG LPG M85 E85 Other(specify)
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
Diesel. 15 Ook 2202 to of K service Y
Evaporative Emission Test Procedure: CaliforniaFederalX
Service Accum: Std AMA Mod AMA Mfr ADPX Other(specify)
NMOG Test Procedure: N/A Std Equiv _X_ R/L Test Proc: SHED Pt Source _X_
Engine Configuration: V-8 Displacement 4.7 Liters 287 Cubic Inches
Valves per Cylinder: 2 Rated Horsepower: 235 @ 4800 RPM
Valves per Cylinder:
Engine: Front X Rear Drive: FWD RWD X 4WD-FT X 4WD-PT X
Exhaust ECS (eg. EGR, MFI, TC, CAC): 2HO2S(2), 2WUOC, ( I, SFI, TWC
(use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW Or Test Wt.*	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100	DN1L74	. A4	5250	. S : E	56040363AC		52103389AA
CA-200	DN5L74	i 1	5500	E	56040365AC		52103390AA
i	<b>1</b> <b>1</b> <b>1</b>	:	i	A	The state of the s		
			# 	Ţ			÷ ;
			:	C			
	: :	• • • • • • • • • • • • • • • • • • •		H M	· :		- <u>-</u>
٠.			:	E			÷
	:	•	1	T.	•		
			i .				
·		1	÷		<u> </u>		; · · ! · :
		e e e e e e e e e e e e e e e e e e e		•	1	:	:
	<b>!</b>			!	: :		
	: :		:			·	· :. :
			:	:	<u> </u>		

<sup>\*</sup> Reflects ALVW Test Weight

Date Issued: 06/17/99

2000 YCRXA0287H41			<b>u</b>	hrysler Family	Chrysler Corporation Family Tire Usage		Attachment to SDS r
		1 	1		LOMDED VEHTCLE WETGHT	ADJUSTED LOAD	ADJUSTED LOADED VEHICLE WGT
A MKT LVM ADDEL ENG TRANS C GVM TYPE ETW	COAST TIRE DESCRIPTION DOWN *DYNO USE YR COD HFG OPT TIME HP	COAST DOUN *I		TIRE PRES F R	COLO CO ELECTRIC DYNO COEFFICIENTS  TARGET A B C SET A B C (LINE 1 IS 20 DEG COEFFS,LINE 2 IS 50 DEG WHEN NEEDED)	COAST ALVW DOWN ETW TIME	TIRE *DYNO PRES
DN1L74 EVA DG4 RM Y 6050 C 4750 STD 00 1S1 TZA 14.5	STD 00 TS1 TZA	14.94 12.3 35 35	12.3	35 35	61.83 0.03617 56.21 0.03288	5250 15.79 11.4 35 35	11.4 35 35
	OPT 00 TS2 TZA	14.94 12.3 35 35	12.3 3	35 35	61.83 0.03617 56.21 0.03288	15.79 11.4	11.4
	OPT 00 TSC TZH	15.96	96 12.0 35.35	55.35	46.55 0.03830	17.20 11.9	11.9
DNSL74 EVA DG4 44 Y 6400 C 5250	STD 00 1S1 12A	13.46	46 13.9 35 35	52 33	81.21 0.03455 71 0.03864	5500 14.09 12.8 35 35	12.8 35 35
	OPT 00 152 1ZA	13.46	.46 13:9 35 35	35 35	77 RT 0 0.05253	14.09	14.09 12.8 35 35
	OPT 00 TUT 12A	13.85	.85 14.2 35 35	35 35	71.97 0.0401 65.43 0.04001	14.30	14.30 13.1 35 35

TREAD DEPTH

L OVERLAY
Y MATERIAL
Z None
2 None
2 None
2 None
2 None

	y Sy Sidemall Material y Sy Sidemall Material 4 BSW Polyester 6 BSW Polyester 7 BSW Polyester 7 GWL Polyester
Chryster Corporation FAMILY TIRE DESCRIPTION	COMSTRUCTION L RPM COD IREAD MATERIAL 729 SBR 2-Steel/2-Polyester 4 BSW Polyester 729 SBR 2-Steel/2-Polyester 4 OML Polyester 720 SBR 2-Steel/2-Polyester 4 BSW Polyester 720 SBR 2-Steel/2-Polyester 4 BSW Polyester 689 SBR 2-Steel/2-Polyester 4 OML Polyester
	S1ZE P235/75R15-XL P235/75R15-XL P235/75R15-XL 31X10.5R15 C
v	THE DESCRIPTION  YR COD MFG OPT MAME  OO 1S1 1ZA MRANGLER RTS (A/T) P235/75R15  OO 1S2 1ZA WRANGLER RT/S (A/T) P235/75R15  OO 1SC 1ZH XM4  OO 1SC 1ZH XM4  OO 1UT 1ZA MRANGLER RT/S (A/T) 31X10.5R15
2000 YCRXA0287H41	TIRE DESCRIPTION YR COD MFG OPT MAME 00 1S1 1ZA MRANI 00 1S2 1ZA WRANI 00 1SC 7ZH XM4

Report Date: 06/05/99 Time: 08:12:52

/ 10. - 1606 - 401 /

80
_
0
<u></u>
œ
w
3
=
Ç
ũ
S
_
ш
<u> </u>
=
2
x

YCRXA0287H41	YCRXED101G3H
Engine Family:	"East dy tatoray."


Vehicle MFR: CHRYSLER

ø
-
ď
ú
.=
•
•
**
4
Ð
ü
_

0	
YCRXA0287H41 YCRXE0101G3H	
Engine Family: Evaporative Fam:	

California	Sales	 YES	YES
	Car Line	Durango 2WD	Dodge Durango 4ND SUV

Model ID DN1174 DN5L74



Report Date: 06/16/99