

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-464  
Relating to Certification of New Motor Vehicles

DAIMLERCHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year DaimlerChrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: YGRXA0360H31 Displacement: 5.2 Liters (318 Cubic Inches)  
5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three Way Catalytic Converter
- Dual Heated Oxygen Sensors (two)
- Sequential Multiport Fuel Injection
- Dual Warm Up Oxidation Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>NMOG</u>	<u>CO</u>	<u>NOx</u>	<u>HCHO</u>	<u>CO (20°F)</u>
3751-5750	50,000	0.160	4.4	0.4	0.018	12.5
	120,000	0.230	6.4	0.6	0.027	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for NMOG reflect application of a 0.94 RAF for 2000 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>NMOG</u>	<u>CO</u>	<u>NOx</u>	<u>HCHO</u>	<u>CO (20°F)</u>
3751-5750	50,000	0.070	1.4	0.2	0.002	6.4
	120,000	0.073	1.9	0.2	0.003	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 1<sup>st</sup> day of July 1999.



R. B. Summerfield, Chief  
Mobile Source Operations Division

2000 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: DaimlerChrysler Corp. Exh Eng Fam: YCRXA0360H31 Evap. Fam: YCRXE0174G3H & YCRXE0174G4H  
 All Eng Codes in Eng Fam: CA X 49S      50S      AB965      ORVR: YES      NO X  
 Exh Std: CA Tier-1      TLEV      LEV X ULEV      SULEV      US: EPA Tier-1      NLEV       
 Veh Class(es): PC      LDT1      LDT2      MDV1      MDV2 X MDV3      MDV4      MDV5       
 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Fuel Type(s): Dedicated X Flex-Fuel      Dual-Fuel      Bi-Level      Gasoline X Diesel       
                   CNG      LNG      LPG      M85      E85      Other(specify)       
 Emis Test Fuel(s): Indo      CBG X CNG      LPG      M85      E85      Other(specify)       
                   Diesel: 13 CCR 2282      40 CFR 86.113-90      40 CFR 86.113-94       
 Evaporative Emission Test Procedure: California      Federal X  
 Service Accum: Std AMA      Mod AMA      Mfr ADP X Other(specify)       
 NMOG Test Procedure: N/A      Std      Equip X R/L Test Proc: SHED      Pt Source       
 Engine Configuration: V-8 Displacement 5.2/5.9L Liters 318 / 360 Cubic Inches  
 Valves per Cylinder: 2 Rated Horsepower: 230 @ 4400 245 @ 4000 RPM  
 Engine: Front X Rear      Drive: FWD      RWD X 4WD-FT X 4WD-PT       
 Exhaust ECS (eg. EGR, MFI, TC, CAC): 2WUOC, 2HO2S(2), TWC, SFI

(use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.*	DPA Or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100	BE1L31 BE1L32 BE1L33 BR1L61 BR1L62	A4	5500	S E E	56040369AB	--	52103344AA
CA-200	BR6L61 BR6L62		5500 5750	A T T			
CA-300	BE1L31 BE1L32 BE1L33 BR1L61 BR1L62		5500 5750 5500	A C H M E N T	56040411AB		
CA-400	BR6L61 BR6L62		5500				

\* Denotes ALVW test weights

Date Issued: 06/14/99

Revisions:

2000  
YCRXA0360H31

Chrysler Corporation  
Family Tire Usage

ADJUSTED LOADED VEHICLE WGT

LOADED VEHICLE WEIGHT

MODEL	ENG	TRANS	A	MKT	LVM	TIRE DESCRIPTION	USE YR	CDM	MFG	OPT	COAST	TIRE			C	ELECTRIC	DYNO	COEFFICIENTS	ALVM	DOAHN	TIME	COAST	TIRE					
												HP	F	R									SET A	SET B	SET C	HP	F	R
BE1L31	ELF	DGT	RM	Y	6400	C	5250	STD	00	TR8	TZA	14.75	14.1	35	35	61.92	0.04324	5500	14.98	14.5	35	35	15.25	14.0	35	35		
								OPT	00	TYU	TZA	14.87	13.9	35	35	56.29	0.04522											
								OPT	00	TYU	TZH	15.50	13.6	35	35	54.81	0.04281											
								OPT	00	TYV	TZH	15.50	13.6	35	35	49.83	0.03892											
								STD	00	TR8	TZA	14.75	14.1	35	35	61.92	0.04324	5500	14.98	14.5	35	35	15.25	14.0	35	35		
								OPT	00	TYU	TZA	14.87	13.9	35	35	55.79	0.04522											
								OPT	00	TYU	TZH	15.50	13.6	35	35	54.81	0.04281											
								OPT	00	TYV	TZH	15.50	13.6	35	35	49.83	0.03892											
								STD	00	TR8	TZA	15.27	14.3	35	35	64.03	0.04324	5500	14.98	14.5	35	35	15.25	14.0	35	35		
								OPT	00	TYU	TZA	15.41	14.1	35	35	58.21	0.03931											
								OPT	00	TYU	TZH	16.06	13.8	35	35	56.65	0.04281											
								OPT	00	TYV	TZH	16.06	13.8	35	35	51.50	0.03892											
								STD	00	TR8	TZA	15.27	14.3	35	35	64.03	0.04324	6000	16.32	14.5	35	35	16.62	14.1	35	35		
								OPT	00	TYU	TZA	15.41	14.1	35	35	57.66	0.04522											
								OPT	00	TYU	TZH	16.06	13.8	35	35	56.65	0.04281											
								OPT	00	TYV	TZH	16.06	13.8	35	35	51.50	0.03892											
								STD	00	TR8	TZA	14.75	14.1	35	35	61.92	0.04324	5500	14.98	14.5	35	35	15.25	14.0	35	35		
								OPT	00	TYU	TZA	14.87	13.9	35	35	56.29	0.03931											
								OPT	00	TYU	TZH	15.50	13.6	35	35	54.81	0.04281											
								OPT	00	TYV	TZH	15.50	13.6	35	35	49.83	0.03892											
								STD	00	TR8	TZA	14.75	14.1	35	35	61.92	0.04324	5500	14.98	14.5	35	35	15.25	14.0	35	35		
								OPT	00	TYU	TZA	14.87	13.9	35	35	55.79	0.04522											

\* - For DYNO HP = 0.00  
Ref To FRONTAL AREA

/ 10. - 1J08 - 400 /

Report Date: 06/05/99  
Time: 06:45:04

2000  
YCR1A0360H31

Chrysler Corporation  
Family Tire Usage

ADJUSTED LOADED VEHICLE WGT

LOADED VEHICLE WEIGHT

MODEL	ENG	TRANS	A	MKT	LWJ	TIRE DESCRIPTION	USE YR	COO	MFG	OPT	COAST	TIRE			C	ELECTRIC	DYNO	COEFFICIENTS	ALVW	COAST	TIRE		
												ETW	HP	F								R	DOWN
						OPT 00 TYU TZA					15.50	13.6	35	35	0.04281				5500	15.67	13.9	35	35
						OPT 00 TYV TZH					15.50	13.6	35	35	0.03892				5500	15.67	13.9	35	35
BR1L61	ELF	DGT	RW	Y	6400	C	4750				13.71	14.4	35	35	0.04281				5500	14.98	14.5	35	35
						OPT 00 TYU TZA					13.78	14.3	35	35	0.04324				5500	15.25	14.0	35	35
						OPT 00 TYU TZA					13.78	14.3	35	35	0.03931				5500	15.25	14.0	35	35
						OPT 00 TYU TZA					14.38	13.9	35	35	0.04522				5500	15.67	13.9	35	35
						OPT 00 TYU TZA					14.38	13.9	35	35	0.04111				5500	15.67	13.9	35	35
						OPT 00 TYV TZH					14.38	13.9	35	35	0.03892				5500	15.67	13.9	35	35
BR1L61	EHL	DGT	RW	Y	6400	C	4750				13.71	14.4	35	35	0.04281				5500	14.98	14.5	35	35
						OPT 00 TXP TZA					12.74	14.5	35	35	0.04324				5500	14.23	12.6	35	35
						OPT 00 TYU TZA					13.78	14.3	35	35	0.04906				5500	15.25	14.0	35	35
						OPT 00 TYU TZA					14.38	13.9	35	35	0.04460				5500	15.25	14.0	35	35
						OPT 00 TYU TZA					14.38	13.9	35	35	0.04522				5500	15.67	13.9	35	35
						OPT 00 TYU TZA					14.38	13.9	35	35	0.04111				5500	15.67	13.9	35	35
						OPT 00 TYV TZH					14.38	13.9	35	35	0.03892				5500	15.67	13.9	35	35
BR1L62	ELF	DGT	RW	Y	6400	C	5000				14.34	14.5	35	35	0.04281				5500	14.98	14.5	35	35
						OPT 00 TYU TZA					14.42	14.4	35	35	0.03892				5500	15.25	14.0	35	35
						OPT 00 TYU TZA					15.04	14.0	35	35	0.04324				5500	15.25	14.0	35	35
						OPT 00 TYV TZH					15.04	14.0	35	35	0.04522				5500	15.67	13.9	35	35
						OPT 00 TYU TZA					15.04	14.0	35	35	0.04111				5500	15.67	13.9	35	35
						OPT 00 TYV TZH					15.04	14.0	35	35	0.03892				5500	15.67	13.9	35	35
BR1L62	EHL	DGT	RW	Y	6400	C	5000				14.34	14.5	35	35	0.04281				5500	14.98	14.5	35	35
						OPT 00 TYU TZA					14.42	14.4	35	35	0.03892				5500	15.25	14.0	35	35
						OPT 00 TYU TZA					15.04	14.0	35	35	0.04324				5500	15.25	14.0	35	35
						OPT 00 TYV TZH					15.04	14.0	35	35	0.03931				5500	15.67	13.9	35	35
						OPT 00 TYU TZA					15.04	14.0	35	35	0.04522				5500	15.67	13.9	35	35
						OPT 00 TYV TZH					15.04	14.0	35	35	0.04111				5500	15.67	13.9	35	35
						OPT 00 TYU TZA					15.04	14.0	35	35	0.03892				5500	15.67	13.9	35	35
BR6L61	ELF	DGT	4W	Y	6400	C	5250				13.12	16.9	35	35	0.04281				5500	13.16	15.8	35	35
						OPT 00 TXW TZA					13.28	16.2	35	35	0.03892				5500	13.28	15.0	35	35
						OPT 00 TYL TZA					12.39	17.4	35	35	0.05154				5500	13.03	15.5	35	35
						OPT 00 TYL TZA					12.39	17.4	35	35	0.04456				5500	13.03	15.5	35	35
						OPT 00 TYL TZA					12.39	17.4	35	35	0.05183				5500	13.03	15.5	35	35
						OPT 00 TYL TZA					12.39	17.4	35	35	0.04712				5500	13.03	15.5	35	35

\* - For DYNO HP = 0.00  
Ref To FRONTAL AREA

/ 10. - 1J08 - 401 /

Report Date: 06/05/99  
Time: 06:45:04

2000  
YCRXA0360H31

Chrysler Corporation  
Family Tire Usage

ADJUSTED LOADED VEHICLE WGT

LOADED VEHICLE WEIGHT

MODEL	ENG	TRANS	A	HKT	LWJ	TIRE DESCRIPTION	USE YR	COD	MFG	OPT	COAST			TIRE			ALVM	DOJN	*DYNO	PRES	TIRE				
											ETW	HP	F	R	HP	F						R	ETW	HP	F
						OPT 00 TYU TZA					13.43	16.3	35	35	57.83	0.05212					13.51	15.1	35	35	
						OPT 00 TYU TZH					13.75	16.0	35	35	61.37	0.04879					13.79	14.9	35	35	
						OPT 00 TYV TZH					13.75	16.0	35	35	55.79	0.04435					13.79	14.9	35	35	
						OPT 00 TYX TZA					12.72	15.8	35	35	55.79	0.04435					12.73	14.2	35	35	
						OPT 00 TYZ TZA					12.72	15.8	35	35	62.61	0.04735					12.73	14.2	35	35	
						STD 00 TRB TZA					13.12	16.9	35	35	62.61	0.04735					13.16	15.8	35	35	
BR6L61	EML	DGT 4M Y 6400	C	5250		OPT 00 TXW TZA					13.28	16.2	35	35	58.00	0.04685					5500	13.28	15.0	35	35
						OPT 00 TYL TZA					12.39	17.4	35	35	61.50	0.04456					13.03	15.5	35	35	
						OPT 00 TYU TZA					13.43	16.3	35	35	75.08	0.04712					13.51	15.1	35	35	
						OPT 00 TYU TZH					13.75	16.0	35	35	57.83	0.05212					13.79	14.9	35	35	
						OPT 00 TYV TZH					13.75	16.0	35	35	52.57	0.04738					13.79	14.9	35	35	
						OPT 00 TYV TZH					13.75	16.0	35	35	61.37	0.04879					13.79	14.9	35	35	
						OPT 00 TYV TZH					13.75	16.0	35	35	55.79	0.04435					13.79	14.9	35	35	
						OPT 00 TYX TZA					12.72	15.8	35	35	61.37	0.04879					12.73	14.2	35	35	
						OPT 00 TYX TZA					12.72	15.8	35	35	55.79	0.04435					12.73	14.2	35	35	
						OPT 00 TYZ TZA					12.72	15.8	35	35	68.87	0.05209					12.73	14.2	35	35	
						OPT 00 TYZ TZA					12.72	15.8	35	35	62.61	0.04735					12.73	14.2	35	35	
						STD 00 TRB TZA					13.64	17.0	35	35	68.87	0.05209					6000	14.30	16.2	35	35
BR6L62	ELF	DGT 4M Y 6400	C	5500		OPT 00 TXN TZA					12.88	17.4	35	35	62.61	0.04735					13.46	16.5	35	35	
						OPT 00 TXW TZA					13.79	16.3	35	35	59.45	0.04751					14.42	15.5	35	35	
						OPT 00 TYL TZA					12.87	17.5	35	35	69.32	0.04902					14.16	15.9	35	35	
						OPT 00 TYU TZA					13.96	16.4	35	35	63.02	0.04456					14.68	15.6	35	35	
						OPT 00 TYU TZH					14.29	16.1	35	35	76.80	0.05183					14.98	15.4	35	35	
						OPT 00 TYV TZH					14.29	16.1	35	35	69.82	0.04712					14.98	15.4	35	35	
						OPT 00 TYX TZA					13.21	16.0	35	35	59.27	0.05212					13.83	14.8	35	35	
						OPT 00 TYZ TZA					13.21	16.0	35	35	53.88	0.04738					13.83	14.8	35	35	
						OPT 00 TYZ TZA					13.21	16.0	35	35	62.89	0.04879					13.83	14.8	35	35	
						OPT 00 TYZ TZA					13.21	16.0	35	35	57.17	0.04435					13.83	14.8	35	35	
						OPT 00 TYZ TZA					13.21	16.0	35	35	57.17	0.04435					13.83	14.8	35	35	
						OPT 00 TYZ TZA					13.21	16.0	35	35	64.14	0.05209					13.83	14.8	35	35	
						OPT 00 TYZ TZA					13.21	16.0	35	35	64.14	0.05209					13.83	14.8	35	35	

\* - For DYNO HP = 0.00  
Ref To FRONTAL AREA

/ 10. - 1J08 - 402 /

Report Date: 06/05/99  
Time: 06:45:04

2000  
YCRBA0360H31

Chrysler Corporation  
Family Tire Usage

										LOADED VEHICLE WEIGHT					ADJUSTED LOADED VEHICLE WGT							
MODEL	ENG	TRANS	A	MKT	LMW	TIRE	DESCRIPTION	COAST	TIRE	TARGET A	COLD CO ELECTRIC DYNO COEFFICIENTS			ALWJ	COAST	TIRE	ETW	DOWN	*DYNO	PRES		
BR6162	EHL	DGT	4M	Y	6400	C	5500	STD	00	TR8	TZA	13.64	17.0	35	35	65.40	0.05154	0.04685	0.05226	13.46	15.8	35
								OPT	00	TXM	TZA	12.88	17.4	35	35	59.45	0.04685	0.05226	13.46	16.5	35	35
								OPT	00	TXM	TZA	13.79	16.3	35	35	68.85	0.04751	0.04902	13.28	15.0	35	35
								OPT	00	TYL	TZA	12.87	17.5	35	35	63.02	0.04456	0.05183	13.03	15.5	35	35
								OPT	00	TYU	TZA	13.96	16.4	35	35	69.82	0.04712	0.05212	13.51	15.1	35	35
								OPT	00	TYU	TZH	14.29	16.1	35	35	53.88	0.04738	0.04879	13.79	14.9	35	35
								OPT	00	TYV	TZH	14.29	16.1	35	35	62.89	0.04435	0.04879	13.79	14.9	35	35
								OPT	00	TYX	TZA	13.21	16.0	35	35	57.17	0.04435	0.05209	12.73	14.2	35	35
								OPT	00	TYZ	TZA	13.21	16.0	35	35	64.17	0.04735	0.05209	12.73	14.2	35	35
								OPT	00	TYZ	TZA	13.21	16.0	35	35	70.59	0.05209	0.04735	12.73	14.2	35	35
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					
																64.17	0.04735					
																70.59	0.04735					



2000  
YCRMA0360H31

Chrysler Corporation  
FAMILY TIRE DESCRIPTION

TIRE DESCRIPTION YR COD MFG OPT NAME	SIZE	RPM	CONSTRUCTION COD TREAD MATERIAL	P L	Y	SW	SIDEMALL MATERIAL	P L	OVERLAY Y MATERIAL	P L	X Y	TREAD DEPTH (IN.)
00 TR8 TZA	WRANGLER APC	P225/75R16-XL	716 SBR 2-Steel/2-Polyester	4	BSM	Polyester	4	BSM	Polyester	2	None	0 12
00 TRN TZA	WRANGLER ATS (A/T)	L1275/70R17 C	647 SBR 2-Steel/3-Polyester	5	OML	Polyester	5	OML	Polyester	3	None	0 18
00 TXP TZA	EAGLE RSA (A/S)	P275/60R17	697 SBR 2-Steel/2-Polyester	4	BSM	Polyester	4	BSM	Polyester	2	Nylon	2 11
00 TAW TZA	WRANGLER RTS (A/T)	P265/75R16	668 SBR 2-Steel/2-Polyester	4	OML	Polyester	4	OML	Polyester	2	None	0 14
00 TYL TZA	WRANGLER RT/S (A/T)	L1245/75R16-C	679 SBR 2-Steel/2-Polyester	4	BSM	Polyester	4	BSM	Polyester	2	None	0 16
00 TYU TZA	WRANGLER APC	P245/75R16	689 SBR 2-Steel/2-Polyester	4	BSM	Polyester	4	BSM	Polyester	2	None	0 12
00 TYV TZH	LTX A/S	P245/75R16	691 SBR 2-Steel/2-Polyester	4	BSM	Polyester	4	BSM	Polyester	2	None	0 10
00 TYX TZA	WRANGLER RTS (A/S)	P245/75R16	692 SBR 2-Steel/2-Polyester	4	OML	Polyester	4	OML	Polyester	2	None	0 10
00 TYZ TZA	WRANGLER RTS (A/S)	P245/75R16	692 SBR 2-Steel/2-Polyester	4	OML	Polyester	4	OML	Polyester	2	None	0 13

Report Date: 06/05/99  
Time: 06:45:04

/ 10. - 1J08 - 404 /

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER      Engine Family: YCRXA0360H31      Certificate #:  
Evaporative Fam: YCRXE0174G3H

Model ID	Car Line	California Sales
BE1L31	Ram 1500 Pickup 2WD	YES
BE1L32	Ram 1500 Pickup 2WD	YES
BE1L33	Ram 1500 Pickup 2WD	YES
BR1L61	Ram 1500 Pickup 2WD	YES
BR6L61	Ram 1500 Pickup 4WD	YES

Model Codes  
BE 8 L 34

-- 1st digit:      2nd digit:  
3=Club Cab      1=139" Wb W/2 Doors  
                         2=155" Wb W/2 Doors  
                         3=139" Wb W/4 Doors  
                         4=155" Wb W/4 Doors

----- Price Class  
L=Covers all trim levels

----- Model:  
1=1500      6=1500 4X4  
2=2500      7=2500 4X4  
3=3500      8=3500 4X4

----- Body Code:  
Ram Club Cab

Model Codes  
BR 2 L 62

-- 1st digit:      2nd digit:  
6=Regular Cab      1=119" or 139" Wb  
                         2=135" or 155" Wb  
                         3=139" Wb Chassis Cab  
                         4=163" Wb Chassis Cab  
                         5=135" Wb Chassis Cab

----- Price Class  
L=Covers all trim levels

----- Model:  
1=1500      6=1500 4X4  
2=2500      7=2500 4X4  
3=3500      8=3500 4X4

----- Body Code:  
Ram Pickup  
Ram Club Cab  
Ram Chassis Cab

Report Date: 06/15/99

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER      Engine Family: YCRXA0360H31      Certificate #:  
Evaporative Fam: YCRXE0174G4H

Model ID	Car Line	California Sales
BE1132	Ram 1500 Pickup 2WD	YES
BR1162	Ram 1500 Pickup 2WD	YES
BR6162	Ram 1500 Pickup 4WD	YES

Model Codes  
BE 8 L 34

1st digit: 2nd digit:  
3=Club Cab 1=139" Wb W/2 Doors  
2=155" Wb W/2 Doors  
3=139" Wb W/4 Doors  
4=155" Wb W/4 Doors

Price Class  
L=Covers all trim levels

Model:  
1=1500 6=1500 4X4  
2=2500 7=2500 4X4  
3=3500 8=3500 4X4

Body Code:  
Ram Club Cab

Model Codes  
BR 2 L 62

1st digit: 2nd digit:  
6=Regular Cab 1=119" or 139" Wb  
2=135" or 155" Wb  
3=139" Wb Chassis Cab  
4=163" Wb Chassis Cab  
5=135" Wb Chassis Cab

Price Class  
L=Covers all trim levels  
C=Chassis Cab

Model:  
1=1500 6=1500 4X4  
2=2500 7=2500 4X4  
3=3500 8=3500 4X4

Body Code:  
Ram Pickup  
Ram Club Cab  
Ram Chassis Cab

Report Date: 06/15/99