

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-468
Relating to Certification of New Motor Vehicles

DAIMLERCHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year DaimlerChrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: YCRXA0488K11 Displacement: 8.0 Liters (488 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter
Dual Heated Oxygen Sensors
Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>
8501-10000	50,000	0.46	5.5	1.3
	120,000	0.66	8.1	1.81

The certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>
8501-10000	50,000	0.18	4.0	0.5
	120,000	0.23	5.0	0.67

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the medium-duty vehicle phase-in requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles" (Title 13, California Code of Regulations, Section 1960.1(h)(2)).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That under the submitted medium-duty vehicle phase-in compliance plan, if the manufacturer incurs "Vehicle Equivalent Debits" for the aforementioned model year due to the manufacturer's failure to produce and deliver for sale in California the equivalent quantity of medium-duty vehicles certified to low-emission vehicle and/or ultra-low-emission vehicle exhaust emission standards required by the above-referenced standards and test procedures, all "Vehicle Equivalent Debits" incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model- Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3rd day of August 1999.


R. B. Summerfield, Chief
Mobile Source Operations Division

2000 MODEL YEAR AIR RESOURCES BOARD CERTIFICATION REVIEW SHEET
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

E.O.# A-9-468
 Page 1 of 1

Manufacturer: DaimlerChrysler Exh Eng Fam: YCRXA0488K11 Evap Fam: YCRXE0174G5H/YCRXE0174G6H
 All Eng Codes in Eng Fam: CA X 49S 50S AB965 ORVR: YES NO X
 Exh Std: CA Tier-1 X TLEV LEV ULEV SULEV US: EPA Tier-1 NLEV
 Veh Class(es): PC LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 X MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Level Gasoline X Diesel
 CNG LNG LPG M85 E85 Other(specify)
 Emis Test Fuel(s): Indo CBG X CNG LPG M85 E85 Other(specify)
 Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
 Evaporative Emission Test Procedure: California X Federal
 Service Accum: Std AMA Mod AMA X Mfr ADP Other(specify)
 NMOG Test Procedure: N/A X Std Equip R/L Test Proc: SHED Pt Source
 Engine Configuration: V-10 Displacement 8.0 Liters 488 Cubic Inches
 Valves per Cylinder: 2 Rated Horsepower: 295 @ 4000 RPM
 Engine: Front X Rear Drive: FWD RWD X 4WD-FT X 4WD-PT X
 Exhaust ECS (eg. EGR, MFI, TC, CAC): 2HO2S, HO2S(2), SFI, TWC
 (use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW Or Test Wt.*	DPA Or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100	BR3L63 BR3L64	A4	9000	S E E A T T A C H M E N T	56040421AB	----	52103201
CA-200	BE8L34 BR8L63 BR8L64						
CM-100	BR3L63 BR3L64	M5			56040419AB		
CM-200	BE8L34 BR8L63 BR8L64						

* Reflects ALVW Test Weight

Date Issued: 6/30/99

Revisions: _____

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: YCRXA0488K11
Evaporative Fam: YCRXE0174G5H

Certificate #:

Model ID
BE8L34

Car Line
Ram 3500 Pickup 4WD

California
Sales
YES

Model Codes
BE 8 L 34

1st digit: 2nd digit:
3=Club Cab 1=139" Wb W/2 Doors
2=155" Wb W/2 Doors
3=139" Wb W/4 Doors
4=155" Wb W/4 Doors

Price Class
L=Covers all trim levels

Model:
1=1500 6=1500 4X4
2=2500 7=2500 4X4
3=3500 8=3500 4X4

Body Code:
Ram Club Cab

Report Date: 06/24/99

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: YCRXA0488K11
Evaporative Fam: YCRXE0174G6H

Certificate #:

Attachment to SDS Pg. 4 of 4
of Executive Order # A-9-468

Model ID	Car Line	California Sales
BR8L63	Ram 3500 Cab Chassis 4WD HDV	YES
BR3L63	Ram 3500 Pickup 2WD HDV	YES
BR3L64	Ram 3500 Pickup 2WD HDV	YES
BR8L64	Ram 3500 Pickup 4WD HDV	YES

Model Codes

BR 2 L 62

1
 -- 1st digit: 2nd digit:
 6=Regular Cab 1=119" or 139" Wb
 2=135" or 155" Wb
 3=139" Wb Chassis Cab
 4=163" Wb Chassis Cab
 5=135" Wb Chassis Cab

----- Price Class
 L=Covers all trim levels
 C=Chassis Cab

----- Model:
 1=1500 6=1500 4X4
 2=2500 7=2500 4X4
 3=3500 8=3500 4X4

----- Body Code:
 Ram Pickup
 Ram Club Cab
 Ram Chassis Cab

Report Date: 06/24/99