

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-340
Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: YNSXT02.423B Displacement: 2.4 Liters (146 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three Way Catalytic Converters (Two)
- Heated Oxygen Sensors (Two)
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are (Title 13, California Code of Regulations, Section 1960.1):

<u>Loaded Vehicle Weight (lb)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
3751-5750	50,000	0.160	4.4	0.7	0.018	12.5
	100,000	0.200	5.5	0.9	0.023	NA

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.98-RAF for 2000 model-year TLEVs. The certification exhaust emission values for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lb)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
3751-5750	50,000	0.073	1.1	0.1	0.001	8.6
	100,000	0.086	1.3	0.2	0.001	NA

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet-average NMOG exhaust mass emission requirements set forth in Title 13, California Code of Regulations, Section 1960.1 and "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent-Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet-average compliance plan, if the manufacturer incurs an NMOG debit for the aforementioned model-year based on the projected NMOG fleet-average exceeding the value required by the above-referenced standards and test procedures, all NMOG debits incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running-loss and useful-life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent-Model Motor Vehicles;" and that the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model-year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed models also comply with the Board's high-altitude requirements and highway emission standards, and with the Inspection and Maintenance emission standards in place at the time of certification as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent-Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog-Index Label Specifications" for the aforementioned model-year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic-System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent-Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

NISSAN MOTOR COMPANY, LTD.

EXECUTIVE ORDER A-15-340
(Page 3 of 3)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 8th day of March 1999.



R. B. Summerfield, Chief
Mobile Source Operations Division

17.11.01 2000 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: YNSXT02.423B Evap Fam: YNSXE0110MBA

All Eng Codes in Eng Fam: CA X 49S 50S AB965 ,ORVR : YES NO X
 Exh Std: CA Tier-1 TLEV X LEV ULEV SULEV ,US EPA Tier-1
 Veh Class(es): PC LDT1 LDT2 X MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel
 CNG LNG LPG M85 Other (specify)
 Exh Emiss Test Fuel(s): Indo CBG X CNG LPG M85 Other (specify)
 Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
 Evaporative Emission Test Procedure : California Federal X
 Service Accum: Std AMA X Mod AMA Mfr ADP Other (specify)
 NMOG Test Procedure: N/A Std X Equiv R/L Test Proc: SHED Pt Source X
 Engine Configuration: L4 Displacement: 2.4 Litters 145.8 Cubic Inches
 Valves per Cylinder: 4 Rated HP: 143 @ 5200 RPM
 Engine: Front X Mid Rear Drive: FWD RWD X* 4WD-FT 4WD-PT X*
 *RWD is applicable to the XTERRA 2WD.
 4WD-PT is applicable to the FRONTIER TRUCK 4WD.
 Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC(2)/HO2S(2)/EGR/SFI
 (use abbreviations per SAE J1930 JUN93)

Continued on the next page

17.11.01 2000 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES
 (Continued)

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: YNSXT02.423B Evap Fam: YNSXE0110MBA

Engine Code	Vehicle Models	Trans.	ETW	DPA	Ignition	EGR	Catalytic
(also list CA/49ST/50ST)	(if coded see attachment)	(M5,A4 etc)	Test	or	or (ECM/PCM)	System	Converter
			Wt		Part No.	Part No.	Part No.
	NISSAN FRONTIER XE				ECM	EGR	FR:3S6
	REGULAR CAB TRUCK		3875		MEC04-082	Valve	RR:3S5
	4 x 4				(FRONTIER TRUCK 4WD)	VASA001	
AK24ECM2				15.4	MEC04-055		
(CA)	NISSAN FRONTIER XE				(XTERRA 2WD)		
	KING CAB TRUCK		4000				
	4 x 4						
	NISSAN XTERRA XE			11.3			
	4 x 2						
		M5	3875				
	NISSAN FRONTIER XE						
	REGULAR CAB TRUCK						
	4 x 4						
				14.0			
BK24ECM2	NISSAN FRONTIER XE						
(CA)	KING CAB TRUCK		4000				
	4 x 4						
	NISSAN XTERRA XE		3875	10.3			
	4 x 2						