#### State of California AIR RESOURCES BOARD

#### EXECUTIVE ORDER A-86-236 Relating to Certification of New Motor Vehicles

#### MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Exhaust Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: YMTXT03.5GNH Displacement: 3.5 Liters (213 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation Dual Heated Oxygen Sensors (two) Three Way Catalytic Converter Dual Warm Up Three Way Catalytic Converters Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes, and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are (Title 13, California Code of Regulations, Section 1960.1):

Loaded Vehicle <u>Weight (lb)</u> 3751-5750	<u>Miles</u> 50,000	Non-Methane <u>Organic Gases</u> 0.100 0.130	Carbon <u>Monoxide</u> 4.4 5.5	Nitrogen <u>Oxides</u> 0.4 0.5	<u>Formaldehyde</u> 0.018 0.023	Carbon <u>Monoxide (20°F)</u> 12.5 n/a
	100,000	0.130	5.5	0.5	0.025	12 0

# Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.94-RAF for 2000 model-year LEVs. The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle <u>Weight (lb)</u> 3751-5750	<u>Miles</u> 50,000	Non-Methane <u>Organic Gases</u> 0.051 0.056	Carbon <u>Monoxide</u> 0.9 1.1	Nitrogen <u>Oxides</u> 0.1 0.1	<u>Formaldehyde</u> 0.001 0.001	Carbon <u>Monoxide (20°F)</u> 7.8 n/a
	100.000	0.056	1.1	0.1	0.001	

### MITSUBISHI MOTORS CORPORATION

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleetaverage NMOG exhaust mass emission requirements set forth in Title 13, California Code of Regulations, Section 1960.1 ("California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles.")

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet-average compliance-plan, if the manufacturer incurs an NMOG debit for the aforementioned model-year based on the projected NMOG fleet-average exceeding the value required by the above-referenced standards and test procedures, all NMOG debits incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle-manufacturer is certifying the listed vehicle models to the running-loss and useful-life standards applicable to 1995 and subsequent model-year vehicles in "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles;" and that the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill-Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned modelyear (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed models also comply with the Board's high-altitude requirements and highway emission standards, and with the Inspection and Maintenance standards in place at the time of certification as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent-Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Motor Vehicle Emission Control and Smog-Index Label Specifications" for the aforementioned model-year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction- and Diagnostic-System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification-compliance with the Board's emission-control system warranty-provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle-manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent-Model Passengers Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

## MITSUBISHI MOTORS CORPORATION

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_\_ day of July 1999.

ourldui

R. B. Summerfield, Chief Mobile Source Operations Division

'00MY

#### 17.16.02

de la conserve

## E.O.# A-86-236

2000 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS

Manufacturer : Mitsubishi Motors Corporation Exh Engine Family : YMTXT03.5GNH ( 3.5TQN ) Evap Engine Family : YMTXE0200A1A All Eng Codes in Eng Fam : CA \_\_\_\_\_ 49S \_\_\_\_ 50S X : Yes No X Exh Std : CA Tier-1\_\_TLEV\_\_LEV X ULEV\_\_SULEV\_\_; EPA Tier-0\_\_ Tier-1\_ In-Use Exh Std : Full in use X Alt In Use Veh Class(es) : PC \_\_\_\_ LDT1 \_\_\_ LDT2 X Single Cert Std for Multi-Class Eng Fam: N/A (specify : N/A, LDT1) 

Fuel Type(s)
: Dedicated X Flex-Fuel
Dual-Fuel
Bi-Fuel
Gasoline X

Image: Provide the state of the sta Diesel : 13 CCR 2282 or 40 CFR 86.113-90 or -94 Evaporative Emission Test Procedure : California \_\_\_\_\_ Federal X Service Accum : Std AMA \_\_\_\_ Mod AMA X Mfr ADP \_\_\_ Other (specify) \_\_\_\_\_ NMOG Test Proc : N/A \_\_\_\_\_ Std X Equiv \_\_\_\_ R/L Test Proc : SHED X Pt Source Engine Configuration : V6 Displacement: 3.5 Liters/ 213.4 Cubic Inches Valves per Cylinder : 4 Rated HP: 197 @ 5000 RPM : Front X Mid\_ Rear\_\_\_ Engine : FWD RWD X 4WD-FT 4WD-PT X EGR+2HO2S(2)+TWC+2WUTWC, SFI Drive Exhaust ECS (eg., EGR, MFI, TC, CAC) :\_\_\_\_\_ (use abbreviations per SAE J1930 SEP91)

Note) \*1: Cert. emission is tested by Phase-II Evap. emission is tested by Indolene

17.16.02-3.5TQN-1

'00MY

# E.O.# 1-86-236

### 2000 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS

Evap Engine Family : YMTXE0200A1A

a an the second second

Manufacturer : <u>Mitsubishi Motors Corporation</u> Exh Engine Family : <u>YMTXT03.5GNH ( 3.5TQN )</u>

Engine Code (also list CAL/FED /BOTH)	Vehicle Models (if coded see attachment)	Trans. type *1	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR 5ystem Part No.	Catalytic Converter Part No.
ANA-F	Mitsubishi Montero	L4	4750	14.9	Distibutor: N/A ECM: MD365260 (E2T68691#)	MD199283 (K5T58980) Solenoid:	(Left) MR340042

\*1 : L-Automatic transmission with lock-up

\*2 : With Ni

N/A: Not Applicable

17.16.02-3.5TQN-2