- re

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-61-42 Relating to Certification of New Motor Vehicles

WINNEBAGO INDUSTRIES, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year Winnebago Industries, Inc. exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: YWBXT02.8225 Displacement: 2.8 Liters (170 Gubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection Three Way Catalytic Converter Heated Oxygen Sensors (two) Exhaust Gas Recirculation Secondary Air Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight	<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon	
(1bs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	_Oxides_	<u>Monoxide (20⁰F)</u>	
5751-8500	50,000	0.39	5.0	1.1	12.5	
	120,000	0.56	7.3	1.53	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Test Weight	<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon
(lbs,)		<u>Hydrocarbons</u>	<u>Monoxíde</u>	<u>Oxides</u>	<u>Monoxide (20⁰F)</u>
5751-8500	50,000	0.22	1.4	0.4	9.1
	120,000	0.30	2.1	0.56	n/a

BE IT FURTHER RESOLVED: That the manufacturer shall not be subject to the phase-in requirement specified in Title 13, California Code of Regulations, Section 1960.1(h)(2) Endnotes (10)(d) and (16) applicable to small-volume manufacturers of medium-duty vehicles.

10/3/2007

WINNEBAGO INDUSTRIES, INC.

EXECUTIVE ORDER A-61-42 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model- Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, Californía this 12^{+1}

day of August 1999.

R. B. Summerfield, Chief Mobile Source Operations Division

10/3/2007

E.O.# A-61-42

2000 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

M. Ifacturer: Winnebago Ind., Inc. Exh Eng Fam: YWBXT02.8225 Evap Fam: YWBXE0105233
All Eng-Codes in Eng Fam: CA 49S 50S_X AB965
Exh Std: CA Tier-1 X TLEV LEV ULEV ZEV; US EPA Tier-1_X
Evap Std: 50K Useful Life with R/LX In-Use Exh Std: Full In UseX Alt In Use
Veh Class(es): PCLDT1LDT2MDV1MDV2MDV3_X_MDV4MDV5
Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Bi-Fuel Gasoline_X_ Diesel
CNGLNGM85Other (specify)
Emiss Test Fuel(s): Indo Ph2 CNG LPG M85 Other (specify)CBG
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
Service Accum: Std AMA <u>X</u> Mod AMA Mfr ADP Other (specify)
NMOG Test Procedure: N/A X Std Equiv R/L Test Proc: SHED N/A Pt Source X
Hybrid: Type ABC, APU Cycle (e.g., Otto, Diesel, Turbine):N/A
Engine Configuration: V6 Displacement: 2.81 / Liters 170 / Cubic Inches
Valves per Cylinder: 2 Rated HP: 140 @ 4500 RPM
Engine: Front x Mid Rear Drive: FWD_X_RWD 4WD-FT 4WD-PT
Exhaust ECS (e.g., MFI, EGR, TC, CAC): <u>SFI/AIR/EGR/WC/H02S(2)</u> (use abbreviations per SAE J1930 SEP91)

(also list CA/49ST/50ST	Vehicle Models (if coded see attachment)	-Trans. (M5, A4 etc.)	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
AES 50ST	Rialta	L4	6,500	16.7	021-906-259P	021-131-501G	023-131-701SX

Date Issued: