State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-324-8 Relating to Certification of New Motor Vehicles

SALEEN PERFORMANCE, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year Saleen Performance, Inc. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: YS3XV04.6AAA Displacement: 4.6 Liters (281 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters (two) Dual Heated Oxygen Sensors (two) Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20⁰F)</u>	
50,000	0.25	3.4	0.4	10.0	
100,000	0.31	4.2	0.6	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon
	Hydrocarbons	<u>Monoxide</u>	Oxides	<u>Monoxide (20⁰F)</u>
50,000	0.08	0.8	0.1	2.1
100,000	0.10	1.2	0.1	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 - 2000 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235.)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965.)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 - 2000 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 - 2000 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 - 2000 Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 - 2000 Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1.)

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_day of January 2000

R. B. Summerfield, Chief

Mobile Source Operations Division

•

2000 Hodel-Year air resources board supplemental data sheet passenger cars, light-duty trucks and medium-duty vehicles

fax av. | Cas of a desc

Page_1

Manufacturer:	Saleen Pertor	· ·ahce]	Exh Eng F	am: 75	3x VO4.6AA :	Evap Fam: YS	3xR0105AA
all Engine Cod	ies in Engine Pam	iliy: C	A 49 <i>S</i>	50 <i>S</i>	<u>X</u> AB965 <u> </u> ,	ORVR: YES	S_X_ NO
All English son	ter-1 X TLEV	_ L	EV	ULEV	SULEV	, US EPA	Tier-1_X
EXT Std: CA 1	PC X LDT1_	LDT2	עםאַ		סעא אסע3	HDV4	אסעא
ven Class(es):	d for Hulti-Clas	— e Eng Pai	n: N/A (s	necify:	N/A, LDT1,	HDVI, HDV2, N	IDV3, HDV4)
Single Core Sc	Dedicated X F	lavaTudi	Dual	-Fuel	Bi-Fuel	Gasoline_/	Diesel_
Aner LAbe(a):	CNG LNG	100	M85	Other (specify)		
	: Fuel(s): Indo_	Y cac	CNG	T.PG	M85 (other (speci	fy)
EXU FWIRE Lest	: Fuel(s): Inco_	/ 		40 C	FR 86.113-90_	40 CFR 8	5.113-94
							·
Evaporative En	mission Test Proc	edure:	Calliorni	<u></u>		1500 Assiane	1 OF
Service Accum:	std AHA H	od AMA	Mrr .	AUP	Other (spec	rry) <u>, yyssydyis</u>	. 530-54 X
NHOG Test Proc	redure: N/A_X	Std	Eda TA"	— R	/L Test Proc:	781 0	this Tabas
Engine Conflgu	iration: V8	Displace	ment:	<u> </u>	<u>b_Litars</u>	5100	icic inches
Valvos per Cyl	linder: 2		Rated	HP:	<u>~83</u>	6 3/00	RPM
- 1	. X 1/12 15		Detva	. 5777	ל תשק	4 ND-FT	46D-PT
Exhaust ECS (e	a.g., MFI, EGR, T	c, cac):	LTWC	$\frac{Q}{Q}$	0HO15 (2)	1804 15F 1	ra 3 \
			(us	e abbre	viations per	542 01730 001	1701
Engine Code	Vehicle Models	Trans.		DPA	Ignition		Catalytic
(also list CA/49ST/50ST)		(M5, A4	Or Test Wt.	or Pare	(ECH/PCH)	•	Converter Part No.
CA/4931/3031/	accac.mens/		1		Ť		
(20) ((0.0)	Saleen 8281	! AA C	10	<u> </u>	_ /		<u></u>
3781-44-01		MID	3875	7.7	Ford	i rama	- 3.
	Coupe]	1		******	& Not Modified	# NOV
į		i !	i !	∫ } ·	Modified	Madified	Madii
i			į	}			
1							
i					-		
	4.7.4						
C791-99-01	Saleen \$281	MG	2475		E-~1	Ford	Ford
5 201		ر ۱۱۱	301)	1. /		·	
}	Convertible				#Not Modified	* Not Modified	Modified Modified
b					141501-1-1	Modified	10/6214-0.
i	-						-
					į	i i	
		!	i !	[]	i 1	[]	
1 1) ! !	i	į	į		
1			1		1		
İ	•	}	•	1	1 # 	•	
			l.,	L	Model: Salan	Soci	

Date Issued:

Revisions:

Model: Saleen 5281