### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-336-2 Relating to Certification of New Motor Vehicles

#### QUIGLEY MOTOR COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year Quigley Motor Company, Inc. exhaust emission control systems are certified as described below for medium-duty vehicles:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: YQMCA06.8JGC Displacement: 6.8 Liters (415 Cubic Inches)

### Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters
Three Way Catalytic Converter
Dual Heated Oxygen Sensors
Heated Oxygen Sensor
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are:

Test Weight (lbs.)	_Miles_	NMOG	CO	NOx_	<u>HCHO</u>
5751-8500	50,000	0.195	5.0	0.6	0.022
	120,000	0.280	7.3	0.9	0.032

Reactivity Adjustment Factor (RAF) for NMOG Mass Emissions: 0.94

The certification exhaust emission values set forth for NMOG reflect application of a 0.94 RAF for 2000 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Test Weight (lbs.)	_Miles	NMOG	CO	NOx_	<u>HCHO</u>	
5751-8500	50,000	0.117	1.0	0.3	0.002	
	120,000	0.156	1.6	0.4	0.003	

BE IT FURTHER RESOLVED: That the manufacturer shall not be subject to the phase-in requirement specified in Title 13, California Code of Regulations, Section 1960.1(h)(2) pursuant to Endnotes (10)(d) and (16) applicable to small-volume manufacturers of medium-duty vehicles.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 – 2000 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 - 2000 Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model- Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this //

day of July 2000.

R. B. Summerfield, Onief

Mobile Source Operations Division

## 2000 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer:	Quintay Motor Compan	$\frac{w}{2}$ , Inc.	Exh Eng F	am: <u>YQM</u> (	CA06.8JGC	Evap Fam: YQW	UCEOISSBAH
All Engine Co	des in Engine Fam	iliy: C	A <u> </u>	50s_	AB965,	ORVR: YE	:s ио <u>\</u>
Exh Std: CA	Tier-l TLEV	L	ev <u>\</u> :	ULEV	_ SULEV	., US EPA	Tier-1
Veh Class(es)	: PC LDT1	LDT2	NDV	1 M	DV2MDV3	<u>\</u> MDV4	MDV5
Single Cert S	td for Multi-Clas	s Eng Fa	m:(s	pecify:	N/A, LDT1,	MDV1, MDV2,	MDV3, MDV4)
Fuel Type(s):	Dedicated $\searrow$ F	lex-Fuel	Dual	-Fuel	_ Bi-Fuel	Gasoline_	Diesel
	CNGLNG	LPG	M85	Other (	specify)		·····
Exh Emiss Tes	t Fuel(s): Indo	CBG_	· CNG	_ LPG_	M85	Other (speci	.fy)
*					FR 86.113-90_		6.113-94
Evaporative E	mission Test Proc	edure: (	California	3	Federal_	7	
Service Accum	: Std AMA M	AMA bo	Mfr 2	ADP	Other (spec	ify) <u>Clotrom</u>	Ford
NMCG Test Pro	cedure: N/A	stà <u> </u>	Equiv_	R	/L Test Proc:	SHED P	t Source V
Engine Configu	uration: VIO	Displace	ment: <u>6.3</u>	/	Liters	<u> 115 /                                  </u>	ubic Inches
Valves per Cy	linder: 2		Rated	HP:	3 <i>0</i> 5	ë 4250	RPM
Engine: Front	t Mid R	ear	Drive	: FWD_	RWD	4WD-FT	4WD-PT_V
Exhaust ECS (	e.g., MFI, EGR, T	c, cac):	2TWC, T	NC 2HO	rs, 400s, Far	581	
			(use	e abbre	viations per	SAE J1930 JU	N93)
	Vehicle Models						
(also list CA/49ST/SOST)	(if coded see	(M5, A4	or Test Wt.	or er.ee	(ECM/PCM)	System	Converter
						1	1
		! !	1		! ! !	!	i !
		: [ [			! !	!	!
•	E-350 van	4	[ 	·	SEE FORD	 ! 555 Folo	   See Thium
	  - 	! 	t t		) { 		1
	] 		I I	· .	[ [ [	]   	1
	! !	1 1	₹ 1		1 ! \$	! !	1 1 1
	<b>!</b> !	! !	1 1 1		; ; }	] i 	
	1	1	) ] }		; ! !	!	
	! ! !		1		! !	! ! !	 
	! !	! !	i i		† :	] 	
	i ! !	! !	! !		₹ <b>†</b> †	 	-
		i i	1		•	Ì	
	! !	1	! !		-	!	
	1 1	1	:	:   	! ! !	1 1 1	
	 	; ;	<u> </u>	 		!	]   
•	I I I .	!			1 1 1	: !	1 · · · · · · · · · · · · · · · · · · ·
	!	!	! !	] 	[ . [	1	
	!		1		-	!	1
		<u> </u>	!	<u> </u>	!	!	<u>!</u>