## DAIMLERCHRYSLER CORPORATION

EXECUTIVE ORDER A-009-0569
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	ODEL TEST GROUP			Р	VEHICLE TYPE (PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)			EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; TLEV= transitional LEV; ULEV=ultra LEV; SULEV=super ULEV)			EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)			
			CRXT04.02Z0			LDT: 3,751-5,750 pounds L	1) USEPA Bin 9 2) Counted as ARB LEV I ULEV			100K/100K	Gasoline (Indolene)				
No.			PORATIVE IILY (EVAF)		lo.	SPECIAL FEAT EMISSION CONTROL			* = not applicable	OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TV WU= warm-up cat. O2S/HO2S=oxygen sensor/heated C					
1	2CR)	XXR0155GCH			1	2H02S(2), S	FI, TWC	, 2WUOC, OB	<b>BAF</b>	S/HAFS=air-fuel ratio s	ensor/heated AFS EGR=exhaust				
2		*			2	*					gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo/super charger				
3		*			3	*									
4		*			4			****	CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
EVAI No.	-	ECS No.	ENGINE VEHICLE VEHICLES SUBJECT TO SFTP SIZE (L) MAKES & MODELS STANDARDS ARE UNDERLINED			ABBREVIATIONS:									
1	1 1		4.0			Jeep Grand Cherokee									
*		* *				, , , , , , , , , , , , , , , , , , , ,	*								
*		*	*						*						
*	* * *					*									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

				OG @ I CH4 R	RAF=1.00 AF = *	NMOG or	CH4=methane NMOG=non-CH4 organic gas NMHC=non-CH4 hydrocarbon CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day												
CEF	CERT STD		NMOG		NMHC	NMHC STD	diurnal+hot-soak RL [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refueling vapor recovery g=gram mg=milligram mi=mile K=1000 miles F=degrees Fahrenheit SFTP=supplemental federal test procedure												
0.09	5	0.093	CERT		CERT	[g/mi]		[g/mi]	NO	x [g/mi]	F	HCHO [mg/mi]			g/mi]				
			[g/mi]		[g/mi]	[9,]	CERT	STD	CERT	STI	) C	ERT	STD	CERT	STD	CERT	STD		
1	41	@ 50K	0.079		*	0.100	1.4	3.4	0.1	0.2		1	15	*	*	0.01	0.27		
		@ UL	0.0	79	*	0.130	1.4	4.2	0.1	0.3	1	1	18	*	*	0.01	0.40		
	@ 50	°F & 4K			*	•	*	*	*	*		*	*	*	*	*	*		
	[g/mi] )°F &	L	SFTP 1 = @ 4K (SULEV, ULEV, LEV) or 50K (Tier 1, TLEV)			NMHC+NC (compo		CO [g/mi] (composite)		NMHC+NOx [g/mi] [US06]			O [g/mi] [US06]	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]			
5	50K		SFTP 2 = @ UL (Tier 1, TL			CERT	STD	CERT	STD	CERT	STD	CE	RT STI	CER	T STD	CERT	STD		
CERT	6.8		190	s	FTP@4K	*	*	*	*	0.15	0.25	7.	8 10.	5 0.13	0.27	0.1	3.5		
STD	12.5		43.7	s	FTP@UL	0.22	1.04	*	*	*	*	7.	8 14.	5 *	*	2.5	4.9		
@ UL	EVAPORATIVE FAMILY 1					EVA	2	EVAPORATIVE FAMILY 3					EVAPORATIVE FAMILY 4						
<b>32</b>	3-D	2-1	)	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVI	₹ 3-D	2-D	RL	ORVR		
CERT	1.1	0.	7	0.001	0.03	*	*	*	*	*	*		*	*	*	*	•		
STD	2.0	2.	5	0.05	0.20	•	*	*	*	*	*	*	*	*	*	*	*		

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

**BE IT FURTHER RESOLVED:** That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of April 2002.

Raphal Sunorus

New Vehicle/Engine Programs Branch