



MAZDA MOTOR CORPORATION

EXECUTIVE ORDER A-016-0267 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODE		TEST GROUP		VEHICLE TYPE		NUST EMISSION PARD CATEGORY	FUEL TYPE						
2002 2TKXT03.0FL0		: O-:	3750 Pounds Loaded Vehicle Weight Light-Duty Truck	Low E	Emission Vehicle (LEV)	Gasoline (Indolene)							
No.	EVAPOR. FAMILY (1		No.	SPECIAL FEATURES & EMISSION CONTROL SYSTEMS	(ECS)	* = not applicable	TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation catalytic converter O2S = oxygen sensor						
1	2TKXR01	15PPB	1	2TWC, TWC, 2HO2S(2),	SFI, EGR, 9	OBD (P)	HO2S = heated O2S EGR = exhaust gas recirculation						
2	*		2			AIR = secondary air injection PAIR = pulsed AIF MFI = multiport fuel injection SFI = sequential MF							
3	*	~	3	•	***		TC/SC = turbo/super charger CAC = charge air coole OBD (F) / OBD (P) = on-board diagnostics; full / partia						
4	•	-	4	•		compliance (prefix) 2 = parallel (2) (suffix) = se							
EVAI No.	P ECS	ENGIN SIZE (ECT TO SETP RE UNDERLINED							
1	1	3.0			I 4WD)								
•	*	•				*							
*	-	•		*									
*			_			*							

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

NMOG FLEET NMOG [g/mi] AVERAGE [g/mi] @ RAF = 1.00				CH4 = methane NMOG = non-CH4 organic gas NMHC = non-CH4 hydrocarbon CO = carbon monoxide NOx = oxides of nitrogen HCHO = formaldehyde PM = particulate matter RAF = reactivity adjustment factor												
CERT STD			CH4 RAF = *		CO [g/mi]			NOx [g/mi]		HCHO [mg/mi]		PM [g/mi]			Hwy NOx [g/mi]	
0.063 0.068			CERT	STD	CERT	STD	ÇE	RT	STD	CERT	STD	CERT	ST	D	CERT	STD
	@ 50	ж	0.030			0.3 3.4		.05	0.2	0.5	15	*	•		0.03	0.3
K = 1000	@ 100		0.040 0.090		0.4	4.2	0.1	.1	0.3	1	18	*	*		0.1	0,4
miles	@ 50°F, 4		•	*	*	*	 	•		*	*	•	•		*	*
					NOx [g/mi] NMHC+NOx [g/mi] posite) [US06]				[g/mi] 306]		NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]			
CERT	STD		mi = mile		CERT	STD	CE	RT	STD	CERT	STD	CERT	ST	D	CERT	STD
1.8	10.0		@ 4K		•	•	0.	08	0.14	4.1	8.0	0.04	0.2	20	0.3	2.7
F = degree Fahrenheit				@ 100K	•	•	,	•	•	•	•	•	•		*	
	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2 EV				VAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4				
@ 100K	3-D	2-D		ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-0	RL	ORV
CERT	1.0	0.9	0.01	0.10	*	*	*	•	•	*	•	*	*	*	•	*
STD	2.0	2.5	0.05	0.20	•	*	*	*	•	•	*	•	*	*	Ι,	•
2-D. 3-D (a	/test] = 2-da	γ, 3-d	—-!- lay diurnal	and hot-soa	k	RL [g/mi]	= runnir	ng loss		ORVR [g/g	allon of fue	dispense	d] = on-bo	ard refu	eling vapo	r recover

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

R. B. Summerfield, Chief Mobile Source Operations Division