

WINNEBAGO INDUSTRIES, INC.

EXECUTIVE ORDER A-061-0044 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR TE		TEST GROUP		VEHICLE TYPE		AUST EMISSION DARD CATEGORY	FUEL TYPE						
200	2 21	WBXT02.82	25	5751-8500 Pounds Adjusted Loaded Vehicle Weight Medium Duty Vehicle	Low E	Emission Vehicle (LEV)	Gasoline						
No.	o. EVAPORATIVE FAMILY (EVAP)		No.	SPECIAL FEATURES EMISSION CONTROL SYSTE		* = not applicable	TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation						
1	2WBXF	R0140233	1	TWC, HO2S(2), S	FI, AIR, OBD	catalytic converter O2S = oxygen sensor							
2		•		•	- <del></del>	HO2S = heated O2S EGR = exhaust gas recirculation AIR = secondary air injection PAIR = pulsed AIR							
3		*	3			MFI = multiport fuel injection SFI = sequential MF   TC/SC = turbo/super charger CAC = charge air coole							
4		•	4	*	. 10.1	OBD (F) / OBD (P) = on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = serie:							
EVAF No.	P EC					JECT TO SFTP	ABBREVIATIONS:						
1	1 2.8		ĺ	Winnebago 200-Series (Rialta, Vista, Sunstar)									
. •	* *			4									
*	•	* *		*									
+	•												

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

NMOG FLEET AVERAGE [g/mi]  ORAF = 0.94			CH4 = methane NMOG = non-CH4 organic gas NMHC = non-CH4 hydrocarbon CO = carbon monoxide NOx = oxides of nitrogen HCHO = formaldehyde PM = particulate matter RAF = reactivity adjustment factor													
CERT	CERT STD		CH4 RAF = *		CO [g/mi]			NOx [g/	mi)	HCHO [mg/mi]		PM [g/mi]			Hwy NOx [g/mi]	
*	*		CERT STD		CERT	ERT STD		CERT STD		CERT STD		CER	CERT STD		CERT	STD
K = 1000 miles	@	50K	0.076 0.195		1.2	5.0	0.2		0.6	1	1 22		4		0.04	1.2
	@ 120K		0.103 0.280		1.7	7.3 0.2		0.2	0.9	1 32		*		*	0.05	1.8
	@ 50°F, 4K		0.157 0.390		1.7	5.0	-	0.1	0.6	1	44	•		•	•	•
CO [g/ml] @ 20°F, 50K			g = gr	am milligram	NMHC+NOx [g/ml] (composite)		NN	NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]		NMHC	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
CERT	STD	STD		mi = mile		STD	D CERT		STD		STD	CER	<del>-, -</del>	TD	CERT	STD
5.1	12.5		@ 4K		*	*		*	•	*	•		<del></del>	*	*	*
F = degree	Fahrenhei	ahrenheit		@ 120K	* *			* *		•	* *		*		•	•
@	EVAPORATIVE FAMILY 1			EVAPORATIVE FAMILY 2			VAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4						
120K	3-D	2-D	RL	ORVR	3-D	2-D	RL.	ORVR	3-D	2-D	RL.	ORVR	3-D	2-D	RL	ORVR
CERT	1.3	1.3	0.03	0.02	•	•	*	•	*	•	*	•	*	<del>  .</del>	*	*
STD	2.0	2.5	0.05	0.20	•	*	•	<del>  •</del>	•	•	•	*	*	•	-	•
2-D, 3-D (g/(	test] = 2-da	ıy, 3-d	ay diumal a	nd hot-soak		RL [g/mi]	= runni	ing loss		ORVR [g/ga	lon of fuel	dispense	d] = on-b	oard ref	ueling vapo	r recovery

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles) Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 29<sup>7H</sup> day of August 2001.

R. B. Summerfield, Chief Mobile Source Operations Division