AUDI AG

EXECUTIVE ORDER A-030-0138 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODE YEAR				VEHICLE TYPE		EXHAUST EMISSION TANDARD CATEGOR	FUEL TYPE						
2002	2AD	2ADXV01.8346		Passenger Car	ļ t	Low Emission Vehicle (LEV)	Gasoline (Indolene)						
No.		EVAPORATIVE FAMILY (EVAP)		SPECIAL FEATURES & EMISSION CONTROL SYSTEM		* = not applicable	TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation						
1	2ADXR0	110234	1	SFI, TWC, HO2S(2), AII	R, TC, CAC,	OBD (F)	catalytic converter O2S = oxygen sensor HO2S = heated O2S EGR = exhaust gas recirculation						
2	2ADXR0	130242	2	*	,	AIR = secondary air injection PAIR = pulsed AIR MFI = multiport fuel injection SFI = sequential MFI TC/SC = turbo/super charger CAC = charge air cooler							
3	*		3	•									
4	*		4	*		OBD (F) / OBD (P) = on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = series							
EVAF No.	P ECS ENGINE No. SIZE (L)		(ICLES SUB.	ABBREVIATIONS: Volkswagen (VW)							
1	1 1.8			VW Golf, VW Jetta, VW GTI, VW Jetta Wagon, VW New Beetle									
2	1	1.8		Audi TT Coupe, Audi TT Roadster									
*	*	*		*									
*	*	•		7.00		*							

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

	FLEET GE [g/mi]			NMOG @RAF	[g/mi] = 1.00	CH4 = m NOx = ox	ethane cides of r	NMOG itrogen		H4 organic) = formald			CH4 hydrod late matter			carbon mor		
CERT	STD		CH4 RAF = *			CO [g/mi]			NOx [g/mi]		HCHO [mg/mi]		Р	PM [g/mi]		Hwy NOx [g/mi]		
0.062	0.068		CERT		STD	CERT	STE) C	ERT	STD	CERT	STD	CER	T S	TD	CERT	STD	
K = 1000 miles	@ 5	@ 50K		0.051 0.075		0.8	3.4	C	0.01	0.2	0.3	15	*		•	0.005	0.3	
	@ 10	@ 100K		.060	0.090	0.9	4.2	C	0.01	0.3	0.3	18	*		•	0.005	0.4	
	@ 50°F,	4K	0.	.082	0.150	1.2	3.4	0	0.02	0.2	0.4	30	*		*	*	*	
	[g/mi] °F, 50K			g = gra	ım nilligram	NMHC+NOx [g/mi] (composite)		ni] NA	NMHC+NOx [g/mi] [US06]		CO [g/mi] 1 [US06]			NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
CERT	STD			mi = mile		CERT	STD	CERT		STD	CERT	STD	CERT	•	TD	CERT	STD	
1.8	1.8 10.0				@ 4K				•	*	*	*	 •	*	•	•	*	
F = degree	Fahrenhei	heit			@ 100K	*	*		*	*	*	•	•		•	*	*	
@ 100K	EVAPORATIVE FAMILY 1			EVAPORATIVE FAMILY 2			EV	EVAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4							
	3-D	2-D		RL	ORVR	3-D	2-D	RL	ORVE	₹ 3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	
CERT	1.0	8.0		0.02	0.05	0.8	1.4	0.001	0.03	*	•	•	*	*		 		
STD	2.0	2.0 2.5		0.05	0.20	2.0	2.5	0.05	0.20	*	*	•	•	*	•	•	*	
2-D, 3-D [g/	test] = 2-da	y, 3-da	y d	iurnal ar	nd hot-soak		RL [g/m	i] = runni	ng loss		ORVR [g/ga	allon of fue	dispense	d] = on-b	oard ref	ueling vapo	r recovery	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of May 2001.

R. B. Summerfield, Chief Mobile Source Operations Division