## **ROLLS-ROYCE & BENTLEY MOTOR CARS LTD.**

EXECUTIVE ORDER A-048-0049 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

YEA		TEST GROUP			VEHICLE TYPE		OARD CATEGORY  onal Low Emission	FUEL TYPE						
200	2	2RRX	(V06.7TT		Passenger Car		Vehicle (TLEV)	Gasoline (Indolene)						
No.		NPORA MLY (E		No.	SPECIAL FEA EMISSION CONTROL		* = not applicable	TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation						
1	2RR	2RRXR0200E96			SFI, AIR, 2TC, 2CAC,	, 2HO2S(2), 2WU-TWC	catalytic converter O2S = oxygen sensor HO2S = heated O2S							
2		•				*	AIR = secondary air injection PAIR = pulsed AIR							
3		*		3		*	MFI = multiport fuel injection SFI = sequential MFI TC/SC = turbo/super charger CAC = charge air coole							
4	- Gardinand Communication	*		4		*	OBD (F) / OBD (P) = on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = serie							
EVAF No.		ECS No.	ENGINE SIZE (L)		VEHICLE MAKES & MODELS	VEHICLES SUB.								
1	1		6.7		Bentley Arnage; Bentley Arnage LWB									
*					•									
*					*									
*			*		*									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

NMOG FLEET NMOG AVERAGE [g/mi] @RAF			[g/mi] = 1.00	CH4 = n NOx = o	nethane xides of nit			H4 organic ) = formald			CH4 hydro			arbon mon		
CERT	CERT STD		CH4 RAF = *		CO [g/mi]			NOx [g/mi]		HCHO [mg/mi]		F	PM [g/mi]		Hwy NOx [g/mi]	
0.061	0.061 0.068		CERT	STD	CERT	STD	CI	ERT	STD	CERT	STD	CER	T S	TD	CERT	STD
K = 1000 miles	@	50K	0.050	0.125	1.0	3.4		0.1	0.4	2	15	•		•	0.03	0.5
	@ 1	@ 100K		0.156	1.1	4.2	-	0.1	0.6	2	18	•		•	0.1	0.8
	@ 50°F	, 4K	0.112	0.250	1.9	3.4	0	.03	0.4	5	30	•		•	*	*
CO [g/mi] g = gram mg = milligram			NMHC+NOx [g/mi] NMHC+NOx [g/mi (composite) [US06]				CO [g/mi] NMH [US06]			IC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]				
CERT	CERT STD		mi = mile		CERT STD		CI	ERT	STD	CERT	STD	CER	T S	TD	CERT	STD
5.5	10.0	10.0		@ 4K		*	* *		*	*	*	•		•	•	*
F = degree Fahrenheit		it	@ 100K			*		*	*	*	•	•	•		•	*
@ 100K	EVAPORATIVE FAMILY 1			EVAPORATIVE FAMILY 2 EV				VAPORATIVE FAMILY 3 EVAPORATIVE FAMILY 4					ILY 4			
	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVE	₹ 3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR
CERT	1.0	1.2	0.003	0.06	•	*	*	*	*	*		*	*	*	•	•
STD	2.0	2.5	0.05	0.20	*	*	*	*	*	*	*		*	*	•	*
2-D, 3-D [g/	test] = 2-d	ay, 3-d	lay diurnal a	ind hot-soal	······································	RL [g/mi]	= runnir	na loss		ORVR Ig/g:	allon of fue	dispense	d] = on-b	nard refi	ieling vapoi	recovery

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

\_ day of December 2001.

R. B. Summerfield, Chief Mobile Source Operations Division