



## **GENERAL MOTORS CORPORATION**

EXECUTIVE ORDER A-006-1092
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD YEA		TEST GROUP			•	M	VEHICLE TYPE C=passenger car; LDT=light-duty truck; DV=medium-duty vehicle; LVW=loaded rehicle weight; ALVW=adjusted LVW)	EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; TLEV= transitional LEV; ULEV=ultra LEV; SULEV=super ULEV)			EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)		
200	3	3GMXT04.2185			5		LDT: 3,751-5,750 pounds LVW	LEV			100K / 100K	Gasoline		
No.		EVAPORATIVE FAMILY (EVAF)			No	э.	SPECIAL FEATURES & EMISSION CONTROL SYSTEM		* = not applicable	OC	C/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC			
1	3GN	GMXR0175922			1		SFI, TWC, HO2S(2		ØA⊦	WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation Air/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board				
2		*			2		*		- ga					
3		*			3		*		Итв					
4		*			4		*		dia	ignostic prefix 2=para	led (P) / (P)=full /partial on-board lel (2) suffix=series			
EVAI No.		No. SIZE (L)				VEHICLE VEHICLES SUBJECT TO SFTP MAKES & MODELS STANDARDS ARE UNDERLINED ABBREVIATIONS: *								
1		1 4.2		2			Chevrolet Trailblazer 2WD/4WD; GMC Envoy 2WD/4WD; Oldsmobile Bravada 2WD/4WD							
*		*	* *				·							
*		* *				*								
*		* *						*						

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]			NMOG @ CH4 R		NMOG or	Initroden	HUHUSTON	naldehyde	PManar	ticulate m	etter l	9∆F=raactii	ritar adicietm	arbon mond ent factor	2/2 D [-/4/	1-2/2 days	
CER	CERT STD		NMOG NMHC		NMHC STD	mg=milligr	t-soak RL am mi=n	[g/mɪ]=rur nile K=1	nning loss 000 miles	ORVR (g	/gallon rees Fa	dispensed] threnheit	<b>SFTP</b> =sup	efueling val plemental fe	oor recovery	g=gram rocedure	
0.078	в	0.093	CERT [g/mi]	CERT [g/mi]	[g/mi]		g/mi]		NOx [g/mi]		HCHO [m		PM [			x [g/mi]	
			[g/m]	[g/m]	15	CERT	STD	CERT	STI	D CE	RT	STD	CERT	STD	CERT	STD	
		@ 50K	0.090	*	0.100	2.2	4.4	9.4	0.4		3	18	*	*	0.1	0.5	
		@ UL	0.090	*	0.130	2.2	5.5	0.4	0.5		3	23	*	*	0.1	0.7	
	@ 50	°F & 4K	0.100	*	0.200	1.0	4.4	0,1	0.4		1	36	ŵ	*	*		
CO [		L	= @ 4K (SUL .EV) or 50K (T	ier 1, TLEV	NMHC+NC (compo		i] CO [g/mi] (composite)		NMHC+NOx [g/mi] [US06]		C	O [g/mi] [US06]	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
50	50K		SFTP 2 = @ UL (Tier 1, TLEV)			STD	CERT	STD	CERT	STD	CE	RT STI	) CER	T STD	CERT	STD	
CERT	6.9			SFTP 1	*	•	*	•	0.09	0.25	0.	5 10.	5 0.10	0.27	0.2	3.5	
STD	12.5			SFTP 2	*	•		*	•		*	*	*	*	*	*	
@ UL			ATIVE FAM		EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4			
_	3-D	2-0	RL	ORVR	3-D	2-0	RL (	DRVR	3-D	2-D	RL	ORVI	R 3-D	2-D	RL	ORVR	
CERT	0.5	0.8	0.00	0.01		* 4			*	*	*	*	*	*	*	•	
STD	2.0	2.5	0.05	0.20	*				*	*	*	*	*	+	*	*	
															<del></del>		

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 2<sup>nd</sup> day of April 2002.

Allen Lyons, Chief

New Vehicle/Engine Programs Branch