GENERAL MOTORS CORPORATION

EXECUTIVE ORDER A-006-1095 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD YEA	ODEL TEST GROUP			JP		VEHICLE TYPE C=passenger car; LDT=light-duty truck; IDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)	EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; TLEV= transitional LEV; ULEV=ultra LEV; SULEV=super ULEV)			EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)			
200	2003 3GMX					LDT: 3,751-5,750 pounds LVW	T: 3,751-5,750 pounds LVW 1) USEPA Bin 9 2) Counted as ARB LEV I ULEV			100K / 100K Gasoline (Tier 2 Unleaded)				
No.		EVAPORATIVE FAMILY (EVAF)			No.	SPECIAL FEATURES EMISSION CONTROL SYSTE		* = not applicable	OC/I	OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbin WU= warm-up cat. O2S/HO2S=oxygen sensor/heat				
1	3GMX	3GMXR0175922			1	SFI, WUTWC, TWC, 21	102S, HO2S, (AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation AIR/PAIR=secondary air injection/pulsed AIR/ MFI/SFI= multiport fuel injection/sequential MFI						
2	3GMX	3GMXR0212923			2		'							
3	*				3			TBI=	TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board					
4		*			4	*	'	diag	nostic prefix 2=para	llei (2) suffix=series				
EVAI No.		ECS ENGINE No. SIZE (L)												
1	1 4.3				Chevrolet S10 Pickup 2WD/4WD, Blazer 2WD/4WD; GMC Sonoma 2WD/4WD, Jimmy 2WD/4WD									
2		1 4.3				Chevrolet Astro 2WD Cargo/Cargo Conversion/Passenger; GMC Safari 2WD Cargo/Cargo Conversion/Passenger								
*		* *				*								
*		* *						*						

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]				@ RAF=1.0 RAF = *	NMOG oi												
CER	CERT STD		NMOG			mg=milligr	am mi=r		000 miles	F=deg	rees Fah	renheit		erueling vap plemental fe			
0.078	3 (0.093	CERT	CERT [g/mi]	STD [g/mi]		g/mi]		x [g/mi]		CHO [m		PM [Hwy NO	x [g/mi]	
			[g/mi]	[āun]	13	CERT	STD	CERT	STI	D CE	RT	STD	CERT	STD	CERT	STD	
14.5	Marabi		0.069	*	0.100	1.6	3.4	0.1	0.2	2	1	15	*	*	0.05	0.27	
ir i	1	@ UL	0.090	*	0.130	2.4	4.2	0.1	0.3		1	18	*	*	0.08	0.40	
	@ 50	°F & 4K	*	*	*	*	,				•	*	*	*	*	*	
CO [SFTP 1 = @ 4K (SULEV, ULEV, LEV) or 50K (Tier 1, TLEV)			NMHC+N (comp		ni] CO [g/mi] (composite)		NMHC+NOx [g/mi] [US06]			CO [g/mi] [US06]		NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
50	50K		SFTP 2 = @ UL (Tier		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CER	T STD	CERT	STD	
CERT	4.1		TAK.	SFTP 1	*	*	*	*	0.04	0.25	0.5	10.5	0.03	0.27	0.4	3.5	
STD	12.5			SFTP 2	0.15	1.04		*	*		2.1	14.6	*	*	1.9	4.9	
@ UL,	E	VAPOR	ATIVE FA	MILY 1	EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4			
	3-D	2-[RL	ORVR	3-D	2-D	RL	ORVR	3 -D	2-D	RL	ORVE	₹ 3-D	2-D	RL	ORVR	
CERT	0.5	0.8	3 0.0	0.01	0.5	0.9	0.00	0.14	*	*	*	*	*	*	*	•	
STD	2.0	2.5	5 0.0	5 0.20	2.0	2.5	0.05	0.20	*	*	*	*	*	*	*	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of February 2002.

Allen Jons, Chief New Vehicle/Engine Programs Branch