## **GENERAL MOTORS CORPORATION**

EXECUTIVE ORDER A-006-1093 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD YEA	R	TEST GROUP			M	VEHICLE TYPE C=passenger car; LDT=light-duty truck; DV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)	EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; TLEV= transitional LEV; ULEV=ultra LEV; SULEV=super ULEV)			EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)			
200	2003 3GMXA04.218					MDV: 3,751-5,750 pounds ALVW		LEV		120K / 120K Gasoline				
No.		PORATIVE ILY (EVAF)			No.	SPECIAL FEATURES EMISSION CONTROL SYSTEI		* = not applicable	OC WI	OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S				
1	3GMX	3GMXE0212924			1	SFI, TWC, HO2S(2	), EGR, OBD	AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI						
2	*				2	*								
3	*				3	*		ТВ	TBI= throttle body injection TC/SC=turbo /super charger					
4		*			4	*		CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
EVA	, –							ECT TO SFTP	ADDE	EVIATIONS. +				
No.	lo. No.		SIZE (	<u>L)</u>		MAKES & MODELS STANDARDS ARE UNDERLINED ABBREVIATIONS: *								
1	1 4.2				Chevrolet Trailblazer Ext 2WD/4WD; GMC Envoy XL 2WD/4WD; Isuzu Ascender 2WD/4WD									
*	* *					*								
*	*		*					*						
*	,	* *						*						

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]				RAF=0.94 RAF = *	NMOG o	nitrogen	HCHO=fort	naldehvde	PM≕par	ticulat <b>e m</b>	latter i	₹∆F≡reactiv	rity adjustm	arbon mond ent factor	2/3 D In/test	1:::2/2 day	
CERT STD		NMOG NMHC		NMHC STD	mg=milligr	am mi=r	niie K=1	uou miles	F=deg	grees Fa	hrenheit	<b>≎on</b> -board in SFTP=sup	efueling var plemental fe	or recovery derai test pr	g≖gram ocedure		
*	*		CERT	CERT	[g/mi]		g/mi]	NO	x [g/mi]	H	ICH <b>O [</b> I	ng/mi]	PM [	g/mi]	Hwy NO	x [g/mi]	
			[g/mi]	[g/mi]	[3.111]	CERT	STD	CERT	STI	D CI	ERT	STD	CERT	STD	CERT	STD	
@		@ 50K	0.097	*	0.160	1.1	4.4	0.2	0.4		2	18	*	*	0.04	0.8	
	@ t		0.097	*	0.230	1.1	6.4	0.2	0.6	<b>;</b>	2	27	*	*	0.04	1.2	
	@ 50°F	8 4K	*	*	*	*	*				*	*	*	*	*	*	
CO [9	°F&	L	= @ 4K (SUL EV) or 50K (1	lier 1, TLEV	NMHC+NO (compo				NMHC+NOx [g/mi] [US06]		C	O [g/mi] [US06]		HC+NOx ni] [SC03]		[g/mi] 003]	
50K		SFTP 2	= @ UL (Tier	@ UL (Tier 1, TLEV)		STD	CERT	STD	CERT	STD	CE	RT STI	CER	T STD	CERT	STD	
CERT	11.2			SFTP 1	*	*	*	*	*		*	*	*	*	*	*	
STD	12.5			SFTP 2	*	*			•		*	*	*	*	*	•	
@ UL		/APOR/	ATIVE FAN		EVAPORATIVE FAMILY 2 EVAPORA					PORATI	RATIVE FAMILY 3			EVAPORATIVE FAMILY 4			
	3-D	2-0	RL	ORVR	3-D	2-D	RL (	ORVR	3-D	2-D	RL	ORV	₹ 3-D	2-D	RL	ORVR	
CERT	0.9	1.1	0.00	*		•	*	•	*	*	*	*	*	*	*	*	
STD	2.0	2.5	0.05	*	*	*		*	*	*	*	*	*	*	*	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of April 2002.

Allen Lyons, Chief

New Vehicle/Engine Programs Branch