

FUJI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER A-002-0119-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9:

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR TEST GROUP				ME	VEHICLE TYPE =passenger car; LDT=light-duty truck; V=medium-duty vehicle; LVW=loaded ehicle weight; ALVW=adjusted LVW) PC	CATEGOR'	EMISSION STANDA Y (LEV=low emiss LEV=transitional LEV; LEV; SULEV=super ULI	sion E	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefled natural gas; LPG=liquefled petroleum gas)						
No.	EVAP	VAPORATIVE AMILY (EVAF)			ło.	SPECIAL FEATURES EMISSION CONTROL SYSTE	& MS (ECS)	* = not applicable	ослу	C=oxidizing/3-way	Gasoline cat. ADSTWC=adsorbing TWC					
1	3FJXI	R012	5188		1	TWC(2), HO2S(TAFS/HA	AFS=air-fuel ratio :	1025=oxygen sensor/heated 02S sensor/heated AFS EGR=exhaust						
2		• 5			2	TWC(2), HO2S(2),	SFI, EGR, OBI	gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel Injectlon/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F)/(P)=full /partial on-board								
3		* 4			3	1										
4				7	4			diagnostic prefix 2=parallel (2) suffix=series								
EVAI No.	ECS ENGINE No. SIZE (L						ECT TO SETP E UNDERLINED	ABBREVIATIONS:								
1	1	1 2.5				SUBARU: FORESTER (2.5X, 2.5XS)										
1	2	2	2.5			SUBARU: LEGACY AWD (L, GT, OUTBACK LIMITED), LEGACY WAGON AWD (L, GT, OUTBACK)										
*	*	*	*													
*	*	*	*					•								

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	NMOG FLEET AVERAGE [g/mi] CERT STD		NMOG @ RAF=0.94 CH4 RAF = *		NMOG o	of hitrogr	en HCHO=	'ormaldehy	rde PM≕	articulat	te matter	RAF=react	carbons Co	nent factor	2/3 D In/test	13=2/3 day	
CER			NMOG	NMHC CERT [g/mi]	NMHC STD [g/mi]	mg=millig	lot-soak Ri grami mi≃	L[g/ml]≖ru :mile K=	inning lo s: 1000 mil e:	S ORVR	₹ [g/gailor degrees F	i dispensed] ahrenheit	=on-board r	efueling var elemental fe	or recovery	ตราย=ยู	
0.07	0.075 0.062		CERT [g/mi]				[g/ m i]	NO	Ox [g/mi]		нсно!		PM [c		Hwy NO		
			faunt			CERT	STD	CER	s1 s1	D O	CERT	STD	CERT	STD	CERT	STD	
11/23		@ 50K	0.044	•	0.075	1.2	3.4	0.1	0.	2	0.5	15	*	*	0.01	0.3	
		@ UL	0.047		0.090	1.4	4.2	0.1	0.	3	1	18	*	*	0.01	0.4	
	@ 50	°F & 4K	0.085	•	0.150	1.5	3,4	0.04	0.	2	0.5	30	*	â	*	•	
@ 20		[] LE	= @ 4K (SUL V) or 50K (TI	er 1, TLEV)	NMHC+NOx [g/mi] (composite)		€0 [g/mi] (composite)		NMHC+NO: [g/mi] [US00				NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
50	<u>к</u>	SFTP 2	= @ UL (Tier	1, TLEV)	CERT	STD	CERT	STD	CERT	STE) ÇE	RT STI	CERT	STD	CERT	STD	
CERT	4.4			SFTP 1					0.04	0.14	4 5.	1 8.0	0.11	0.20	0.9	2.7	
STD	10.0			SFTP 2	*	7.	*		*	*			•	*	*	•	
@ UL			ATIVE FAM		EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4			
	3-D	2-0	-	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVI	₹ 3-D	2-D	RL	ORVR	
CERT	1.1	1.1	0.00	0.02		*	*			+		*	*	4	*	-	
STD	2.0	2.5	0.05	0.20		•	e e	*	*	*	*		*		•	•	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes Executive Order A-002-0119 dated February 21, 2002.

Executed at El Monte, California on this 2002.

Allen Lyons, Chief

New Vehicle/Engine Programs Branch