California Environmental Protection Agency AIR RESOURCES BOARD

١.

EXECUTIVE ORDER A-006-1089 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

1 ili

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODI YEA		TEST GROUP			MD	VEHICLE TYPE =passenger car; LDT=llght-duty truck;)V=medium-duty vehicle; LVW=loaded ehicle weight; ALVW=adjusted LVW)	EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; TLEV= transitional LEV; ULEV=ultra LEV; SULEV=super ULEV)			EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)				
2003	3	3GMXV03.8043				PC	LEV			100K / 100K	Gasoline				
No.		APORATIVE				SPECIAL FEATURES EMISSION CONTROL SYSTE		* = not applicable		OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing WU= warm-up cat. O2S/HO2S=oxygen sensor/heate					
1	3GM	IXR01:	R0133910			SFI, TWC, HO2S(AFS	/HAFS=air-fuel ratio s	ensor/heated AFS EGR=exhaust					
2	3GM	GMXR0124919			2	*		-gas	- Igas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo (super charger						
3		*			3	*		TBI=							
4		*	*			*			CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
EVAF No.		ECS No.	ENGIN SIZE (L					ECT TO SFTP	ABBRE	EVIATIONS: *					
1		1 3.1					Buick Century, Regal; Pontiac Grand Prix								
2		1	3.1			Chevrolet Malibu									
*		* *				*									
*		*	*					*							

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NM	OG FLI	EET	NMOG @	RAF=0.94	1	CH4=metha	ne NMOG	=non-CH4	organic o		=non-Ci	14 bydroca	rhon COrr	arbon mone	avida NOv-	ouidee of
AVERAGE [g/mi]			CH4 RAF = *		NMOG or	nitrogen	HCHU=Torn	naldehvde	PM≡bai	rticulate m	after F	2AF=reaction	vitu arliuetra	ont factor	2/2 D Inline	1-2/2 days
CER	CERT STD		NMOG	NMHC	NMHC STD	mg=milligra	I-SOAK RL	[g/m]=ru	nning toss 000 miles		g/gallon	dispensed) hrenheit	=on-board i	refueling val	oor recovery	g=gram
0.06		0.062	CERT	CERT	[g/mi]	CO [0x [g /mi]		CHO [g/mi]	Hwy NO	
State of State of State			[g/mi]	[g/mi]		CERT	STD	CERT	ST	D CI	ERT	STD	CERT	STD	CERT	STD
	92.64	@ 50K	0.062	*	0.075	1.4	3.4	0.1	0.2	2 (0.5	15	*	*	0.1	0.3
		@ UL	0.067	*	0.090	1.7	4.2	0.1	0.:	3	1	18	*	*	0.1	0.4
	@ 50°	F & 4K	*	*	*	*	*	*	*		•	*	*	*	*	*
CO [@ 20	°F&	j Li	= @ 4K (SUL EV) or 50K (T	ler 1, TLEV	NMHC+NOx [g/mi] CO [g/mi] (composite) (composite)				NMHC+NOx CO [g/mi] [g/mi] [US06] [US06]			NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
50	ĸ	SFTP 2 = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	STD	CEF	T ST	D CER	T STD	CERT	STD	
CERT	2.6		12.0	SFTP 1	*		*	*	0.03	0.14	2.1	8.0	0.02	0.20	0.2	2.7
STD	10.0			SFTP 2	*	7	*	*	•	*	*	*	*	*	*	+
@ UL	E	VAPORA	ATIVE FAM	ILY 1	EVAPORATIVE FAMILY 2				EVA	EVAPORATIVE FAMILY 3				EVAPORATIVE FAMILY 4		
	3-D	2-D	RL	ORVR	3-D	2-D	RL (DRVR	3-D	2-D	RL	ORV		2-D	RL	ORVR
CERT	1.2	1.2	0.00	0.09	0.6	0.7	0.00	0.02	*	*	*	*	*	*	*	*
STD	2.0	2.5	0.05	0.20	2.0	2.5	0.05	0.20	*	*	*	*	*	*	*	*

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 5^{74} day of February 2002.

1 Allend yons, Chief

Allen Branch New Vehicle/Engine Programs Branch