California Environmental Protection Agency AIR RESOURCES BOARD	VOLKSWAGEN AG	EXECUTIVE ORDER A-007-0229-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

S. Deruh

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD		TEST GROUP			MI	VEHICLE TYPE EXHAUST EMISSION STAN (PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW) ULEV=utira LEV; SULEV=supe					EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)				
200	-					PC			ULEV		100K / 100K					
No.		APORATIVE MILY (EVAF)				ł o.	SPECIAL FEATUR			* = not applicable		OC/TWC=oxIdizing/3-way cat. ADSTWC=adsorbing T WU= warm-up cat. O2S/HO2S=oxygen sensor/heated				
1	3VW)	KR01 ⁻	10234		1			R, SFI, OBD (F)		U= warm-up cat. 025/H FS/HAFS=alr-fuel ratio s	ensor/heated AFS EGR=exhaust				
2		*			2		*		— I ga							
3		*		12	3		*			ТЕ	TBI= throttle body injection TC/SC=turbo /super charges					
4		*		10 P	4		*				CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series					
EVAF No.		CS lo.	ENGIN SIZE (VEHICLE MAKES & MODELS	VEHI	CLES SUBJ	CT TO SFTP	ABB	BBREVIATIONS: *					
1		1	2.0			Volkswagen: Jetta, Jetta Wagon, Jetta Wagon GLS, Golf, New Beetle, New Beetle Convertible										
*		*	*			* * * De Contratione Convertible										
*		*	*													
*		*	*													

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	OG FL RAGE		NMOG @ CH4 R	RAF=0.94 AF = *	NMOG or									carbon mono lent factor		
CER	т	STD	NMOG	NMHC		diurnal+ho mg=millig	JU-SUAK KI	- լցոով–ոսո	ining loss 000 miles	URVI	< [g/gailoi	ahrenheit	=on-board	refueling vap piemental fe	or recovery	a≓aram
0.05	6	0.062	CERT [g/mi]	CERT [g/mi]	[g/mi]	CO CERT	[g/mi] STD		x [g/mi]		HCHO	[mg/mi]	PM [[g/mi]	Hwy NC	
Wat in	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1						CERT	ST		CERT	STD	CERT	STD	CERT	STD	
		@ 50K	0.014	•	0.040	1.0	1.7	0.1	0.2	2	1	8	*	•	0.03	0.3
	@ U @ 50°F & 4		0.017	*	0.055	1.2	2.1	0.1	0.3	3	1	11	*	*	0.04	0.4
			0.026	*	0.080	0.6	1.7	0.1	0.2	2	1	16	*	*	*	*
@ 20	@ 20°F &		= @ 4K (SUL V) or 50K (TI	er 1, TLEV)	NMHC+NC (compo	x [g/mi] CO [g/mi] site) (composite)			NMHC+NC [g/mi] [USC					IHC+NOx ni] [SC03]		[g/mi] C03]
50	ĸ	SFIPZ	= @ UL (Tier	1, TLEV)	CERT	STD .	CERT	STD	CERT	ST	D CE	RT STI	D CER	T STD	CERT	STD
CERT	2.3			SFTP 1	*	*	*	*	0.10	0.1	4 0.	8 8.0	0.15	0.20	1.3	2.7
STD	10.0			SFTP 2	*	*	*	*	*				*	*	*	•
@ UL			ATIVE FAM	ILY 1	EVAPORATIVE FAMILY 2 EVAPOR						RATIVE FAMILY 3			EVAPORATIVE FAMILY 4		
	3-D	2-D	RL	ORVR	3-D	2-D	RL.	ORVR	3-D	2-D	RL	ORV		2-D	RL	ORVR
CERT	1.0	0.8	0.02	0.05	*	*	•	*	*	* -	*	*	+	*	*	*
STD	2.0	2.5	0.05	0.20	*	*	*	•	*	*	*	•	*	*	+	•

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. This Executive Order hereby supersedes Executive Order A-007-0229 dated May 9, 2002.

Executed at El Monte, California on this 23 ይ day of September 2002.

L1

Allen Lyons, Chief Mobile Source Operations Division