



DAIMLERCHRYSLER CORPORATION

EXECUTIVE ORDER A-009-0572-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD		TEST GROUP			VEHICLE TYPE PC=passenger car; LDT=iight-duty truck; /IDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)	CATEGOR vehicle;	EMISSION STANDAY (LEV=low emis TLEV= transitional LEV LEV; SULEV=super Ut	sion EVAPORATIVE	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)					
200	3	3CRXV02.4VD1			PC		LEV	100K / 100K	Gasoline					
No.		PORATIVE ILY (EVAF)		No.	SPECIAL FEATURES EMISSION CONTROL SYSTI		* = not applicable	ay cat. ADSTWC=adsorbing TWC						
1	3CRX	(R010	1GBA	1	H02S(2), TW0	, SFI, OBD (P	WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust							
2		*				*	gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger							
3		•				*								
4		*				*	CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series							
EVAF No.			ENGIN SIZE (L			HICLES SUB.	ABBREVIATIONS:							
1		1	2.4		Chrysler F	iser								
*		*	*		Chrysler PT Cruiser, Chrysler Neon, Dodge Neon; Chrysler PT Cruiser *									
*		*	*		•									
*	* *													

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]			NMOG @ RAF=0.94 CH4 RAF = *			NMOG or	CH4=methane NMOG=non-CH4 organic gas NMHC=non-CH4 hydrocarbon CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day diurnal+hot-soak RL [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refueling vapor recovery g=gram											
CER	ERT STD		NMOG		NMHC	NMHC	mg=millig	ot-soak K	L [g/mij≃ru	nning loss 1000 miles	S ORV	/R [g/gallo	n dispensed] ahrenheit	=on-board r	efueling vap plemental fe	or recovery	q=qram	
0.08	3	0.062	CERT [g/mi]		,	[g/mi] 0.075		CO [g/mi]		NOx [g/mi]		HCHO [mg/mi]		PM [g/mi]		Hwy NOx [g/mi]		
		ACOMO C. P. MICH]			CERT	STD	CER	r st	D	CERT	STD	CERT	STD	CERT	STD	
	2.11.21		0.0	052	*		0.9	3.4	0.1	0.	2	1	15	*	*	0.02	0.3	
		@ UL	0.0	052	*	0.090	0.9	4.2	0.1	0.	3	1	18	*	*	0.02	0.4	
. 10			*		*	•	*	*	•	*	* *		*	*	*	*	•	
@ 20	@ 20°F &			50K (Tie	V, ULEV, or 1, TLEV)	NMHC+NOx [g/mi] (composite)		CO [g/mi] (composite)		NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]		HC+NOx ii] [SC03]		[g/mi] 203]		
50	50K		SFTP 2 = @ UL (Ti		I, TLEV)	CERT	STD	CERT	STD	CERT	SI	TD CE	RT ST	D CER	T STD	CERT	STD	
CERT	2.8	1.5			SFTP 1	•	*	*	*	0.07	0.	14 4	.6 8.0	0.07	0.20	0.5	2.7	
STD	10.0				SFTP 2	*	*	*	*	*	1	*	• •	*	*	*	*	
@ UL	EVAPORATIVE FAMILY 1					EVAPORATIVE FAMILY 2				EVA	EVAPORATIVE FAMILY 3				EVAPORATIVE FAMILY 4			
	3-D	2-1)	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-0	R	ORV	R 3-D	2-D	RL	ORVR	
CERT	0.8	1.3	3	0.001	0.06	*	*	*	•	*	*	•	•	•	•	*	•	
STD	2.0	2.	5	0.05	0.20	*	*	*	*	*	*	*	-	*	+	*	+	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. This Executive Order hereby supersedes Executive Order A-009-0572 dated June 13, 2002.

Executed at El Monte, California on this ____ 27 th day of November 2002.

Allen Lyons, Chief

Mobile Source Operations Division

Raphalibus nover,