

JAGUAR CARS LIMITED

EXECUTIVE ORDER A-220-0068 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODI YEA		TEST GROUP		M	VEHICLE TYPE C=passenger car; LDT=light-du DV=medium-duty vehicle; LVW- vehicle weight; ALVW=adjusted	CATEGOR vehicle: 1	EMISSION STAND Y (LEV=low emis LEV= transitional LEV LEV; SULEV=super U	ssion V:	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)			
2003	3 3	3JCXV04.0BN4			PC		LEV		100K / 100K	Gasoline			
No.		APORATIVE MILY (EVAF)		No.	SPECIAL FEA EMISSION CONTROL			* = not applicable	OC	/TWC=oxidizing/3-way	cat. ADSTWC=adsorbing TWC		
1	3JCXR0121M2X			1	2HAFS, 21	TWC, 2HC	D2S, SFI, OBI	[[AF	WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation AIR/PAIR=secondary air injection/pused AIR MFI/SFi= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger				
2		*				*		gas					
3		*				*		— Ітв					
4		*		4		*		dia	CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series				
EVAF No.	EC No		NGINE SIZE (L		VEHICLE MAKES & MODELS		ECT TO SFTP E UNDERLINED	ABBR	REVIATIONS:				
1	1	<u> </u>	4.0			Jaguar: XJ8, Vanden Plas, XJ Sport							

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	OG FLE RAGE [g		NMOG @ RAF=0.94 CH4 RAF = *		NMOG or	muogen	пспо≕то	maidenvde	e PM≕na	rticula	ite matter	RAFERANCE	ivity adinetr	carbon mono	2/2 D (~/4~~4	1-012 4	
CER	T S	DT	NMOG CERT	NMHC	NMHC	mg=millig	ram mi=	mile K=1	nning ioss 1000 miles	F	VK [g/gallo ==degrees l	n dispensed Fahrenheit	i]=on-board	refueling vap	or recovery	g=gram	
0.07	0.077 0.062		[g/mi]	CERT [g/mi]	[g/mi]	CERT	[g/mi] STD	CERT	Ox [g/mi] 「 ST		HCHO CERT	[mg/mi]	PM	[g/mi]	Hwy NO	x [g/mi]	
A		@ 50K	0.062	*	0.075	0.6	3.4	0.01	0.2		6	STD 15	CERT	STD	0.01	STD 0.3	
1 花		@ UL	0.070	*	0.090	0.7	4.2	0.01	0.			18	+		0.01	0.3	
5 3	@ 50°F	& 4K	0.127	*	0.150	1.3	3.4	0.02	0.	2	1	30	*	*	*	*	
CO [@ 20	°F&	L	= @ 4K (SUL EV) or 50K (T	ier 1, TLEV	NMHC+NC (compe		CO [g/mi] (composite)		NMHC+NC [g/mi] [US0			CO [g/mi [US06]	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
50	- 6	SFTP 2	= @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	S	TD CE	RT S			CERT	STD	
CERT	6.0	4.3	4 2 2 3	SFTP 1	*	*	*	*	*	1	*	* ,		*	*	*	
STD	10.0	3.44		SFTP 2	*	*	*	*	*		*	*		*	*	+	
@ UL			ATIVE FAM		EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3					EVAPORATIVE FAMILY 4			
	3-D	2-0	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-1	D R	L OR	/R 3-D	2-D	RL	ORVR	
CERT	1.5	1.4	0.001	0.04	*	*	*	*	*	*	*	*	*	*	*	*	
STD	2.0	2.5	0.05	0.20	*	*	*	*	*	*	*	*	*	*	*		

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are conditionally certified in accordance to 13 CCR Section 1968.1(m)(6.2) (malfunction and diagnostic system) because the on-board diagnostic II system of the listed vehicle models has been determined to have three deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of twenty-five dollars (\$25) per vehicle for the third deficiency in the listed test group that is produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the ARB reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2003 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 2874 day of February 2002.

Allen Lyons, Chief

New Vehicle/Engine Programs Branch