

JAGUAR CARS LIMITED

EXECUTIVE ORDER A-220-0070 w Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MOD YEA		TES	TEST GROUP			VEHICLE TYPE E-passenger car; LDT=light-duty truck; IV=medium-duty vehicle; LVW=loaded ehicle weight; ALVW=adjusted LVW)	EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; TLEV= transitional LEV; ULEV=uitra LEV; SULEV=super ULEV)			EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefled natural gas; LPG=liquefled petroleum gas)			
2003 3JCXV03.0DN			NE		PC	LEV			100K / 100K	Gasoline				
No.		APORATIVE MILY (EVAF)			ło.	SPECIAL FEATURES EMISSION CONTROL SYSTEI	40 (ECG) = not applicable			OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC				
1	3JC	3JCXR0160P1X			1	2HAFS, 2TWC, 2H		AF	WI= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation ARIPAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series					
2		*			2	*		ga						
3		•			3			TB						
4		*			4	*		dia						
EVAI No.		ECS ENGINE No. SIZE (L) MAK			VEHICLE VEH MAKES & MODELS STA	ICLES SUBJECT TO SFTP NDARDS ARE UNDERLINED ABBREVIATIONS:								
1	1 3.0				Jaguar S-type 3.0 Litre									
*		• 🗆					7	•						
*		* *												
*		* *				•								

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

				RAF=0.94 RAF = *	NMOG or	CH4=methane NMOG=non-CH4 organic gas NMHC=non-CH4 hydrocarbon CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day diurnal+hot-soak RL [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refuelling vapor recovery g=gram											
CER	CERT STD		NMOG	NMHC	NMHC	mg=milligr	it•soak H	L [g/mi]=rur	oning loss	ORVR [g	/gailor	i dispensed] ahrenheit	=on-board ı	refueling var plemental fe	or recovery	g≃gram	
0.07	7	0.062	CERT [g/mi]	CERT [g/mi]	[g/mi]		CO [g/mi]		x [g/mi]			mg/mi]		g/mi]	Hwy NO		
		9	[g/iiii]	[g/iiii]		CERT	STD	CERT	STO) CE	RT	STD	CERT	STD	CERT	STD	
1.4	@ 50K		0.024	*	0.075	0.3	3.4	0.03	0.2	2 0	.2	15	•	•	0.00	0.3	
	3.1	@ UL	0.029	*	0.090	0.3	4.2	0.03	0.3	0	.2	18	*	•	0.00	0.4	
	@ 50	°F & 4K	0.094	•	0.150	0.6	3.4	0.02	0.2	. 0	.3	30	*	•	*	*	
@ 20	@ 20°F &		SFTP 1 = @ 4K (SULEV, ULEV, LEV) or 50K (Tier 1, TLEV) SFTP 2 = @ UL (Tier 1, TLEV)			NMHC+NOx [g/mi] (composite) (c				C+NOx [US06]				HC+NOx ni] [SC03]		[g/mi] 203]	
50						STD	CERT	STD	CERT	STD	CE	RT STI	CER	T STD	CERT	STD	
CERT	2.7	102		SFTP 1	*	*	*	*	0.02	0.14	0.0	02 8.0	0.00	3 0.20	0.1	2.7	
STD	10.0	1.2	$T_{ij} = T_{ij}$	SFTP 2	*	*	*	•	*	*	ļ .		*	•		*	
@ UL		EVAPOR	ATIVE FAN	AILY 1	EVAPORATIVE FAMILY 2 EVAP					/APORATIVE FAMILY 3				EVAPORATIVE FAMILY 4			
<u> </u>	3-D	2-0	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORV	₹ 3-D	2-D	RL	ORVR	
CERT	1.1	1.1	0.005	0.002	*	•	*	*	*	*	*	*	•	•	*	*	
STD	2.0	2.5	0.05	0.20	*	*	*	*	*	•	*	*	•	*	*	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 200

day of May 2002.

Allen Lyons, Chief

New Vehicle/Engine Programs Branch